

**ANSOLE DAYS 2021 &  
BALEWARE 2021**




# **International Digital Conference**

**BOOK OF ABSTRACTS  
AND BIOGRAPHIES**

**4-5 2021**  
February





*Event Book Compiled and Published by  
Daniel Ayuk Mbi Egbe*

Jena, April 26<sup>th</sup> 2021



**ANSOLE DAYS 2021 &  
BALEWARE 2021**



# **International Digital Conference**

**Theme:**

**Solar Energy Materials &  
Energy-Water Nexus**

**zoom link**

<https://jku.zoom.us/j/93192161096?pwd=cUEZcGk1T3BRRG03MFE4UVF5VzBuZz09>

Meeting-ID: **9319216 1096**

Password: **ANSOLE**

**4-5 2021**  
February



**Sponsors:**



UPPSALA  
UNIVERSITET



Institute of  
Polymeric Materials  
and Testing



JYU  
JOHANNES KEPLER  
UNIVERSITÄT LINZ

# ANSOLE DAYS 2021 & BALEWARE 2021

Digital International 10<sup>th</sup> Anniversary (2011-2021) Conference  
4-5 February 2021

## Solar Energy Materials & Water-Energy Nexus



### Organizing Institutions

- African Network for Solar Energy e.V., Jena Germany
- Bridging Africa, Latin America and Europe on Water and Renewable Energies Applications
- Institute of Polymeric Materials and Testing (IPMT), Johannes Kepler University (JKU) Linz, Austria
- Faculty of Sciences of Tunis, University of Tunis El-Manar, Tunis, Tunisia



### Conference Organizers

- Prof. Daniel A. M. Egbe**, ANSOLE & BALEWARE Coordinator, IPMT, JKU Linz, Austria  
**Prof. Samir Romdhane**, ANSOLE Regional Representative in North Africa, University of Carthage, Tunisia  
**Prof. Reinhold Lang**, Director of IPMT, JKU Linz, Austria  
**Prof. Carla Puglia**, Director of ISP, Uppsala University, Uppsala Sweden  
**Dr. Ineke Malsch**, Malsch TechnoValuation, Utrecht, The Netherlands  
**Prof. Chérif Dridi**, Center of Research on Microelectronics and Nanotechnology (CRMN) of Technopole Sousse, Tunisia  
**Prof. Maria Teresa Alarcon Herrera**, Advanced Materials and Research Centre (CIMAV), Mexico  
**Mr Harald Kicker**, IPMT, JKU Linz, Austria (Technical Support)



## Sponsoring Institutions

- International Science Programme, Uppsala University, Uppsala Sweden
- Institute of Polymeric Materials and Testing, Johannes Kepler University Linz Austria



Institute of  
Polymeric Materials  
and Testing



UPPSALA  
UNIVERSITET



## About ANSOLE

The African Network for Solar Energy (ANSOLE) promotes research, education and training in the field of renewable energy among Africans as well as non-Africans with a special focus on - and relationships with - Africa.

As outlined in its by-laws, ANSOLE supports non-profit activities in the field of development aid and cultural exchange with the aim of strengthening the dialogue between the North and African countries (north-south) and among African countries (south-south) on renewable energy.

It endorses the use of renewable energy to the benefit of the social and economic development of Africa as well as environmental protection through:

- Education and training of African scientists, experts and students
- Exchange of students and visiting scientists
- Workshops, conferences and meetings in Africa
- Organizing and implementing projects and programs on renewable energy
- Promoting capacity building in the use of renewable energy in Africa for all

In addition, ANSOLE is involved in facilitating the integration and acceptance of migrants of African origin within the local German society in Jena through the AMAH project (*Anlaufstelle für Menschen afrikanischer Herkunft*-Focal Point for People of African Origin). ANSOLE members and those acting in the name of ANSOLE accept and act in accordance with the association's by-laws.

The by-laws of ANSOLE can be downloaded here:

[https://www.ansole.org/download/2013-11-23-ANSOLE\\_Satzung\\_v02.pdf](https://www.ansole.org/download/2013-11-23-ANSOLE_Satzung_v02.pdf)

Mention of conferences, companies, or products in this document does not automatically constitute an endorsement.

**Donations to:** ANSOLE e.V: Bank: Sparkasse Jena, IBAN: DE52830530300018025668, BIC: HELADEF1JEN

ANSOLE e.V.: Register of Associations at the Local Court Jena N°: VR 231505



ANSOLE e.V. acknowledges the financial support from the City of Jena and the State of Thuringia since 2017.

## Table of Content

- Organizing institutions	3
- Conference organizers	3
- Sponsoring institutions	4
- About ANSOLE	4

## Programme

5

YouTube Live-Stream: <https://tinyurl.com/AnsoleDays2021>

Thursday, February 4<sup>th</sup>

Time: 8:30am-19.00 pm CET

Zoom Link	<a href="https://jku.zoom.us/j/93192161096?pwd=cUEzcGk1T3BRRGo3MFE4UVF5VzBuZz09">https://jku.zoom.us/j/93192161096?pwd=cUEzcGk1T3BRRGo3MFE4UVF5VzBuZz09</a>
8.30-8.45	Access of participants to zoom room
8.45-9.00	Opening remarks and welcome addresses by Daniel A. M. Egbe & Samir Romdhane
Session 1	<b>Moderators: Prof Samir Romdhane &amp; Dr Allé Dioum</b>
9.00-10.00	<b>Keynote Lecture: From organic electronics towards bio-organic systems for CO<sub>2</sub> recycling</b> Prof. <b>Serdar Sariciftci</b> , Johannes Kepler University Linz, Linz, Austria. 10
10.00-10.30	<b>Invited Lecture: Exploring ethical impacts of nanotechnology for water and sustainable energy</b> Dr <b>Ineke Malsch</b> Malsch TechnoValuation, Utrecht, The Netherlands 11
10.30-11.00	<b>Invited Lecture: Underwater Solar Photovoltaics: Status and Pathway</b> Prof. <b>Sanket Goel</b> , Institute of Technology and Science (BITS) Pilani, Hyderabad Campus, Hyderabad, India 12
11:00-11.30	<b>Invited Lecture: Solar Calculations and Solar Radiation Power Evaluations using by Programming Languages, C Sharp Code and Python</b> Prof. <b>Zuhal ER</b> , Istanbul Technical University, Istanbul, Turkey 13
11.30-12.00	<b>Invited Lecture: Functional Polymer Passivated Dye Sensitized Solar Cell Showing Exceptionally High Light-to-Current Conversion Efficiency</b> Dr <b>Mohammed Jasim Uddin</b> , The University of Texas, Rio Grande Valley, USA 14
12.00-12.20	<b>Invited Lecture: Concentrated Solar Thermal activities in The Thermal Process Laboratory Research and Technologies Centre of Energy (Tunisia)</b> Prof. <b>AmenAllah Guizani</b> , Thermal Process Laboratory Research and Technologies Centre of Energy, BP 95 Hamam Lif, 2050 Tunisia 15
12.20-12.40	<b>Inverted Structure Solar Cell based on Nanofibers of Anthracene Containing PPE-PPV Copolymer: Limits and Challenges</b> Dr. <b>Shaimaa A. Mohamed</b> , Zewail City of Science and Technology, Giza, Egypt. 15
12.40-13.00	<b>Concentrated sunlight-driven photocatalysis and green synthesis of Zinc Oxide nanostructures for sustainable water purification</b> Ms <b>Asma El Golli</b> , NANOMISENE Lab LR16CRMN01, Center of Research on Microelectronics and Nanotechnology of Sousse, Technopark of Sousse, Tunisia 17
13.00-14.00	Lunch Break
Session II	<b>Moderator: Dr Ineke Malsch</b>
14:00-14:30	<b>Organiser's Lecture: 60<sup>th</sup> anniversary of the International Science Programme at</b>

	<b>Uppsala University: a success story by colleagues and students in Africa, Asia and Latin America</b> Prof. <i>Carla Puglia &amp; Barbara Brena</i> , International Science Programme, Uppsala University, Uppsala, Sweden 18
14:30-15.00	<b>Organizer's Lecture: African Network for Solar Energy: 10 years after!</b> Prof <i>Daniel A. M. Egbe</i> , ANSOLE e.V. Jena Germany/ Johannes Kepler University Linz, Austria 19
15.00-15.30	<b>Invited Lecture: Defining side chain successions in anthracene-based poly(arylene ethynylene)-alt-poly(phenylene vinylene)s: probing structure-property relationships</b> Dr <i>Christoph Ulbricht</i> , Johannes Kepler University Linz, Austria. 39
15.30-16.00	<b>Invited Lecture: Development of Flexible and Sustainable All-Solid-State Supercapacitors for Wearable Electronics</b> Dr. <i>Achref Chebil</i> , Center of Research on Microelectronics and Nanotechnology of Sousse, Technopark of Sousse, Tunisia 40
16:00-16.20	<b>Coffee and Restroom Break</b>
Session III	<b>Moderator: Prof Maria Teresa Alarcon Herrera</b>
16:20-16:40	<b>Study and Application of Nano Anti-contamination for Photovoltaic Panels</b> Dr. <i>Khaled Belhouchet</i> Mohamed Boudiaf University, M'sila, Algeria. 41
16.40-17.00	<b>Performance Response to Ambient Parameters and Modelling of Polycrystalline Photovoltaic Module in Minna, Nigeria</b> Dr. <i>Joel Ezenwora</i> , Federal University of Technology, Minna, Nigeria 43
17.00-17.20	<b>Growth and characterization of transition metal diselenides <math>MSe_2</math> (<math>M = Mo, W</math>) for various applications</b> Prof. <i>Moussa Bougouma</i> , Université Norbert Zongo, Koudougou, B. Faso 44
Session IV	<b>Poster Session moderated by Prof. Zahir Rouabah and Prof. Louiza Boudiba</b>
17:20-17:25	<b>An investigation on to the effects of buffer layer thickness and doping concentration on AlGaAs solar cell efficiency</b> Prof. <i>Lynda Benbahouche</i> , University of Setif, Setif Algeria 45
17:25-17.30	<b>Comparative study of two calculation models of solar radiation for a parabolic trough collector in Tlemcen, Algeria</b> <i>Loubna Benhabib</i> , Abou Bekr Belkaid university, Tlemcen, Algeria 46
17.30-17.35	<b>Removal of an azo dye by adsorption on a green algae (<i>Ulva lactica</i>)</b> <i>Nesrine Benkhemkhem</i> , Université de Mostaganem (UMAB), Algeria 47
17:35-17.40	<b>New fluoranthene-based compounds and their use in DSSCs</b> <i>Younes Bennacer</i> , Université des Frères Mentouri de Constantine, Algérie 47
17.40-17.45	<b>Review on modeling and prediction of soiling effects on photovoltaic and concentrated solar power module performance</b> <i>Bouchra Laarabi</i> , High College for Education and Research (ENS), Mohammed V University in Rabat (UM5R), Morocco 48
17.45-17.50	<b>Optimization of metals analysis by volumetric method-the case of <math>Ca(II)</math>, <math>Mg(II)</math>, <math>Zn(II)</math>, <math>Mn(II)</math>, <math>Cd(II)</math>, and <math>Pb(II)</math></b> <i>Rayane Nadjat Fassi</i> , University Mentouri Brothers Constantine, Algeria 49
17.50-17.55	<b>Experimental analysis and modeling of self-consolidating concrete (SCC) using waste glass</b> <i>Souad Tabet</i> , Mohamed El Bachir El Ibrahimi University, BBA, Algeria. 50
17.55-18.00	<b>Study of a-Si:H hydrogenated amorphous silicon for photovoltaic applications</b>

	<b>Khadidja Ketrroussi</b> , Université des Sciences et de la Technologie Houari Boumediene (USTHB), B.P. 32, El Alia, Bab Ezzouar, DZ-16111Alger, Algérie. <b>51</b>
<b>18.00-18.05</b>	<b>Effect of Sn concentration on the structural, optical and electrical properties of indium oxide thin films</b> <b>Ghemid Mouna</b> , University of Science & Technology. (U.S.T.H.B), El-Alia, Algiers, Algeria. <b>52</b>
<b>18.05-18.10</b>	<b>UV radiation effect on optical and thermo-mechanical properties of PC/PS blend for BIPV application</b> <b>Imane Charif</b> University of Sciences and Technologies (USTHB), Algeria <b>53</b>
<b>18.10-18.15</b>	<b>Experimental Investigation of Plant Extracts as Corrosion Inhibitor on Carbon Steel in Acid Solution</b> <b>Dr. Sameh Boudiba</b> , , University of Larbi Tebessi, Tebessa, Algeria <b>53</b>
<b>18.15-18.20</b>	<b>Efficiency of Several Photochemical Methods for Decolorization of Cresol Red Dye present in water. Effect of solar light</b> <b>Soumia Fassi</b> , University of Constantine, Algeria <b>54</b>
<b>18.20-18.25</b>	<b>Processing, characterization, mechanical and wear behaviours of magnesium reinforced aluminium alloys and nanocomposites: A review.</b> <b>Eng. Borisade S.Gbenga</b> , Federal University Oye Ekiti, Nigeria <b>55</b>
<b>18.25-18.30</b>	<b>The Gender-Energy Nexus</b> <b>Prof. Elif Arici</b> , Energy Institute, Istanbul Technical University, Turkey <b>56</b>
<b>18.30-19.00</b>	<b>Celebrating ANSOLE &amp; Closing remarks for the 1st day!</b>

Time: 8:30am-18.00 pm CET

Friday, February 5<sup>th</sup>

<b>Zoom Link</b>	<a href="https://jku.zoom.us/j/93192161096?pwd=cUEzcGk1T3BRRGo3MFE4UVF5VzBuZz09">https://jku.zoom.us/j/93192161096?pwd=cUEzcGk1T3BRRGo3MFE4UVF5VzBuZz09</a>
<b>8.30-9.00</b>	Access of participants to Zoom Room
<b>8.45-9.00</b>	Opening remarks by Daniel A. M. Egbe & Samir Romdhane
<b>Session 1</b>	<b>Moderator: Prof. Amel Ben Fredj</b>
<b>9.00-10.00</b>	<b>Keynote Lecture: Navigating the GREAT INDUSTRIAL TRANSFORMATION? An Austrian Perspective for a NEW (GREEN) DEAL between AFRICA and EUROPE</b> <b>Prof. Reinhold Lang</b> , Johannes Kepler University Linz, Austria <b>57</b>
<b>10.00-10.45</b>	<b>Invited Lecture: Socially inclusive plastics recycling - a multi-year case study from Kenya</b> <b>Markus Gall</b> , Johannes Kepler University Linz, Austria <b>58</b>
<b>10.45-11.30</b>	<b>Invited Lecture: NANOAFNET'S &amp; UNESCO AFRICA NANOCHAIR'S R&amp;D ACTIVITIES IN RENEWABLE ENERGIES</b> <b>Prof Malik Maaza</b> , iThemba LABS-National Research Foundation, Western Cape Province, South Africa <b>59</b>
<b>Session II</b>	<b>Moderator: Carla Puglia</b>
<b>11.30-12.00</b>	<b>Invited Lecture: Universal access to safe drinking water: The helping hand of Solar energy</b> <b>Prof. Chicgoua Noubactep</b> , Georg-August-Universität Göttingen, Germany <b>61</b>
<b>12.00-12.30</b>	<b>Modeling and QSARs of thiosemicarbazide derivatives as corrosion inhibitor in acid medium</b>



	<i>Babatunde T. Ogunyemi, Federal University Otuoke, Bayelsa State, Nigeria</i> 61
12.30-13.00	<b>Invited Lecture:</b> Controlling electrical and optical properties of polymer-fullerene bulk heterojunctions by precisely tuning the degree of polymer aggregation and phase separation from the fullerene <i>Dr. Christian Kästner, Technische Universität Ilmenau, Germany</i> 62
13.00-14.00	<b>Lunch Break</b>
Session II	<b>Moderator: Prof. Cherif Dridi</b>
14.00-14.30	<b>Invited Lecture:</b> Improvement of donor crystallinity and phase separation in organic solar cells based on anthracene-containing PPE-PPVs <i>Dr. Shahidul Alam, Friedrich-Schiller University Jena, Jena Germany</i> 63
14.30-15.00	<b>Invited Lecture:</b> Influence of thermal annealing on the performance of bulk heterojunction polymer-fullerene solar cells based on AnE-PVab:PCBM <i>Dr. Moufid Radaoui, University of Tunis El-Manar, Tunis, Tunisia</i> 64
15.00-15.30	<b>Invited Lecture:</b> Organic Solar Cells for Agrivoltaics <i>Prof. Harald Hoppe, Friedrich-Schiller University Jena, Jena, Germany</i> 65
15.30-16.00	<b>Invited Lecture:</b> The key role of the electrolyte for the development of advanced electrochemical double layer capacitors <i>Prof. Andrea Balducci, FSU Jena, Jena, Germany</i> 66
16.00-16.20	<b>Coffee and Restroom break</b>
Session III	<b>Moderator: Dr Christoph Ulbricht</b>
16.20-16.50	<b>Desalination:</b> energetic aspect of desalination and coupling with solar energy. <i>Prof. Sadok Ben Jabrallah, University of Carthage, TUNISIA</i> 67
16.50-17.00	<b>Doping and Indium-optimization of p-n InGaN solar cell performance: An analysis</b> <i>Dr. Haddou El Ghazi, University Hassan II, Casablanca, Morocco</i> 67
17.00-17.10	<b>Development of new numerical platform for photoelectrical parameters extraction of hybrid nanocomposite based solar cells</b> <i>Elyes Bel Hadj Jrad, University of Sousse, High Institute Of applied sciences and technology of Sousse, Tunisia</i> 68
Session IV	<b>Poster Session moderated by Prof Martin Kamta &amp; Prof. Elif Arici</b>
17.10-17.15	<b>Removal of "Bromocresol Purple" by direct photolysis and advanced oxidation processes (AOP's) in homogeneous solution under artificial and solar light</b> <i>Ibtissem Bousnoubra, University of Constantine 25000 Algeria.</i> 69
17.15-17.20	<b>Photovoltaic performance of rectangular and parabolic (In,Ga)N/GaN QW under applied electric field impacts,</b> <i>Hassan Abboudi, University of Mohamed Ben Abdellah, Fes, Morocco</i> 70
17.20-17.25	<b>Inhibition of Carbon Steel Corrosion in HCl and H<sub>2</sub>SO<sub>4</sub> Solutions by Methyl 2-(1,3-dithiolan-2-ylidene)-3-oxobutanoate</b> <i>Wafia Boukhedena, Larbi Tebessi University, Tebessa, Algeria</i> 71
17.25-17.30	<b>Effect of ethyl acetate extract of <i>Taxus baccata</i> as an additive in electrodeposition bath.</b> <i>Dr. Karima Hanini, Tebessa University, Constantine Road, Tebessa-Algeria</i> 71
17.30-17.35	<b>Comparative study of the adsorption capacity of methyl orange (MO) by two anionic clays of the types MgAlCO<sub>3</sub> (R = 3) and NiAlCO<sub>3</sub> (R = 3).</b> <i>Salah Bahah, Université Bachir El Ibrahimy de Bordj Bou Arreridj.</i> 72
17.35-18.00	<b>Closing remarks and End of ANSOLE DAYS 2021</b>

## **Other Biographies** **73**

-Prof. Abdelfettah Barhdadi	73
-Mr Abdelkrim Merah	73
-Dr. Allé Dioum	74
-Prof. Amel Ben Fredj Romdhane	75
-Dr. Armel Duvalier Pene	75
-Dr. Asma Saaidia	75
-Prof. César Kapseu	76
-Ms Chancily Matinda	76
-Mr Chris Seiferth	77
-Ms Claudia Bess	77
-Prof. Diouma Kobor	77
-Dr. Emilienne Bogwarbe	78
-Dr. Ernest A. Fongwa	79
-Prof. Izzedine Zorkani	79
-Prof. Jérémie T. Zoueu	80
-Mr Johnson Olowookere	80
-Mr Joseph Koffi Datte	81
-Prof. Lamiaa Mekky	81
-Prof. Louiza Boudiba	81
-Prof. Martin Kamta	82
-Prof. Maria Teresa Alarcon Herrera	82
-Dr. Salimata Berté	83
-Prof. Samir Romdhane	83
-Mr Shewangzaw Bekele	83
-Dr. William Wandji	84
-Prof. Zahir Rouabah	84

## **List of registered participants** **84**

***Updated speech held by Daniel Egbe during the demonstration on “Climate Change and Racism” organized in Jena, Germany, on 19.03.2021 by “Fridays for Future Jena” and “Anti-Racism Network Jena”: TREES NEED SPACE!*** **88**

4th February 2021

## From organic electronics towards bio-organic systems for CO<sub>2</sub> recycling

Niyazi Serdar Sariciftci

Linz Institute for Organic Solar Cells (LIOS), Physical Chemistry,

Johannes Kepler University Linz, A-4040 Linz, Austria

homepage: <http://www.lios.at> / Email: [serdar.sariciftci@jku.at](mailto:serdar.sariciftci@jku.at)

### Abstract

Organic photovoltaic cells are maturing from the academic research into the industrial development, entering the markets. Pure organic nanostructures and organic/inorganic hybrid nanostructures are comparatively studied for such devices. This talk gives an overview of materials' aspect and devices.

In order to account for a sustainable future, the application of biodegradable and biocompatible systems for organic optoelectronics are needed. The use of cheap electronic devices in a large scale will introduce "consumable electronics" into the market of "consumer electronics". Therefore, environmentally friendly materials are important to use. This is a next great challenge to material science in organic electronics. New developments of bio-inspired and/or bio-origin, bio-compatible materials from our institute will be reported.

Last but not least the conversion of CO<sub>2</sub> to methane (or other synthetic fuels) using solar energy is an important step to make an efficient, large scale energy storage. At the same time this will make a cyclic and sustainable CO<sub>2</sub> economy. We report organic as well as bio-organic catalysts which can be used in photo-electro-catalytic conversion devices. Such bio-catalysts can be enzymes as well as living bacteria immobilized on electrodes. Selectivity of such bio-catalysts is very high and combined with the room temperature operation of such bio-electro-catalytic systems makes them industrially highly attractive.



**Prof. Niyazi Serdar Sariciftci** is Ordinarius Professor for Physical Chemistry and the Founding Director of the Linz Institute for Organic Solarcells (LIOS) at the Johannes Kepler University of Linz/Austria.

He studied at the University of Vienna (Austria) and graduated as PhD in physics in 1989. After two years postdoctoral study at the University of Stuttgart (Germany) he joined the Institute for Polymers and Organic Solids at the University of California, Santa Barbara, USA, by Prof. Alan J. HEEGER, Nobel laureate 2000 for Chemistry. His major contributions are in the fields of photoinduced

optical, magnetic resonance and transport phenomena in semiconducting and metallic polymers. He is the inventor of conjugated polymer and fullerene based "bulk heterojunction" solar cells. Prof. Sariciftci published over 600 publications and with over 75000 citations he is one of the most cited scientists in material science (2011, Thompson Reuter ranking No: 14 of the world in material science). Google scholar ranks Sariciftci with an h-index of >119. Sariciftci has composed 8 books and educated several academic and industrial scientists. He also initiated seven spin off companies for organic optoelectronics. He is recipient of several prizes among them the National Science Prize of Turkey 2006 and the Austrian Scientists of the year Prize for Research 2008. He received the Medal for Humanity of the City of Linz 2009 and the Kardinal Prize for Science of the Archbishop in Vienna 2010. In 2012 he was awarded the prestigious Wittgenstein Prize of Austria. He is a Fellow of the Royal Society of Chemistry (FRSC), Fellow of SPIE, and member of several societies such as



American Chemical Society, Materials Research Society, Austrian Chemical Society and Austrian Physical Society. He was selected as corresponding member of the Academy of Science in Austria (ÖAW). Sariciftci has been awarded honorary doctorate by the Abo Academy in Finland in 2011 and University of Bucharest in Romania in 2012. Sariciftci received the TÜBA Science Prize of the Turkish Academy of Sciences (2015) and was selected as member of the Turkish Academy of Sciences in 2017. He received the Selcuk Yasar University Prize for Advancement of Science and Humanity in Turkey in 2020.

## Exploring ethical impacts of nanotechnology for water and sustainable energy

Ineke Malsch<sup>1</sup>, Panagiotis Isigonis<sup>2</sup>, Evert Bouman<sup>3</sup>, Antreas Afantitis<sup>4</sup>, Georgia Melagraki<sup>4</sup>, Dalila Antunes<sup>5</sup>, Maria Dusinska<sup>3</sup>

<sup>1</sup>Malsch TechnoValuation, Utrecht, The Netherlands, <sup>2</sup>UNIVE, Ca'Foscari University of Venice, Mestre-Venezia, Italy, <sup>3</sup>NILU-Norwegian Institute for Air Research, Kjeller, Norway, <sup>4</sup>Novamechanics, Nicosia, Cyprus, Factor Social, Caparica, Setúbal, Portugal. Email: [postbus@malsch.demon.nl](mailto:postbus@malsch.demon.nl)

### Abstract

Nanotechnology offers potential contributions to the Sustainable Development Goals 6 and 7: clean water and sustainable energy for all, the underlying objective of ANSOLE DAYS and BALEWARE 2021. However, the use of nanomaterials in innovative water treatment and sustainable energy solutions introduces ethical risks as well as benefits. In this presentation, we demonstrate the use of ethical impact assessment guidelines and tools (based on CEN Workshop Agreement part 2 CWA 17145-2:2017 (E)), developed in the RiskGONE project (<https://riskgone.eu/>) to support risk governance of nanomaterials on two case studies. In the first case study, nanotechnology is used for photocatalytic decontamination of wastewater. The second case study addresses the use of nanomaterials in solar energy. The presentation is relevant to the topics Wastewater Treatment & Solid Waste Treatment, and to the topic Solar Energy Materials and Devices.

**Key words:** nanotechnology, ethics, risk governance, wastewater, solar energy

Supported by the European Union's Horizon 2020 project RiskGONE, grant agreement no 814425.



Dr. **Ineke (N. H.) Malsch** advises and writes about responsible development of emerging technologies in their societal context emphasizing a Do-It-Yourself Ethics approach. Education: graduated in physics (Utrecht University, 1991) and PhD in philosophy (Radboud University, Nijmegen, 2011). She has been involved in EU funded projects on responsible development of emerging technologies since 2002, and is currently engaged in the RiskGONE project [www.riskgone.eu](http://www.riskgone.eu). She is also the Dutch contact person for the African Network for Solar Energy (ANSOLE), and has been a partner in the project NMP-DeLa, where roadmaps have been developed for nanotechnology for water, renewable energy and health applications in EU-Latin American cooperation. She has published articles and contributed to books for a variety of audiences including scientists, professionals and lay persons about ethical and responsible development of nanotechnology and other emerging technologies, including the book *Future Technologies We Want* (Wolf publishers, 2018).

Info: <http://www.malsch.demon.nl/indexEN.htm> and <https://ethicschool.nl/en-gb/home>

## Underwater Solar Photovoltaics: Status and Pathway

Sanket Goel

*MEMS, Microfluidics and Nanoelectronics (MMNE) Lab, Department of Electrical and Electronics Engineering, Birla Institute of Technology and Science (BITS) Pilani, Hyderabad Campus, Hyderabad, India. Web: <https://www.bits-pilani.ac.in/Hyderabad/sgoel/Profile>*

### Abstract

Energy harvesting in marine environments has tremendous scope for long-term power sources and sensor networks since the conventional battery-based power sources have many significant and known drawbacks. Due to land constraints, recent advancements in Solar photovoltaics (SPV) contribute to developing these systems on water bodies such as seawater, lakes, canals, rivers, etc. In this context, leveraging SPV underwater lead to directly power autonomous underwater vehicles, sensors, water monitoring devices and remotely operated systems for defense and marine applications. In our recent studies, a lab-based experimental setup has been developed to investigate various kinds of commercial existing Solar cells, such as the monocrystalline, polycrystalline, and amorphous silicon Solar cells, for their utilization in diverse underwater conditions. These cells have been encapsulated with polydimethylsiloxane (PDMS) before testing them in underwater conditions. The behavior and performance of these cells have been analyzed with different types of water environments like deionized water (pure water), seawater, artificial seawater (with 3.5 % salinity) and lake water. The lake water consisted of bacteria, algae, and other water impurities. Also, rigorous experiments have been conducted to understand the response of these cells in water using multiple light sources such as the halogen lamp and xenon lamp, and various spectral ranges, blue-green, visible and infrared. This was due to the fact that while going deeper into the water, the spectral variations are prevalent due to the air-water interface of light. The outcomes of our work has manifested that the SPV has a significant potential to utilize in submerged conditions. Although there are certain challenges in utilizing silicon Solar cells underwater, due to suitable bandgap and spectral ranges, yet developing suitable materials can harvest the underwater Solar energy more efficiently. In summary, all these studies suggest that sufficient amount of Solar energy is available underwater, which can be harvested using SPV to power the marine environments with modern power electronic converters.



**Sanket Goel** is with the Department of Electrical and Electronics Engineering Department at BITS-Pilani, Hyderabad campus since 2015. Earlier, he the same department (2017-2020), and R&D department at the University of Petroleum & Energy Studies (UPES) (2011-2015). Sanket did his BSc (H- Physics) from Ramjas College, Delhi University; MSc (Physics) from IIT Delhi; PhD (Electrical and Computer Engineering) from University of Alberta, Canada in 1998, 2000, and 2006 respectively. He has worked with Institute of Plasma Research, Gandhinagar (2000-2001) and DEBEL-DRDO, Bangalore (2006). Sanket did his postdoc at Stanford University (2006-2008) and was a

PI with ASTAR, Singapore (2008- 20011). His lab focusses on MEMS, Microfluidics and Nanoelectronics for Energy and Bio Applications, where he has been implementing several Indian and overseas funded projects. Sanket has won several awards, like Fulbright fellowship (2015), American Electrochemical Society's Best students paper award (2005) and University of Alberta PhD thesis award (2005). Sanket has >180 publications and 12 patents to his credits, and has delivered >70 invited talks and guided/guiding 25 PhD students. He is an Associate Editor of IEEE Transactions on NanoBioscience, IEEE Sensors Journal, IEEE Access and Applied Nanoscience. He is also a Visiting Associate Professor with UiT, The Arctic University of Norway. Email: [sgoel@hyderabad.bits-pilani.ac.in](mailto:sgoel@hyderabad.bits-pilani.ac.in)

## Solar Calculations and Solar Radiation Power Evaluations using by Programming Languages, C Sharp Code and Python

Zuhal ER

Istanbul Technical University, Istanbul, Turkey (ORCID: 0000-0002-9737-1435)

E-mail: erzuh@itu.edu.tr

### Abstract

In early 2020, when the COVID-19 pandemic hit, renewable energy contributed just over a quarter of total global electricity generation. On the other hand, there is clearly the potential to increase this contribution and to further diversify the areas of application. With the widespread use of phones among people, people spend a lot of time on the phone, and when we consider the fact that the charging of phones is an important energy requirement during the day, we are faced with the fact that solar energy, which is a renewable energy source, and solar radiation considerations, have a high place in life. Solar radiation information in KW-h / m<sup>2</sup>-year includes striking points in the context of the installation of solar systems at a location. In this text, it is known that the analysis of Solar Radiation Data for the location by integrating it into digital technological applications will make high contributions to system builders and operators and calculations are included. Based on these calculations, in this study, sunshine duration, solar angle calculations, solar constant correction factor, tilt angle, sunrise and sunset time, extra atmospheric and horizontal solar radiation values were calculated with C # programming code. The reasons for choosing the C # software language here are to create a Windows Application and I have been evaluating this application coding without any problems for the last 6 years. At the same time, calculations were made with python, and additionally, graphical analyzes were made from data sets. In this study, solar radiation data of Tunisia, Sousse were calculated and the results of Tunisia Sousse were presented in graphics using the obtained data. Considering the results obtained from this study, the examination of solar energy efficiency and production potential for the location will be presented, and examples from my previous studies in the literature will be presented in the context of making a comparison.

**Keywords:** Solar Radiation Power, Sun angles, Solar Irradiation, Solar Radiance, C Sharp Code, Python.



**Zuhal Er** is staff in two faculties in ISTANBUL TECHNICAL UNIVERSITY (Faculty of Science and Letters, Physics Engineering Department (13b). 2019- and Maritime Faculty: Sea Transportation and Management Engineering Department 1996-2020, Department of Basic Science 2020-). She received her MSc degree in Nuclear Energy Institute (Istanbul Technical University-ITU-) in 1997 and her Ph.D. degree in 2005 from the Institute of Energy- Nuclear Research Program-ITU. She was also a visiting professor at the Maritime Academy of Australia (AMC) with a scholarship by the World Maritime Organization-IMO (2000).

Within the framework of research topics: Solar Energy Applications-Innovations and calculations, Solar Tracking Systems, Energy Efficiency, Risk Analysis, Ship Electricity-Electronics, Low-Level Natural Radiation Analysis and Ship Ballast Water Management (BWM), C Sharp and Python Programming Languages are working on these issues and integrating software with business-industry applications.

Three MSc theses are completed under her advising in the university. Two of them were successfully completed under her advisory during her academic member at Maritime Faculty in 2008. The theses were named "Analysis of Sea via LNG Transport in Turkey" and "LNG



Transportation Risk Analysis and Safety Management Model". Since 2008, she has been working in the Department of Physics Engineering at the Faculty of Science and Literature, ITU. The other successfully completed MSc thesis had been under her advisory which it is titled "New Model And Comparative Study of Factors with The Average Of Daily Global Solar Radiation", in the Department of Physics Engineering.

With the ITU JICA project, she conducted the installation of the Electrotechnic&Electronics Laboratory in the Maritime Faculty. She was the constructor of several courses such as Marine Electrotechnics, Ship Electric Machines that it had consisted of the Ship Generator Paralleling - Giving Engine Start Experiments - Motor Ahead/Reversing Experiments and some basic electronic experiments with opportunities of this laboratory in ITU Maritime Faculty, to till 2008. Until now, she was a constructor of several courses such as Marine Electrotechnics, Marine Electric Machines, Marine Electronics and Physics (Mechanics, Electricity, Wave and Thermodynamics), Career Counseling, and Solar Energy Physics&Technology-I courses.

Zuhal Er is an author of the book chapter that is titled "Metal and alloy composites for neutron shielding", in MICRO AND NANOSTRUCTURED COMPOSITE MATERIALS FOR NEUTRON SHIELDING APPLICATIONS Edited by Sajith Thottathil Abdulrahman, Sabu Thomas, Zakiah Ahmad, Woodhead Publishing Series in Composites Science and Engineering, ISBN: 978-0-12-819459-1 (print) ISBN: 978-0-12-819462-1 (online) © 2020 Elsevier Ltd. All rights reserved.

Zuhal Er has many speeches/studies in several national/international conferences, seminars, symposiums, workshops, and in the SCI journals and other indexed journals too. She was one of the invited speakers in INCOSOLE, 2015. She is a reviewer&referee&guest editor in international/national journals and she is a scientific&organising committee member of the conferences, symposiums. Such as those: ICCESN, 2014-till now; INCOSOLE, 2015; Environmental Engineering and Management Journal, 2012; International Journal of Computational and Experimental Science and Engineering (IJCESN); International Journal of Nuclear and Radiation Science and Technology (IJNURASAT); International Journal of Engineering Science and Application (IJESA).

She is a member of the IEEE since August 2018. She is a senator of World Business Angels Investment Forum (2020). She is the inventor-ship of two patents (Patent No: 39616753-2017/E.2017-OE-387102 and Patent No: 10 2018 116 778.4). She is married and she has a daughter who is a medical doctor. She also has a target and aims in her life to do the best in future studies with the opportunities.

## **Functional Polymer Passivated Dye Sensitized Solar Cell Showing Exceptionally High Light-to-Current Conversion Efficiency**

Glenn Grissom, Brishty Deb Chowdhury, M. Jasim Uddin

Photonics and Energy Research Laboratory (PERL), Department of Chemistry, The University of Texas, Rio Grande Valley, Texas USA . Corresponding Author Email: [mohammed.uddin@utrgv.edu](mailto:mohammed.uddin@utrgv.edu)

### **Abstract**

Fiber shaped dye sensitized solar cells are very promising technology due to their light weight and flexibility making them suitable for use in military and textile applications. With the proper use of  $\text{TiO}_2$ , quantum dots, bulk heterojunction polymer layer and a liquid polysulfide electrolyte a high open circuit voltage of 0.75V has been achieved. The  $\text{TiCl}_4$  annealing of the oxide layer resulted into a uniformly coated smooth but rough surface that facilitated efficient transfer of the photogenerated excitons. The chemical bath deposition technique was used to deposit different layers. A plasma sputtering system was used to fabricate the counter electrode. The photoelectric performance was evaluated at different cell length and a 3.5cm cell length gave the highest light-to-current conversion efficiency of 14.30%. When the cells were connected in series a high open

circuit voltage of 1.5 V has been achieved. Future study can be conducted in this field to understand the role of a liquid electrolyte in obtaining high performance flexible solar cells.

**Keywords:** Fiber Shape, Dye Sensitized Solar Cell, Liquid Electrolyte, Open Circuit Voltage.



**Dr. M. Jasim Uddin** obtained his PhD degree (Materials Science) from University of Turin, Italy. He is currently working as an Assistant Professor in the Department of Chemistry, College of Science, University of Texas Rio Grande Valley. Prior to joining in University of Texas Rio Grande Valley; he worked at Tulane University, LA and Florida State University, FL. He discovered *Self-cleaning* and *antimicrobial* textiles during his doctoral research. He is recently awarded:

Outstanding and Sustainable Research in Science Award 2016 (UTRGV), High Scholar Research Competition Award (First Prize) 2016 (UTRGV), United Group Research Award 2016 (International), NASA Texas Space Grant Award (2016), UGC Award in 2010 (International), etc.

Dr. Uddin's research focuses on functionalization of organic and inorganic nanostructured materials for advanced structural and energy application. We successfully bridged in between the graphene/MWCNT and conductive polymer, semiconductor nano phase etc. The modified structures are capable in harvesting renewable energy with three-dimensional feature and is applicable to be used as self-powered artificial muscle. We propose this self-powered muscle for Naval Vessel's Hull, with integrated energy conversion capability and ultra-strong and light weight-structural feature.

### **Concentrated Solar Thermal activities in The Thermal Process Laboratory Research and Technologies Centre of Energy in Tunisia**

AmenAllah Guizani

Thermal Process Laboratory Research and Technologies Centre of Energy, BP 95 Hamam Lif, 2050 Tunisia. Email: [amenallah.guizani@crtcn.mesrs.tn](mailto:amenallah.guizani@crtcn.mesrs.tn)

Concentrated Solar is among the solar thermal technologies devoted to meet the increasing energy demand and to diminish the use of fossil resources. We present our concentrated solar thermal activities at different scales and will describe the ongoing projects and research works for both power production and process heat.



**AmenAllah Guizani (AG)**, is Professor of Physics at the Center of Research and Technologies of Energy since 2005, he is the Director of the Laboratory of Thermal Processes. His research activities focus on renewable energies and simulation of thermal processes. He has published more than 120 peer reviewed articles and is actively involved in international research projects related to renewable energy applications. Prof. Guizani has supervised more than 15 Doctoral Thesis in Physics.

### **Inverted Structure Solar Cell based on Nanofibers of Anthracene Containing PPE-PPV Copolymer: Limits and Challenges**

Shaimaa A. Mohamed<sup>1, 2, 3\*</sup>, Ola G. Allam<sup>4</sup>, Daniel A. M. Egbe<sup>5</sup>, Salah S. A. Obayya<sup>2</sup>

1. Center of Nanotechnology, Zewail City of Science and Technology, October Gardens, 6<sup>th</sup> of October City, Giza, Egypt.

2. Center for Photonics and Smart Materials, Zewail City of Science and Technology, October Gardens, 6<sup>th</sup> of October City, Giza, Egypt.
3. Nanotechnology Engineering program, University of Science and Technology, Zewail City of Science and Technology, October Gardens, 6<sup>th</sup> of October City, Giza, Egypt.
4. Solid State Physics Department, National Research Centre, El-Behouthst., Dokki 12622, Giza, Egypt
5. Institute of Polymeric Materials and Testing (IPMT), Johannes Kepler University Altenbergerstr. 69, 4040 Linz, Austria.

\* Corresponding Author: [smohamed@zewailcity.edu.eg](mailto:smohamed@zewailcity.edu.eg)

## Abstract

There is a great demand for photovoltaics capable of harvesting solar light. In bulk heterojunction organic BHJ solar cells, a balance between the large interfacial area of both donor and acceptor constituent of the junction and domain size for charge transport with minimal recombination possibility is required. In this work, we thought of a nanofibers route to increase the interfacial area and control the active layer morphology through electrospinning technique. An Anthracene-containing Poly (p-phenylene-ethynylene)-alt-poly (p-phenylene-vinylene) (PPE-PPV) copolymer with a statistical distribution of octyloxy and 2-ethylhexyloxy side chains and accordingly donated AnE-PVstat is employed for the donor part, while phenyl C<sub>61</sub> butyric acid methyl ester (PC<sub>61</sub>BM) is used as the acceptor part. As (AnE-PVstat: PCBM) are not directly electrospinnable, we injected it to as a core material and polycaprolactone (PCL) as a shell to form a core/shell structure. Subsequently, the PCL is washed out, and the resulted (AnE-PVstat: PCBM) fibers are carefully characterized using SEM and HR-TEM and implemented in the fabrication of BHJ solar cells.

**Keywords:** Solar cell, polymer, nanofibers, high-power conversion efficiency.



**Shaimaa Ali Mohamed** is an Assistant professor at Zewail City of Science and Technology, Egypt. Shaimaa joined Zewail City as a research assistant and enrolled in her Ph.D. in 2012. She is then awarded the Africa-North Exchange Program (ANEX) fellowship, which allowed her to join Linz Institute for Organic Solar Cell (LIOS), Johannes Kepler University Linz, Austria. At LIOS and during her Ph.D. study, Shaimaa has been working on the design and fabrication of highly efficient quantum dots solar cells. Being able to secure travel support, she had the chance to present her research findings at many international conferences worldwide and to travel to different countries in Europe and Africa. Her academic contributions have yielded several peer-reviewed scholarly scientific publications, and awards including the Best Contribution Prize, Cape Town, South Africa 2013, Best Poster and Oral Prize, Summer School for Young Scientists on Renewable Energies in Africa, Arusha, Tanzania 2015, young research award, Thessaloniki, Greece 2015 and selected as the Best ANSOLE fellow for 2016. After receiving her PhD in 2015, Shaimaa continued her work as a postdoctoral fellow then an assistant professor at Zewail City of Science and Technology and currently teach different courses for undergraduate and graduate students. Her research work involves the design, fabrication, and characterization of different types of solar photovoltaic devices to realize highly efficient and low-cost energy sources. Besides, she has an interest in semiconductor technology, micro, and nanoelectronics fabrication at the cleanroom.



# Concentrated sunlight-driven photocatalysis and green synthesis of Zinc Oxide nanostructures for sustainable water purification

El Golli <sup>1,4</sup>, M. Fendrich <sup>2</sup>, N. Bazzanella <sup>4</sup>, C. Dridi <sup>1\*</sup>, A. Miotello <sup>4\*</sup> and M. Orlandi <sup>4\*</sup>

<sup>1</sup> NANOMISENE Lab LR16CRMN01, Center of Research on Microelectronics and Nanotechnology of Sousse, Technopark of Sousse, Tunisia

<sup>2</sup> Department of Industrial Engineering, University of Trento, Via Sommarive 9, Trento, Italy

<sup>3</sup> University of Sousse, High School of Sciences and Technology of Hammam Sousse, Tunisia

<sup>4</sup> Department of Physics, University of Trento, Via Sommarive 14, Trento, Italy

\* Corresponding authors: cherif.dridi@crmn.rnrt.tn / antonio.miotello@unitn.it / [michele.orlandi@unitn.it](mailto:michele.orlandi@unitn.it)


## Abstract

The development of photo-catalysis systems based on natural and biocompatible elements promises valuable inputs for applications in water purification. The use of a natural, renewable, and economical source of solar energy for photochemical reactions in advanced oxidation processes (AOPs) combined with green-synthesized photocatalyst presents a major challenge for a cost-effective sustainable approach. Zinc Oxide (ZnO) nanostructures were prepared via a green synthesis method using plant extract of garlic bulbs (*Allium Sativum*), resulting in crystalline wurtzite nanorods (NRs) with an average diameter of ~30-40 nm and length between 100-200 nm. Each individual ZnO NRs has well-developed hexagonal facets, as confirmed by XRD, UV-Visible, FESEM, and EDXS analysis. For comparative studies, ZnO nanoparticles were chemically prepared by co-precipitation. A parabolic dish solar concentrator system was used for the photocatalytic investigation, providing a concentration of 870X in the focus [1]. The solar concentrator clearly also allows a higher density of UV radiation on the photocatalyst. The results showed that the bio-synthesized ZnO NRs exhibit a favorable photocatalytic activity for the degradation of the methylene blue dye (MB) during exposure to sunlight. Comparison with the chemically synthesized ZnO results in almost identical degradation of 94 % under optimum loading conditions. However, this study paves the way for environmentally sustainable wastewater treatment solar processes using green photocatalysts.

**Keywords:** Environmentally-friendly synthesis, Zinc Oxide nanostructures, wastewater remediation, sunlight-driven photo catalysis.

## References

[1] S. Turrini, M. Bettonte, M. Eccher, M. Grigante, A. Miotello and R. S. Brusa, *Renew. Energ.*, **123**, 150–161(2018).



**Asma El Golli** is a third-year Ph.D. student in Engineering Physics in the Higher School of Sciences and Technologies of Hammam-Sousse at the University of Sousse, holding her research activity at NANOMISENE Laboratory, Center of Research on Microelectronics and Nanotechnology of Sousse, under the supervision of Professor. Chérif Dridi. Her thesis focuses on the concept of joining technologies and materials science with the aim of environmental sustainability. Her research will address key concerns about solar wastewater treatment based on nanomaterials. Before starting Ph.D., she holds a Research Master's Degree in Physics: Nanoscience and a Fundamental Bachelor's Degree in Physics, both from the Higher School of Sciences and Technologies of Hammam-Sousse. which has led her to her current doctoral work. More recently,

she also has been nominated as Representative of Ph.D. students on the Scientific Council of the CRMN. Email: [elgolli.asma@gmail.com](mailto:elgolli.asma@gmail.com)

## **60<sup>th</sup> anniversary of the International Science Programme at Uppsala University: a success story by colleagues and students in Africa, Asia and Latin America**

Carla Puglia, Barbara Brena

*International Science Programme, Uppsala University, Uppsala, Sweden*

Emails: [carla.puglia@physics.uu.se](mailto:carla.puglia@physics.uu.se) / [barbara.brena@physics.uu.se](mailto:barbara.brena@physics.uu.se)

### **Abstract**

The International Science Programme (ISP) is a special unit that since 1961 has successfully [1] worked with low-income countries **to strengthen their domestic research capability** within the chemical, physical and the mathematical sciences.

The strengthening and building of post-graduated education and research capability are fundamental steps for the development of a knowledge-based society and for a sustainable fight against poverty, enabling people to improve their life conditions. ISP aims at creating sustainable research groups/networks working with projects of strong local ownership offering long-term and untied support.

This year, 2021, ISP is celebrating its 60<sup>th</sup> anniversary: I will present the events we are organizing in occasion of this celebration with the aim to build bridges among our groups and students, who make ISP a successful program.

### **Reference**

[1] T. Lindqvist International Science Programme, Uppsala University 1961-2001, Acta Universitatis Upsaliensis 71, 2001, ISSN0502-7454,  
<http://uu.diva-portal.org/smash/record.jsf?pid=diva2%3A331705&dswid=9762>



**Carla Puglia** is the Programme Director of the Physics Programme at the International Science Programme (ISP) at Uppsala University, Sweden. ISP is a unit dealing with research capability building on low- and middle-low income countries in the basic sciences, Chemistry, Mathematics and Physics.

Carla Puglia is also leading a research activity at the Department of Physics and Astronomy (Uppsala University) focused on the development of deposition and characterization schemes of molecular materials. The aim of her research is to

get control over the preparation/structure/functionality relation of molecular systems of increasing complexity, i.e. starting from single molecular building blocks and then combining them together in more complex molecular structures that have interesting properties to be implemented in organic electronics and solar cells. Her studies include spectroscopic characterizations of these molecules when isolated (gas phase) and when adsorbed in monolayer

and films on surfaces. This allows to follow the molecular electronic structure modifications induced by the increasing complexity and by the adsorption on a surface.

## African Network for Solar Energy (ANSOLE): 10 years after!

Daniel Ayuk Mbi Egbe

-ANSOLE e.V., Wagnergasse 25, 07743 Jena Germany

-Institute of Polymeric Materials and Testing, Johannes Kepler University Linz, Altenbergerstr. 69, 4040 Linz Austria. Emails: [Daniel.egbe@ansole.org](mailto:Daniel.egbe@ansole.org) / [Daniel\\_ayuk\\_mbi.egbe@jku.at](mailto:Daniel_ayuk_mbi.egbe@jku.at)

### Abstract:

Since its inception on the 4<sup>th</sup> of November 2010 in Sousse Tunisia and its official launching on the 4<sup>th</sup> of February 2011 in Linz Austria, the African Network for Solar Energy ([ANSOLE](http://ansole.org)) can look back with thankfulness and pride for its 10 years ´ achievements. We are thankful to God for His faithfulness to the network all through this first decade of our existence. He kept the door open in times of difficulties as He has promised in Revelation 3.8 “... See, I have placed before you an open door that no one can shut...” by putting on our path at the right time the right helping hands. His Word in Genesis 12.2 “I will bless you ... and you will be a blessing...” has governed our activities and has led to life-changing achievements in diverse areas. We can humbly say that ANSOLE has been a blessing to Africans and to non-Africans over this period of time....



### Looking back...

ANSOLE was initiated on the 4th of November 2010 during the ICOCOM conference in Sousse Tunisia by nine African scientists, seven from North Africa (Algeria, Morocco and Tunisia), one from Ethiopia and myself from Austria/Germany (originally from Cameroon). ICOCOM was organized by Professor Samir Romdhane (University of Carthage) and Professor Amel Ben Fredj Romdhane (University of Tunis-Elmanar).



Participants at the ICOCOM conference, 2-6 November 2010, Sousse Tunisia



 <p>INTERNATIONAL CONFERENCE ON CONDUCTING MATERIALS 3-7 NOVEMBER 2010 SOUSSE - TUNISIA</p> 		
Pr. LOTFI EL MOSTAPHA lotfi58@yahoo.fr	SOLID STATE CHEMISTRY	MOROCCO
SAJIEDDINE Mohammed sajieddinem@yahoo.fr	Physique des Matériaux	MOROCCO
Pr. EL HADJI NAAMAR nmaamar@yahoo.fr HAKIKI Nouz-Eddje hakiki.noureddine@univ-oran.dz	physique des matériaux	ALGERIA
Prof. Abdelkettah BARHADADI barhadadi@stp.it	Photovoltaic	MOROCCO
Fayçal KOUKI faycal.kouki@yahoo.fr	photovoltaic	Tunisia
Samir Romdhane Samir.Romdhane@fob.mn.rg	Solid State Physics	TUNISIA
teketely@yahoo.com teketely@chem.aau.edu.dk	Physical Chemistry (Organic (Solar Energy))	
PD Dr. Habib. Daniel Ayuk Mbi Ekpe daniel_ayuk_mbi.ekpe@jku.at	Organic Chemistry: synthesis of conjugated materials	Austria GERMANY Cameroon

Hand-written document depicting the 9 participants of the kick-off meeting in Sousse on the 4th of November 2010 between 10 pm and midnight.

3 Months later ANSOLE was officially launched on the 4th of February 2011 during a mini-symposium at the Linz Institute of Organic Solar Cells (LIOS) of Johannes Kepler University Linz in Austria. The launching meeting was enabled by Professor Dr. Dr. hc. Niyazi Serdar Sariciftci, director of LIOS, who hosted the event and organized sponsorship for travel costs and accomodation for most of the African participants. I am extremely grateful to him! 18 participants from 15 countries (Algeria, Austria, Cameroon, Côte d' Ivoire, Ethiopia, Germany, Italy, Israel, Morocco, Scotland, South Africa, Tunisia, Turkey and USA) were present.



Participants at the Launching meeting on Friday, February 4th 2011 at LIOS, JKU Linz, Austria: From left to right: Prof. Abdelfettah Barhdadi (Morocco), Prof. Mammo Muchie (Ethiopia/South Africa), Prof. Adenike Boyo (Nigeria), Prof. Joseph Niemala (USA/Italy), Ms Leslie Tobin (Scotland/Israel), Dr. Ralph Gebauer (Germany/Italy) Dr. Getachew Adam (Ethiopia), Prof. Malik Maaza (Algeria/Israel/France/South Africa), Prof. Teketel Yohannes (Ethiopia), Prof. Amel Ben Fredj Romdhane (Tunisia), Prof. Samir Romdhane (Tunisia), Prof. Daniel Ayuk Mbi Egbe (Germany/Austria/Cameroon), Prof. Jérémie Zoueu (Côte d' Ivoire), Prof. Serdar Sariciftci (Austria/Turkey) and Prof. César Kapseu (Cameroon). 3 participants were missing, when the photo was taken: Prof Izzedine Zorkani from the University of Fes Morocco and two representatives from Solimpex, a Turkish Solar Company, which sponsored the event with 2000 Euros.

Direct sponsors were the following: Solimpeks Ltd Turkey, the City of Linz through the Lord Mayor Franz Dobusch, the Rotary Club Linz-Landhaus through Dr. Anna Scheurecker and Prof. Dr. DI. Mag. Helmut Sitter and the Johannes Kepler University Linz through Rector Prof. DI Dr. Richard Hagelauer. Indirect sponsors were The International Centre for Theoretical Physics (ICTP), the Francophonie, University of Pretoria, South Africa (SARCHI Chair), iThemba Labs Stellenbosch, South Africa (NanoAfnet), and ICPC Nanonet Africa (EU funded Project).

The participants unanimously agreed that I should be the first International Coordinator of the Network, a position that I have kept until today, despite many difficulties the Network and I went through...

On the 11th of September 2011, the constitutional meeting of ANSOLE Germany e.V. (legal entity representing the the interest of ANSOLE) was held at my place in the Semmelweisstr. 19, 07743 Jena, Germany. Its first board of directors was elected consisting of myself (Chairperson), Prof Gerhard Gobsch (Vice-Chairperson), Dr Ines Koch (Treasurer) and Dr Oumara Camara. The association was officially recognized on the 26th of January 2012. During the General Assembly meeting of November 2013, the present by-laws of the association was adopted and the name was changed to ANSOLE e.V.. At this point, I want to thank my friends and colleagues from The World University Service Germany e.V. (WUS Germany e.V.), Helmut Becker and Dr. Bettina Schmidt, who were instrumental in the drafting of the first and second ANSOLE by-laws, respectively. Prof. Gerhard Gobsch and the legal department of the Technical University Ilmenau are thanked for their contribution in the drafting of the first by-laws.





*Left and middle) Founding members of ANSOLE e.V.. Right) First board members of ANSOLE e.V.*

An important milestone of ANSOLE was the creation in Curitiba in May 29th 2015 and launching in December 12th 2016 of the scientific platform with acronym BALEWARE -Bridging Africa, Latin America and Europe in Water and Renewable Energies Applications. The aim of the platform is intensify research cooperations between Africa and Latin America in water and sustainable energy related topics.



*Top) Participants at NMP-DeLA Workshop 29-29 May 2015 in Curitiba Brazil, during which the idea to create the BALEWARE platform was born. Bottom) Participant at the launching conference of BALEWARE, 11-13 December 2016 in Arusha Tanzania*



The activities of ANSOLE were coordinated at LIOS, JKU Linz, Austria (2011 -2016) then at the Institute of Polymeric Materials and Testing (IPMT) of JKU Linz (2016- till date) and from our office at Wagnergasse 25, 07743 Jena, Germany, since January 2018, latter with help of the project called AMAH (Anlaufstelle für Menschen afrikanischer Herkunft- Support office for people of African origin). At such, in addition to its capacity building activities at the international level, ANSOLE is involved locally (in Jena Germany) with activities facilitating the integration of people of African origin into the German society as well as portraying another image of Africa different from the constant negative narratives about Africa in the German media. Thanks to funds from the City of Jena and the State of Thuringia allocated to the AMAH project, we were able to employ till date 5 persons. Our first employee was Ms Simona Fofie from Ghana, who spent 3 months (January-March 2018) with us, followed by Ms Abishag Ngoci from Kenya (April 2018-August 2019), Mr Shewangzaw Bekele from Ethiopia (since April 2018), Ms Chancily Matinda born in Germany but having parents from DR Congo and Angola (since September 2019) and Mr Chris Seiferth from Germany (since September 2019). I am very grateful to Ms Rea Mauersberger of Iberoamerica e.V. and of MigraNetz Thüringen, who was instrumental for us to get our office and who helped us in writing the proposal for the AMAH-project.

ANSOLE is now present in 45 African countries and 30 non -African countries with morethan 1100 members most of them from the academia.

Institutions with the following logos were or are institutional members of ANSOLE:



*Logos of past and present institutional members of ANSOLE*

ANSOLE has carried out following activities since its launching in 2011

#### **A- Training, Education and Research**

Two members of the International Centre for Theoretical Physics (ICTP), Trieste, Italy (a UNESCO institution) Prof Joseph Niemela and Dr Ralph Gebauer were founding fathers of ANSOLE. ANSOLE thus became ICTP's 73rd Network on the 4th of November 2011.



## The Abdus Salam International Centre for Theoretical Physics

From 2011 till 2015, ANSOLE received an average of €15000 yearly from the International Centre for Theoretical Physics (ICTP) in Trieste, Italy. The amount enabled ANSOLE to yearly award grants to 5 to 6 students within the following 3 fellowship programs:

- ANSOLE "Sur-Place" Fellowship Programs (**ANSUP**)
- Africa-North Exchange-Program (**ANEX**).
- Intra-African Exchange-Program (**INEX**)

The Table below depicts the fellows who benefitted from the various programs.

Name/Sex	Nationality	Institution	Type of fellowship	Graduation
Safae Aazou (female)	Morocco	University of El Jadida/JKU Linz	ANEX (PhD)	21 May 2014
Shaimaa Ali Mohamed (female)	Egypt	Benha University/ JKU Linz	ANEX (PhD)	23 May 2015
Alain Kossoun Tossa (male)	Benin	ziE, Ouagadougou Burkina Faso	ANSUP (PhD)	26 February 2017
Mohamed Izzedine Serge Adjibade (male)	Benin	Cheikh Anta Diop University, Dakar Senegal	ANSUP (PhD)	9. October 2016
Araba Amo-Aidoo (female)	Ghana	KNUST, Kumasi Ghana	ANSUP (Masters)	August 2016
Mariem Guesmi (female)	Tunisia	Faculté des Sciences de Tunis- Elmanar/ JKU Linz,	ANEX	6. October 2017
Hervé Tchognia (male)	Cameroon	Université de Yaoundé I/ Université de Mohammedia	INEX (PhD)	26 October 2016
Duvalier Pené (male)	Cameroon	Université de Ngaoundéré /Université de Mohammedia	INEX (PhD)	19. June 2017
Sameh Boudiba (female)	Algeria	Université de Tebessa /JKU Linz	ANEX (PhD)	2. February 2017

Nassima Bouguerra (female)	Algeria	Université de Bejaia/ JKU Linz	ANEX (PhD)	3. July 2017
Vivian Suru John (female)	Nigeria	University of the Western Cape/ JKU Linz	ANEX (PhD)	August 2017
Serge Nitedem (male)	Cameroon	ziE, Ouagadougou Burkina Faso	ANSUP (PhD)	December 2017



Some of ICTP-ANSOLE graduates. From left: Araba Amoo, Nassima Bouguerra, Mariem Guesmi, Serge Adjibade, Serge Nitedem, Vivian Suru John-Denk, Duvalier Pene and Alain Tossa.

Unfortunately in 2016, with the backing of some founding fathers of ANSOLE, the newly appointed Director of Office External Affairs at the ICTP decided to halt the ICTP support. He is of the opinion that further ICTP funding is mandatory to restructuring of ANSOLE based on the ICTP's concept of small and regional scientific networks with rotating leadership, which we could not accept. I am, however, very grateful to ICTP especially to Dr Ralph Gebauer, Prof. Joseph Niemela, Dr George Thompson and ICTP's 4th director Prof. Fernando Quevedo for the support received.



Reporting meeting on ANSOLE's activities at ICTP Trieste on 14.05.2012. From left: Prof. Joseph Niemela, Prof. Fernando Quevedo, Prof. Daniel A. M. Egbe and Dr. Ralph Gebauer.



Presently we are in search of new funding sources to continue the fellowship programs.

### MoUs

ANSOLE signed MoUs with the following institutions to conduct joint activities in training, education and research.

- Ecole Normale Supérieure de Rabat (ENS), Université Mohamed 5 de Rabat, Morocco (2014)
- Förderverein Uni Kinshasa e.V. (fUNIKIN) (2014)
- Nelson Mandela African Institution of Science and Technology (NM-AIST), Arusha, Tanzania (2014)
- Dar es Salaam Institute of Technology (DIT) (2016)
- Green African Innovation Network (GAIN) (2017)
- Rwanda Polytechnic, Integrated Polytechnic College, Tumba, Rwanda (2019)
- Federal University of Technology, Minna, Nigeria (FUTMINNA) (2019)
- University of Ngaoundere, Ngaoundere, Cameroon (2019)



Signing of MoUs with (from left) ENS Rabat Morocco (2014), NM-AIST Arusha Tanzania, GAIN Marrakesh Morocco (2017) and University of Ngaoundere Cameroon (2019)

### Vocational Training

Our aim to be engaged in vocational training is becoming reality since ANSOLE was contacted in 2020 by *Thüringer Institut für Nachhaltigkeit und Klimaschutz* (THINK) to carry out together CO<sub>2</sub> neutral projects in Africa using CO<sub>2</sub> compensation funds. Our first joint project is with the Anglican Church in Kigali Rwanda. We are planning to install solar panels on the roofs of the newly built cathedral and the nearby Anglican school and conduct training of the clergy and interested laymen/laywomen on installation and maintenance of solar electricity.



Anglican Church and Primary School in Kigali, Rwanda

### B-Organisation of Scientific Events and Summer Schools


Within this first decade of its existence, ANSOLE has (co)-organized scientific meetings in form of conferences, symposia, workshops or summer schools in Algeria (2015), Austria (2011), Burkina Faso (SE4A school 2017), Cameroon (2011, 2012, 2016, SE4A school 2017, 2017, 2018, 2019), Côte

d'Ivoire (2018, 2019), DR Congo (2019), Egypt (2016, 2019), Germany (2017, 2018, 2019, 2020), Ghana (2014), Kenya (2013, 2020), Nigeria (2018), Rwanda (2018, 2019), South Africa (2013), Tanzania (RE4A School 2015, 2015, 2016), Tunisia (2013, 2017, 2021) and Uganda (2018), in total **33 gatherings**. Our first major international gathering was ANSOLE DAYS 2012 in Yaounde Cameroon on the theme „Solar Energy for Sustainable Development“ 187 participants registered to the event. They were from Algeria, Austria, Belgium, Burkina Faso, Cameroon, Canada, Chad, Congo-Brazzaville, Côte d'Ivoire, Ethiopia, France, Germany, India, Malawi, Morocco, Niger, Nigeria, Senegal, Sudan, South Africa, Togo and Tunisia. Apart from the scientific talks, one of the highlights of that event was the performance of a *Theater for Development* piece „**No Bill with the Sun**“ under the leadership of Professor Emelda Samba Ngufor of the University of Yaounde I. The piece was recorded and can be watched from our website.



Left) Group photo ANSOLE DAYS 2012 in Yaounde Cameroon. Right) Performance of the Theatre for Development piece „No Bill with the Sun“

Due to Covid 19, ANSOLE DAYS 2021, the last major scientific event in the first decade, was held in a digital form with a total of 131 registered participants from more than 20 countries (see attached list of registered participants)



Screenshot of some participants of ANSOLE DAYS 2021 marking the 10th anniversary of the launching of ANSOLE

ANSOLE facilitated the organization of non-ANSOLE scientific or business events through media partnerships or through information dissemination using our websites, mailing lists and WhatsApp groups.

ANSOLE was invited to several scientific and entrepreneurial events worldwide during which our activities were presented and new members and institutional partnerships were gained.

Few months after its launching ANSOLE received its first invitation to attend the CIEREE Conference in Fes Morocco (20-21 April 2011). This was followed by an invitation to attend the „Solar Energy for Science“ event from 18th to 20th of May 2011 in Hamburg. The event was organized by the DESERTEC initiative. I was privileged to hold the last talk of the 20th of May (which is my birthday!) and defend the interest of sub-Saharan Africa with regard to energy distribution within the DESERTEC concept, this to the dislike of late Dr. Gerhard Knies, the brain behind DESERTEC, who almost became violent against me. The Hamburg event propelled ANSOLE in the international scene. An article titled „Can North Africa Light Up Europe With Concentrated Solar Power“ depicting our stand towards the desertec project was later published in New York Times on June 20th 2011 by Lisa Friedman, a freelance journalist, who attending the Hamburg event, (<https://archive.nytimes.com/www.nytimes.com/cwire/2011/06/20/20climatewire-can-north-africa-light-up-europe-with-concen-79708.html?pagewanted=3>). The Hamburg event gave me the opportunity to meet Narcisse Ngada, who became our webmaster since then. I thank him for his faithfulness in keeping us online.



Left) CIEREE 2011 event in Fes Morocco. Middle) SEPA-DESERTEC event 2012 in Giessen Germany. Right) AANNI event 2014 at the University of Western Cape, South Africa.

This report cannot present in detail all the events with the participation of ANSOLE. The various ANSOLE e-News and later e-Magazine provide detailed chronological information thereof. The publication are downloadable from our website ([ansole.org](http://ansole.org)). In the following, the milestones of the network are summarized:

### **Milestones of ANSOLE**

- 3-7.11.2010: International Conference on Conducting Materials (ICOCOM 2010), Sousse Tunisia: Idea to create a network for Solar energy is born.

#### **2011**

- 04.11.2010: First constituting meeting in Sousse, Tunisia.
- 04.02.2011: ANSOLE is officially launched in Linz, Austria.
- 01.04.2011: First national ANSOLE meeting in Cameroon at the Ministry of Energy and Water.
- 01.04.2011: ANSOLE goes online as "ansole.com" thanks to Pierre-Daniel Telep, Berlin Germany.
- 20-21.04.2011: ANSOLE is presented at the CIEREE conference in Fes Morocco.
- 18-20.5.2011: ANSOLE attends "Solar Energy for Science" Conference in Hamburg.
- 24-25.5.2011: ANSOLE is presented at the 3rd Annual ICPC Nanonet Workshop in Saint Petersburg, Russia.



- 01.07.2011: ANSOLE goes online as "ansole.org" thanks to Narcisse Ngada, Hamburg Germany.
- 11.09.2011: ANSOLE (Germany) e.V. has its constituting general assembly.
- 28.10.2011: ANSOLE submit an application to become an ICTP network.
- 04.11.2011: ANSOLE is an ICTP Network.

## 2012

- 26.01.2012: ANSOLE (Germany) e.V. is recognized as an NGO in Jena Germany.
- 17-19. 02.2012: ANSOLE DAYS 2012 in Yaounde, Cameroon.



ANSOLE DAYS 2012 in Cameroon : Right) participants listening to lectures. Left) Conference dinner.

- 28.04.2012: ANSOLE (Germany) e.V. is present at Abschlussveranstaltung der „Woche der Erneuerbaren Energie“ in Ilmenau, Germany.
- 05-07.05.2012: ANSOLE attends the IWCRECC-2012, in Madurai, India.
- 28-29.05.2012: ANSOLE is presented at 2nd International Symposium of Chemistry, Organic Materials and Renewable Energies, in Tebessa, Algeria.
- 09.06.2012: ANSOLE (Germany) e.V. is present at 16. Arnstädter Umwelt- und Erlebnismarkt, Arnstadt, Germany.
- 17-19.09.2012: ANSOLE attends the SEPA-DESERTEC International Conference, Education and Capacity Building for Renewable Energies, in Giessen, Germany.
- 11-12.10.2012: ANSOLE is presented at the 1st EPS Conference on "Physics for Development" in Brussels, Belgium.
- 20-24.11.2012: ANSOLE attends the 5th International Conference on Appropriate Technology (ICAT) in Pretoria, South Africa.
- 10-12.12.2012: ANSOLE is present at the EWACC (Energy, Water, Climate Change) Building Bridges, in Nicosia, Cyprus.

## 2013

- 05.01.2013: ANSOLE-ICTP Fellows' Workshop (AIWF 2013), in Mohammedia, Morocco.
- 01-30. 04.2013: ANSOLE Germany e.V. organizes a photo exposition on the theme " Science and Art" at the Sparkasse in Jena, Germany. The exposition continues since May 2013 at the University hospital of Jena, Germany.



Left) ICSU event in Maputo, Mozambique. Right) Solar cooker event in Altötting Germany

- 13.04.2013: ANSOLE is presented at the 3rd RUAD-EURD Conference, in Berlin Germany.

- 20-21.04.2013: ANSOLE is presented at the Internationale Solarkochertagung in Altötting, Germany.
- 25.05.2013. ANSOLE Germany e.V participates at the Deutscher Entwicklungstag (German Development Day) in Jena Germany.
- 08.06.2013: ANSOLE Germany e.V. participates at the "Jenaer Umwelttag (Jena environmental day) in Jena, Germany.
- 07-08.05.2012: ANSOLE participates at the ICSU Regional Implementation Workshop on Sustainable Energy in sub-Saharan Africa, in Nairobi, Kenya.
- 09.05.2013: ANSOLE Mini-Symposium in Kenya (AMSK 2013), Nairobi, Kenya.
- 17-19.08.2013: Solar Energy for World Peace Conference, Istanbul, Turkey.
- 16-17.10.2013: EU-Africa RECP Workshop on TVET for the RE Sector, Maputo Mozambique.
- 04-08.11.2013: ICTP-ANSOLE-NANOAFNET Regional Workshop on Materials Science for Solar Energy Conversion, Cape Town, South Africa.
- 23.11.2013. 3rd General Assembly of ANSOLE Germany e.V. in Jena Germany: ANSOLE Germany e.V. changes its name to "ANSOLE e.V." and a new constitution is adopted.

## 2014

- 07.02.2014: 2nd ANSOLE report meeting at ICTP in Trieste, Italy.
- 19-20. 03.2014: ANSOLE is presented at the "Atelier International sur les Energies Renouvelables et Efficacité Energetique" in Fes, Morocco.
- 21.03.2014: ANSOLE signs a scientific cooperation agreement with the Ecole Normale Supérieure de Rabat, Université Mohammed V-Agdal, Rabat, Morocco.
- 07.04.2014: ANSOLE publishes ANSOLE NEWS Nr.1.
- 12.04.2014: ANSOLE participates at the "Tag der offenen Tür" of the University of Applied Sciences in Jena, Germany, to support the new study program "Environmental Technology and Development".



*Left) ARMWA 2104 in Kumasi Ghana. Middle) Visit of the Vice-President for international relations of the University of Rabat. Right) After the signing of MoU between ANSOLE and NM-AIST in Arusha, Tanzania*

- 23-24.04.2014: ANSOLE attends the "Sub-Saharan Africa Solar Energy Conference 2014" in Accra, Ghana. ANSOLE Coordinator is chairman of the event.
- 25-26.04. 2014: ANSOLE Regional Meeting in West Africa (ARMWA 2014), at the Kwame Nkrumah University of Science and Technology (KNUST) in Kumasi Ghana.
- 21.05.2014: Safae Aazou is the first ANEX fellow to defend her PhD thesis, at the University of El Jadida, Morocco. The Coordinator is member of defense jury.
- 2-5.06.2014: ANSOLE is presented by Professor Teketel Yohannes at the "1st Regional Smart Villages Workshop" in Arusha, Tanzania.
- 19-21.06.2014: ANSOLE participates at the German-African Campus in Berlin, Germany.
- 09. 07.2014: ANSOLE signs cooperation agreement with fUNIKIN e.V. in Würzburg, Germany.

- 07.08.2014: ANSOLE News 2 is published.
- 25.08.2014: ANSOLE signs a MoU with Nelson Mandela African Institution for Science and Technology (NM-AIST) Arusha, in Arusha, Tanzania.
- 12-14.09.2014: ANSOLE is presented at the weekend seminar "Wer entwickelt wen und wohin?" organised by Karl Küfbel Stiftung für Kind und Familie, in Frankfurt, Germany.
- 26-29.09.2014: ANSOLE together with ICTP has a stand at TriesteNext 2014 on the theme "Energy" (Solar cooker is the magnet of the event!), in Trieste, Italy.



Left) German-African Cooperations in Science and Business meeting in Berlin Germany. Middle) Unesco World Science Day UCLAN, Westlake, UK. Right) Karl Küfbel-Stiftung Meeting in Frankfurt, Germany.

- 6-9.10. 2014: ANSOLE is invited at the 50th anniversary celebrations of ICTP in Trieste, Italy.
- 10.11.2014: The ANSOLE coordinator presents ANSOLE and talks on "the role of nanotechnology in organic solar cells" to students from schools around Westlakes during the commemoration of the Unesco World Science Day organised by the Samuel Lindow Foundation at the University of Central Lancashire (UCLan), in Westlakes, UK.
- 15.11.2014: ANSOLE is presented in various forms (poster and "questions and answers" expert roundtable at "Think Smart-Go Global: German-African Cooperations in Science and Business" organized by Stiftung Partnerschaft mit Afrika e.V., in Rheinbach, Germany.
- 18-19.11.2014: ANSOLE is represented at the Africa Mini Grids Summit in Nairobi Kenya.
- 19-21. 11. 2014: ANSOLE is presented at the All African Nanoscience and Nanotechnology Initiative (AANNI) organized by OPCW and the University of the Western Cape, in Western Cape, South Africa.
- 22.11.2014: 4th General Assembly of ANSOLE e.V. in Jena, Germany.
- 21.12.2014: ANSOLE News 3 is published.

## 2015

- 5.03.2015: ANSOLE is present at the International ARE (Alliance for Rural Electrification) Energy Access Workshop in Madrid, Spain.



Left) INCOSOLE 2015, BBA, Algeria. Middle) Africa Solar 2015 Ouagadougou Burkina Faso. Right) ORT, Tel Aviv, Israel.

- 13-15.04.2015: ANSOLE is presented to renewable energies Masters students at the National Advanced School of Public Works in Yaounde Cameroon.
- 14.04.2015: ANSOLE and Solar energy issues are discussed during the two live broadcasts of the Cameroon Radio and Television (CRTV): CRTV morning Safari and CRTV m'accompagne.



- 25-26.04.2015: ANSOLE is presented at "the 21st International Conference on Solar Cookers" in Altötting Germany.
- 4-5.05.2015: ANSOLE co-organizes together with the University of Bordj Bou Arreridj, the "1st International Conference on Solar Energy (INCOSOLE 2015)" in Bordj Bou Arreridj, Algeria.
- 23.05.2015: PhD defense of the ICTP-ANSOLE fellow Shaimaa Ali Mohamed at Benha University in Cairo, Egypt (2nd ANEX student defending her PhD).
- 28-29.05.2015: ANSOLE is invited to attend the NMP-DELA workshop on Nano for Water and Energy in Curitiba, Brazil.
- 13-18.07.2015: ANSOLE DAYS 2015 and VW-Foundation sponsored workshop on "Renewable Energies for Africa: Solar Energy and its Applications" in NM-AIST, Arusha, Tanzania.
- 16.09. 2015: ANSOLE is presented at ORT, Tel Aviv (Israel leading science and technology educational network) upon invitation of Dr Yoel Rotschild.
- 21.11.2015: 5th ANSOLE e.V. General Assembly in Jena, Ebertstr. 14, 07743 Jena, Germany

## 2016

- 22-23.01.2016: ANSOLE is presented at International Conference on Advances in Solar Thermal Food Processing (CONSOLFOOD 2016), Universidade Do Algarve, Campus Da Penha, Faro, Portugal.



Left) Photovoltaica 2016, Casablanca, Morocco. Middle) ANSOLECAF 2016, Bamenda Cameroon. Right) SARIS 2016, Dakar, Senegal.

- 29.02.2016. Publication of ANSOLE e-Magazine Vol. 1
- 03-06.02.2016: 5<sup>th</sup> Anniversary of ANSOLE (2011-2016): International Conference on Renewable Energy (INCORE 2016), Zewail City, 6<sup>th</sup> of October City, Egypt.
- 8-10.03. 2016: ANSOLE is present at Africa-EU Symposium on Renewable Energy Research and Innovation, Tlemcen, Algeria.
- 30.03.2016: Inaugural Brian O'Connell Visiting Fellows lecture, University of the Western Cape, South Africa.
- 20-28.05.2016: Visit of Science Slam Winners 2015 from PAUWES in Germany
- 30.05.2016: Physics Faculty, University of Santiago de Compostela, Spain.
- 01.06.2016: ANSOLE attends an event of the CDU/CSU parliamentary fraction of the German Bundestag on "Cooperation with Sub- Sahara Africa in Science and Research", Bundestag, Berlin, Germany. Dr Thomas Silberhorn, parliamentary State Secretary of German Ministry of Cooperation (BMZ) and Dr Karamba Diaby, Parliamentarian from Halle (of African Origin) and others were informed about the activities of ANSOLE especially in relation to PAUWES. This was followed by letter exchange with Dr Silberhorn, which led to an invitation to BMZ in Bonn on the 13.10.2016.
- 11-12.07.2016: ANSOLE is present at BMBF Agendakongress 2016 Bildung für nachhaltige Entwicklung (BNE) Berlin: Exchanges with the president and secretary general of German UNESCO commission.
- 30.07.2016: Network meeting of MigraNetz Thüringen (Network of migrant organisations in Thuringia), Jugend- und Kulturzentrum "mon Ami", Weimar, Germany.

- 15.08.2016: Phone conversation with Ms Silvia Hoffmann, scientific coworker of Dr Claudia Lücking-Michel (Member of German Bundestag). Possibilities about cooperation in science and research with Africa was discussed.
- 07-09.09. 2016: ANSOLE is present at Photovoltaica, 2<sup>nd</sup> Edition, International Solar Energy Exhibition & Conference, Casablanca, Morocco.
- 22.09.2016: ANSOLE is presented at Sommerakademie 2016 des Engagement-Globals, in der Alten Pumpe, Lützowstr 42, 10785 Berlin, Germany.
- 12.10.2016: Publication of ANSOLE e-Magazine Vol 2.
- 13.10.2016: Visit at BMZ Bonn, Germany. Through the mediation of the parliamentary state secretary of the BMZ Dr Thomas Silberhorn, the activities of ANSOLE, especially in connection with PAUWES were presented in the Africa department of the BMZ in Bonn (Ms. Claudia Schmidt). Various possibilities for cooperation were exchanged and discussed. ANSOLE has been involved in the BMZ's training initiative in the field of renewable energy from the very beginning (PAUWES).
- 25-27.10.2016: ANSOLE is presented at 3<sup>ème</sup> édition du Salon Africain de la Recherche et des Innovations au Sénégal (SARIS) & 2<sup>ème</sup> édition de la Conférence Africaine sur les Energies Renouvelables (CAFER) (SARIS-CAFER 2016), Grand Théâtre, Dakar, Senegal.
- 05.11.2016: 6th ANSOLE e.V. General Assembly Meeting in Jena, Campus Ernst-Abbe-Platz, Carl-Zeiß-Str. 3, Seminarraum 209, FSU Jena, Germany.
- 17.11.2016: Consultation meeting of the Global Forum on Migration and Development (GFMD), BMZ Bonn, Germany: ANSOLE is represented by Ms Leonie Schoelen, Board Member of ANSOLE e.V..
- 18-19.11.2016: 3rd ANSOLE Meeting in Cameroon (ANSOLECAF 2016), HTTTC Bambili, University of Bamenda, Cameroon.
- 28-30.11.2016: First Start Up Education (ISTEAM) Conference, International Convention Center (ICC), Jerusalem, Israel.
- 11-13.12. 2016: Official Launching of Bridging Africa, Latin America and Europe on Water and Renewable Energies Applications (BALEWARE 2016), NM-AIST, Arusha, Tanzania.

## 2017

- 10.02.2017: Publication of ANSOLE e-Magazine Vol.3
- 27.02-03.03.2017: SE4A Summer School, 2iE, Ouagadougou, Burkina Faso
- 01.04.2017: Erstes Netzwerktreffen MigraNetz Thüringen, Erfurt, Germany
- 1-2. 04.2017: 22 Solarkochertagung, Altötting, Germany.
- 5-8.05.2017: ANSOLE DAYS 2017, Hamammet, Tunisia.
- 20.05.2017: Africa Day 2017 Jena, Germany



Left) SEERA 2017, Ouagadougou, Burkina Faso. Right) ANSOLECAM 2017, Yaounde Cameroon.

- 21-22.06.2017: Séance de travail sur la mise en place d'un master en énergies renouvelables avec Monsieur le Professeur Daniel Ayuk Mbi EGBE Coordonnateur International d'ANSOLE, , Faculté des Sciences, Université de Ngaoundéré, Cameroun

- 12-13.07.2017: The Green Africa Energy Booster, Marrakech, Morocco.
- 31.07-04.08.2017: SE4A Summer School, Yaounde & Buea, Cameroon.
- 15.09.2017: “Thüringen global nachhaltig? EineWeltPolitik gestalten!”, Haus Dacheröden Erfurt, Germany.
- 20.09.2017: Meeting at GIZ Uganda, Promotion of Renewable Energy Efficiency Programme (PREEEP), Amber House, Kampala, Uganda. Ms Lukia Nabawanuka, ANSOLE National Representative in Uganda presents ANSOLE.
- 22.09.2017: Auftaktveranstaltung zur Interkulturellen Woche, Haus der Sozialen Dienste, Erfurt, Germany.
- 6-8.10.2017: Afrikatage Kiel, Kiel, Germany.
- 23-25.10.2017: International Workshop on “Effective promotion of green innovation-New ways of interagency cooperation”, Bonn, Germany.
- 31.10-02.11.2017: MSSEESA Network Evaluation & Workshop on Solar Energy Materials for Energy Need in Africa, in honor of the late Prof. Rogath Kivaisi, Dar Es Salaam, Tanzania.
- 08.11.2017: Eröffnung MensaInternational, Mensa Carl-Zeiss-Promenade, Jena, Germany
- 21.11.2017: Abschlussfeier International Year of Global Understanding (IYGU), Aula, FSU Jena, Germany.
- 27-28.11.2017: 3<sup>rd</sup> Meeting of African Future Earth Committee (AFEC), Kempton Park, South Africa. Prof. Cesar Kapseu, ANSOLE Regional Representative in Central Africa presents ANSOLE.
- 09.12.2017: 7<sup>th</sup> ANSOLE e.V. General Assembly meeting in Jena, Internationales Centrum “Haus auf der Mauer”, Johannisplatz 26, 07743 Jena, Germany.
- 18-19.12.2017: 4<sup>th</sup> ANSOLE National Meeting in Cameroon (ANSOLECAM 2017), ENSTP, Yaounde, Cameroon.

## 2018

- 31.01.2018: Publication of ANSOLE e-Magazine Vol 4.
- 03.03.2018: Cooperation meeting of ThAFF with representatives of HEI in Thuringia, Erfurt Germany.



Left) ANSOLE DAYS 2018, Mbouo-Bandjoun, Cameroon. Right) Block lecture Tunis-Elmanar, Tunisia

- 5-6.03.2018: CPEEL-ANSOLE Regional Conference on Renewable Energy Development in Africa: An Interface of Technology, Economics and Policy, 5-6 March 2018, Trenchard Hall, University of Ibadan, Nigeria.
- 23-27.04.2018: Block Lecture at African Center of Excellence in Energy for Sustainable Development, College of Science and Technology, University of Rwanda, Kigali, Rwanda
- 02.05.2018: Eröffnungsfeier des UNESCO Chair on Global Understanding for Sustainability, 8, FSU Jena, Jena Germany
- 14.05.2018: Department of Chemistry, University of the Zambia, Lusaka, Zambia
- 25-26 May 2018: Africa Days 2018, Jena, Germany.
- 28.06-04.07.2018: First Biennial African Conference on Fundamental Physics and Applications, NUST, Windhoek, Namibia.



- 06.07.2018: Young African Scientists in Europe (YASE) Conference, Toulouse, France
- 17.08.2018: University of Ghana, Accra-Legon, Accra, Ghana
- 23.08.2018: 4. ThAFF Netzwerkforum, Erfurt, Germany
- 25.08.2018: 30 Jahre-Feier von Eurosolar e.V., Bonn, Germany
- 2-6.09.2018: ANSOLE DAYS 2018 & ANSOLECAM 2018, Centre Polyvalent de Formation (CFP), Mbouo-Bandjoun, Cameroon
- 4-5.09.2018: Entwicklungspolitik ToGo Konferenz 2018 von einer Welt Netzwerk e.V. über „Was ist Globalisierung von unten? Entwicklungspolitische Beiträge zu(r) transkulturellen Gesellschaft(en)“, Neudietendorf/Erfurt, Germany
- 19.09.2018: 2. Trägeneraustausch zur „Projektförderrichtlinie Integration“ des Thüringer Ministeriums für Migration, Justiz und Verbraucherschutz, Erfurt, Germany
- 25-27.09.2018: Joint MSSEESA and DAAD International Conference on Materials Science Research for Sustainable Energy in Africa, Chiromo Campus, University of Nairobi, Kenya.
- 8-9.11.2018: PASRES Symposium on “Développement de l'Energie Solaire Photovoltaïque en Afrique à l'Horizon 2030”, Azalai Hotel, Abidjan, Côte d'Ivoire.
- 10.11.2018: ANSOLE Scientific Meeting in Côte d'Ivoire (ASMCI 2018), Université de Cocody, Abidjan, Côte d'Ivoire
- 16-21.11.2018: Block Lecture for école doctorale organized by Le Laboratoire des Matériaux Avancés et Phénomènes Quantiques and l'Ecole Doctorale MISTM, de la Faculté des Sciences de Tunis, FST Tunis El Manar, Tunisia.
- 08.12.2018: 8th ANSOLE e.V. General Assembly meeting in Jena + AMAH-African Christmas Party, Internationales Centrum “Haus auf der Mauer”, Johannisplatz 26, 07743 Jena, Germany.

## 2019

- 30.01.2019: 1st ANSOLE Scientific Meeting in Egypt (ASMEG 2019), 30 January 2019, Zewail City of Science and Technology, Giza, Cairo, Egypt.



Left) ASMCI 2019, Abidjan, Côte d'Ivoire. Right) ANSOLE DAYS 2019, Kigali, Rwanda

- 26.02.2019: Publication of ANSOLE e-Magazine Vol 5.
- 28.03.2019: 2nd ANSOLE Scientific Meeting in Côte d'Ivoire (ASMCI 2019), 28 March 2019, Université Nangui Abrogoua, Abidjan Côte d'Ivoire.
- 4-7.04.2019: Semaine des Energies et Energies Renouvelables en Afrique (SEERA 2019) Ouagadougou, Burkina Faso
- 22.04.2019: 1<sup>st</sup> ANSOLE Scientific Meeting in Democratic Republic of Congo (ASMCO 2019), Faculté Polytechnique-Université de Kinshasa (UNIKIN), Kinshasa, DRC.
- 22-27.04.2019: Research Week, North West University Mahikeng, South Africa

- 17-18.05.2019: Oxford Africa Conference 2019, University of Oxford, Oxford, Britain
- 25.05.2019: AFRICA DAY 2019 in Jena, 25 May 2019: International Transdisciplinary Conference on Africa (ITCA 2019): Africa in a Post-Colonial Perspective.
- 03.06.2019: The International Associations of Lions Clubs “WaSH-Expert-Meeting 2019“, Bremen, Germany
- 24-28.06.2019: School of Physical Sciences Biennial International Conference, Federal University of Technology, Minna, Niger State, Nigeria.
- 29.08.2019: Jahresempfang der Linken, Erfurt, Germany.
- 9-13.09.2019: ANSOLE DAYS 2019 & BALEWARE 2019 on "Sustainable Energetics and Water", ICTP-EAIFR, UR-CST, Kigali, Rwanda.
- 14-15.10.2019: 6th ANSOLE National Conference in Cameroon (ANSOLECAM 2019) ENSAI, University of Ngaoundere, Cameroon.
- 18-20.11.2019: Joint Researcher's Symposium on Solar Energy, Lusaka, Lusaka, Zambia
- 27.11.2019: Die EU und Afrika-Wichtige Partner /Europäisches Informations-Zentrum Erfurt, Erfurt, Germany.
- 28-30.11.2019: PAD (People of African Descent) Week Germany, 28-30 November 2019, Berlin, Germany.
- 07.12.2019: 9th ANSOLE e.V. General Assembly in Jena+ AMAH-African Christmas Party, Wagnergasse 25, 07743 Jena Germany.

#### 2020

- 04.02.2020 : 9th anniversary celebration of ANSOLE in Jena Germany
- 03.03.2020: ANSOLE Scientific Meeting in Kenya (ASMKE 2020), Technical University of Kenya (TUK), Nairobi, Kenya.



*Left) 9th anniversary celebration of ANSOLE, Jena Germany. Middle) ASMKE 2020, Nairobi Kenya. Right) Meeting with the VC of TUK, 05.03.2020, Nairobi, Kenya.*

- 20.03.2020: Publication of ANSOLE e-Magazine Vol 6.
- 08-09.10.2020: ANSOLE attends online SEERA, Ouagadougou, Burkina Faso
- 07.11.2020: AFRICA DAY 2020 in Jena, International Transdisciplinary Conference on Africa (ITCA 2020): online event, Africa: Origin of all Humans. We are all Africans“, Jena, Germany.

#### 2021

- 09.01.2021: 10<sup>th</sup> ANSOLE e.V. General Assembly meeting held as in an online format.
- 19.01.2021: CAMREN extraordinary meeting at ENSTP in Yaounde Cameroon
- 4-5.02.2021: ANSOLE DAYS 2021 & BALEWARE 2021. Digital International Conference marking the 10th anniversary of ANSOLE.
- 02.04.2021: The start of a new era of ANSOLE(IL) on Good Friday 2021 at Hotel Tango, Yaounde, Cameroon



Left) CAMREN extraordinary meeting in Yaounde, Cameroon. Right) The start of a new era of ANSOLE(IL) at Hotel Tango, Yaounde Cameroon

### **C-Information Dissemination and Awareness Raising**

ANSOLE disseminates information on RE and Water using its websites, mailing lists, publications (e-News e-Magazine and event proceedings) flyers and Social media (Facebook, LinkedIn and WhatsApp). ANSOLE has created WhatsApp groups in Algeria, Benin, Burkina Faso, Cameroon, DR Congo, Egypt, Côte d'Ivoire, Germany, Ghana, Kenya, Lesotho, Morocco, Nigeria, Rwanda, Senegal, South Africa, Tunisia, Uganda, and Zimbabwe.

Theatre for Development (TDF) under the leadership of Prof Dr. Emelda Ngufor Samba and radio broadcast have been instruments for awareness raising on RE and water related issues.

Through media partnerships ANSOLE informed the general public on non-ANSOLE events using its various above-described dissemination channels. More than 30 media partnership agreements were signed in the past 10 years with event organizers from Africa, Europe and Asia.

### **D- Mediating African and European Institutions**

ANSOLE facilitated access of African students and researchers (from Algeria, Egypt, Ethiopia, Morocco, Nigeria, Senegal, Tunisia) to laboratories in Austria, Czech Republic, Germany, Italy and France. North American and Swedish female students turned to ANSOLE to gain access to research institutions in Cameroon, Morocco and Namibia.

### **E- Issuing Recommendations**

Recommendation letters from ANSOLE helped gain American Green Card, scholarships, fellowships and awards to our active members.

### **F- Local Activities in Jena Germany**



AMAH-activities: From left) Grillparty, Country evening, Africa Day Gala evening and open-air dancing

Funded by the City of Jena and the State of Thuringia through the AMAH-Project, ANSOLEe.V. has been engaged since 2017 in facilitating the integration of people of African descent in Jena and surroundings into the German society through



- Counselling and various practical supports
- Assistance in discrimination cases
- Intercultural exchange and knowledge transfer
- Networking and cooperation with migrant and German organisations

Since 2017 4 Africa Day events consisting of a conference and a cultural part were organized. Also organized were grill parties, Countries evenings, African youth gatherings, Christmas parties and open-air dancing events (triggered by Corona).

## F- Entrepreneurship and Match-Making Platform

After 10 years of existence it is time for ANSOLE to engage in entrepreneurship in Africa by offering high quality services in feasibility studies, installations and control. Creating a match-making platform is one of our ultimate goals.

**Acknowledgements:** The list of persons and institutions who helped start and sustain ANSOLE is very long. I just want to say to all „Thank you very much!!“ I thank God for bringing us so far!



**Daniel Ayuk Mbi EGBE** was born on 20<sup>th</sup> May 1966 in Mambanda-Kumba, South-West Region of Cameroon. He lost his mother at the age of 6, which forced him, as the youngest of 6 children, to move to Yato (Bomono) close to Douala, Littoral Region of Cameroon, to live with an aunt. While in Yato, he attended the Ecole Apostolique de Yato (a bilingual primary school) (1973-1976), then the Ecole Apostolique de Bekoko (1976-1977) and finally the Ecole Publique de Bomono-Gare (1977-1979), where he obtained the Francophone First School Leaving Certificate (CEPE) in June 1979 and passed the Francophone Common Entrance Exams (Concours d'Entrée en Sixième) for the Bilingual High School (Lycée Bilingue) of Molyko-Buea.

At Molyko he was privileged to be one of the few Cameroonians to attend the “tough Form 3 and Form 4 bilingual classes”. He obtained the Francophone BEPC in 1983 with distinction, then the Francophone Probatoire C in 1985. In 1986 he was the only Cameroonian who succeeded in both Francophone Baccalaureat C and Anglophone GCE-Advanced Level (in 3 papers). Despite a preselection for a Cameroonian scholarship to study an engineering field in Britain and all efforts made to achieve this goal, destiny directed him to enroll at the then University of Yaounde (presently University of Yaounde 1), where he obtained his BSc in Physics and Chemistry (Organic Chemistry as major) in 1991 with honours. While in Yaounde he took German language classes at the Goethe-Institute from 1987 till 1990, and obtained 4 German language certificates and was able to spend 6 weeks intensive language course in Ludwigsburg Germany in the summer of 1988. With the support of the German missionary family, Peter and Esther Schneider, of the Full Gospel Mission in Yaounde, he moved to Germany in October 1992, where he obtained a MSc (Diplom) and PhD in Chemistry in 1995 and 1999, respectively, from the Friedrich-Schiller University (FSU) of Jena. He was awarded the DAAD-Prize for the best foreign student at the FSU Jena in 1996. He completed his Habilitation in Organic Chemistry at the same institution in 2006. He is recorded as the first Cameroonian to complete a Habilitation in Chemistry in Germany! From 2006 to 2008, he spent postdoctoral stays at the Max Planck Institute for Polymer Research in Mainz, Germany, the Technical University of Eindhoven in Holland, and at the Technical University of Chemnitz, Germany. In 2009 he moved to the Johannes Kepler University Linz, Austria, where was firstly member of the Linz Institute of Organic Solar Cells (LIOS) (2009-2016) before joining the Institute of Polymeric Materials and Testing (IPMT). Egbe's main research interest is the design of semiconducting materials for optoelectronic applications.

He is a member of Organic Electronics Association (OE-A), and a board member of the World University Service (WUS) in Germany. He is the initiator of the German-Cameroonian Coordination Office, initiator and International Coordinator of the African Network for Solar Energy (ANSOLE) ([www.ansole.org](http://www.ansole.org)), initiator and chairperson of ANSOLE e.V., an institution legally representing ANSOLE, and initiator of the Cameroon Renewable Energy Network (CAMREN). He also initiated and coordinates the research platform BALEWARE (Bridging Africa, Latin America and Europe on Water and Renewable Energies Applications) ([www.baleware.org](http://www.baleware.org)). His capacity building activities of ANSOLE have enabled him travel to many African countries, where he has co-organized more than 30 scientific events (in 16 countries) thanks to his ability to **bridge** people of different cultures and backgrounds.

From 2015 till 2017 he was member of the scientific council of the “Ecole Supérieure des Métiers des Energies Renouvelables (ESMER), in Benin. From 2015 till 2016 he was part of the team which developed research programs at the Pan African University Institute of Water and Energy Sciences (including Climate Change) (PAUWES) in Tlemcen, Algeria, an institution of the African Union.

Since 2015 he is an Independent Evaluator for the World Bank Group and African governments in the selection process of the African Centres of Excellence (ACEs) and African Host Universities (AHUs) with corresponding eligible students in the frame of PASET (Partnership for skills in Applied Sciences, Engineering and Technology)- RSIF (Regional Scholarships and Innovation Fund)- Programme.

In 2016 he was appointed the first Distinguished Brian O’Connell Visiting Fellow of the University of the Western Cape, South Africa, in recognition for his outstanding contribution in human capacity building in Higher Education in Africa.

He was initiator and director of the VolkswagenStiftung-sponsored Summer Schools on “Sustainable Energetics for Africa” (2015-2017). He is presently visiting lecturer/Professor at various African universities.

At the end of 2018, he was honored with the Africa Recognition Award 2018 by the African Community of Erfurt, capital city of Thuringia in Germany.

In 2020 he was elected board member of MigraNetz Thüringen e.V. (umbrella association of migrants’ organizations in the State of Thuringia in Germany) and representative of the African Continent at the Migrations -und Integrationsbeirat Jena (Migrants Council in Jena).

He was recently (13 April 2021) appointed Fellow of the Regional Centre for Energy and Environmental Sustainability of the University of Energy and Natural Resources, Sunyani, Ghana.

He has published till date more than 125 peer-reviewed articles in renowned journals and (co)supervised numerous international students from Africa and elsewhere. His publications have been cited more than 3300 times and he has a H-index of 31. He speaks more than 5 languages and is father of 4 children. He is a believing christian who enjoys dancing Salsa!

Contact: Email: [Daniel.egbe@ansole.org](mailto:Daniel.egbe@ansole.org). WhatsApp: +4917620925862. Skype: daniellegbe1

## **Defining side chain successions in anthracene-based poly(arylene ethynylene)-alt-poly(phenylene vinylene)s: probing structure–property relationships**

Christoph Ulbricht,<sup>1,2</sup> Nassima Bouguerra,<sup>2,3</sup> Samuel Inack Ngi,<sup>4</sup> Oliver Brüggemann<sup>2</sup> and Daniel A. M. Egbe<sup>1,2</sup>

<sup>1</sup>Institute of Polymeric Materials and Testing, Johannes Kepler University Linz, Altenberger Str. 69, 4040 Linz, Austria. E-mail: [christoph.ulbricht@gmail.com](mailto:christoph.ulbricht@gmail.com), [christoph.ulbricht@jku.at](mailto:christoph.ulbricht@jku.at); [daniel\\_ayuk\\_mbi.egbe@jku.at](mailto:daniel_ayuk_mbi.egbe@jku.at)

<sup>2</sup>Linz Institute for Organic Solar Cells, Physical Chemistry, Johannes Kepler University Linz, Altenberger Str. 69, 4040 Linz, Austria.

<sup>3</sup>Department of Chemical Engineering, Electrochemistry, Corrosion and Energetic Valorization Laboratory,

A. MIRA University, Targa Ouzemmour, 06000 Bejaia, Algeria.

<sup>4</sup>Institute of Polymer Chemistry, Johannes Kepler University Linz, Altenberger Str. 69, 4040 Linz, Austria.

## Abstract

The optoelectronic characteristics of organic semiconductors generally arise from the layout of the conjugated system and can be modified by the introduction of substituents at the periphery, or metal centers at coordination sites. Besides facilitating solubility and processability, side chains can induce strong effects, too – structure, number and positioning can affect the alignment of a conjugated scaffold (torsion/planarization), the packing ( $\pi$ – $\pi$  stacking, etc.), the orientation and the morphology in neat and in blended layers. Absorption and emission as well as electronic properties can be manipulated significantly.

Our endeavor to expand the configuration options of side chains in anthracene-containing poly(arylene ethynylene)-*alt*-poly(phenylene vinylene)s (AnE-PVs) resulted in a library of 9 polymers with diverse successions of octyloxy and 2-ethylhexyloxy chains. Therefore, the synthesis of double dissymmetric functionalized phenylene building blocks was optimized and adapted.<sup>1</sup> Despite the high structural resemblance of the comonomers as well as the polymers, side chain configuration-specific characteristics could be identified using NMR, UV-vis absorption and photoluminescence spectroscopy. The differentiation of the photophysical characteristics of the polymers induced by the various defined, semi-defined and random side chain sequences has been thoroughly investigated in solution and in thin film. The gained insights allowed substantiate our notions on the complex structure–property relationships in AnE-PV systems. This systematic study presents an illustrative example for the versatile but also intricate capabilities of side chain engineering.

**Acknowledgement:** The FWF is gratefully thanked for the funding through the grant no. I 1703-N20.

## Reference

1. C. Ulbricht, N. Bouguerra, S. I. Ngi, O. Brüggemann, D. A. M. Egbe, *Polym. Chem.* **2019**, 10, 5339-5347.



**Christoph Ulbricht** studied chemistry at the Friedrich-Schiller-University Jena with his diploma thesis on the synthesis and characterization of conjugated polymers. He obtained his PhD at the Eindhoven University of Technology working on the incorporation of phosphorescent iridium(III) complexes into polymeric systems. Postdoctoral research positions at the Johannes Kepler University Linz and at the University of Münster provided further insights into organic electronic materials and applications such as lithium-ion batteries, organic light emitting diodes and organic solar cells, inter alia.

## Development of Flexible and Sustainable All-Solid-State Supercapacitors for Wearable Electronics

Achref Chebil <sup>a</sup>, Chérif Dridi <sup>a</sup>

<sup>a</sup> NANOMISENE Lab LR16CRMN01, Center of Research on Microelectronics and Nanotechnology of Sousse, Technopark of Sousse, Tunisia.\* Corresponding author: [cherif.dridi@crmn.rnrt.tn](mailto:cherif.dridi@crmn.rnrt.tn)

## Abstract



Smart textile (E-textile) presented a new type of fabric having a great potential for versatile applications in the fields of health monitoring displays, sensors, telecommunications devices, and generating/storing energy and so on. The widespread commercialization of E-textile is limited by the lack of energy storage incorporation since conventional devices such as batteries and supercapacitors are bulky, rigid and heavy. Therefore, it is compulsory to develop new energy storage generation integrated on textile and used in the garment industry to move away to another conjuncture: from conventional textile to technical one [1,2].


Carbonaceous based nanomaterials such as carbon nanotube, graphene, graphite, carbon black, fullerene and porous activated carbon display a versatile advantage like good electrical conductivity, high specific surface area, environmental friendliness and good mechanical properties. Therefore, they have been considered useful in different applications [3]. Contrasted to graphene, fullerene, and carbon nanotube needed a complicated and expensive process and instrument set-ups, graphene sheet-like activated carbon (GSAC) can be obtained via various biomass sustainable precursors. Moreover, the GSAC has been used in versatile applications such as electrodes fabrication for energy storage devices like supercapacitors and batteries [4].

The proof of this concept study give rise to an inspiration of comprehensive and effective utilization of biomass precursor to synthesize graphene sheets with a green, clean, and low-cost process and deposit it on textile to contribute to an affordable, reliable, sustainable and modern eco-friendly energy storage devices.

**Keywords:** Flexible Solid-state supercapacitor, Sustainable, E-textile, Green Nanotechnology

## References

- [1] B. Wang, Z. Li, Y. Yin, C. Wang, Center and multi-points current collecting for improving capacitances of rectangular polypyrrole/knitted cotton fabric-based supercapacitor, *J. Power Sources*. **481** (2021) 228824. doi:10.1016/j.jpowsour.2020.228824.
- [2] X. Luo, Y. Liang, W. Weng, Z. Hu, Y. Zhang, J. Yang, L. Yang, M. Zhu, Polypyrrole-coated carbon nanotube/cotton hybrid fabric with high areal capacitance for flexible quasi solid-state supercapacitors, *Energy Storage Mater.* **33** (2020) 11–17. doi:10.1016/j.ensm.2020.07.036.
- [3] A. Chebil, V. Mazzaracchio, S. Cinti, F. Arduini, C. Dridi, Facile development of cost effective and greener for all solid-state supercapacitor on paper substrate, *J of Energy Storage*. **33** (2021) 102107. <https://doi.org/10.1016/j.est.2020.102107>.
- [4] K.L. Hong, L. Qie, R. Zeng, Z.Q. Yi, W. Zhang, D. Wang, W. Yin, C. Wu, Q.J. Fan, W.X. Zhang, Y.H. Huang, Biomass derived hard carbon used as a high performance anode material for sodium ion batteries, *J. Mater. Chem. A*. **2** (2014) 12733–12738. doi:10.1039/c4ta02068e.



**Achref Chebil** is a Doctor in Physics Engineering with a speciality in Nanotechnology. He studied at the Higher School of Sciences and Technologies of Hammam-Sousse at the University of Sousse-Tunisia. He is working at NANOMISENE Laboratory, Center for Research on Microelectronics and Nanotechnology of Sousse. His thesis focuses on the study and the development of flexible energy storage devices for autonomous microsystems.

## Study and Application of Nano Anti-contamination for Photovoltaic Panels

Khaled Belhouchet <sup>1\*</sup>, Abdelhafid Bayadi <sup>2</sup>, Lyamine Ouchen<sup>2</sup>, Nadjim Alti <sup>2</sup>

<sup>1</sup>Department of Electrical Engineering, Faculty of Technology, Mohamed Boudiaf University, M'sila 28000, Algeria.

<sup>2</sup>Department of Electrical Engineering, Faculty of Technology, Ferhat Abbas University, Setif – 1, 19000, Algeria. E-mail: khaled.belhouchet@univ-msila.dz

## Abstract

In this paper, a novel application of a Nano-sized titanium dioxide photocatalyst for enhancing the performance of the photovoltaic panels is presented. The concept of cleaning solar panels using Nano coatings is proposed in this study to avoid the collection of fine particles, dust and water from the air above the solar panel that prevents sunlight from reaching the surface of the solar cell. The chemical and physical and properties of the TiO<sub>2</sub> thin film were analyzed and their influences on the self-cleaning were evaluated. In order to create self-cleaning property, the TiO<sub>2</sub> films were deposited on sample surfaces. The samples were exposed then, to the outdoor conditions tests. Simulations studies were carried out for two different cases; with coating and without coating. Test results showed that the as-prepared TiO<sub>2</sub>-coated samples exhibited an improved self-cleaning ability of the excellent photo-induced catalytic performance of the TiO<sub>2</sub> film. These surface modifications have a significant impact in the reduction of dust accumulation and the loss of the transmission coefficient. This study shows that coating TiO<sub>2</sub> films on the surface of photovoltaic panels may have a promise in improving its performance in terms of temperature and efficiency. It can be effectively use the concept of Nano Anti-contamination self-cleaning of photovoltaic panels.

## References

- [1] M. Abderrezek, M. Fathi, Experimental study of the dust effect on photovoltaic panels energy yield, *Solar Energy*, **142**, 308–320 (2017).
- [2] J. Muhammed Adinoyi and A.M Syed Said, Effect of dust accumulation on the power outputs of solar photovoltaic modules, *Renewable Energy*, **60**, 633-636 (2013).
- [3] M. Catelani, L. Ciani, L. Cristaldi, M. Faifer, M. Lazzaroni and M. Rossi, Characterization of photovoltaic panels: The effects of dust, *IEEE International Energy Conference and Exhibition ENERGYCON* (2012).
- [4] J.Tanesab, D. Parlevliet, J. Whale, T. Urmee, T.Pryor, The contribution of dust to performance degradation of PV modules in a temperate climate zone, *Solar Energy*, **120**, 147–157 (2015).
- [5] A. Gholami, A. Saboonchi, , A.A. Alemrajabi, Experimental study of factors affecting dust accumulation and their effects on the transmission coefficient of glass for solar applications,. *Renew. Energy* **112**, 466–473 (2017).
- [6] D.M. Giolando, Nano-crystals of titanium dioxide in aluminum oxide: a transparent self-cleaning coating applicable to solar energy. *Solar Energy*, **97**, 195–199 (2013).
- [7] E. Klugmann-Radziemska, Degradation of electrical performance of a crystalline photovoltaic module due to dust deposition in northern Poland, *Renew. Energy*, **78**, 418–426 (2015).
- [8] E. Garskaite, Preparation of hydrophilic TiO<sub>2</sub> films by chemical solution deposition, *Chemija*, **24** (4), 279–287 (2013).



**Khaled Belhouchet** joined M'sila University in 2015 as an Assistant Professor. He obtained then a Ph.D degree from the university of Setif, Algeria in 2020 . His research interests are: high voltage engineering, insulation technologies, optimization methods and overvoltage protection. He is a research member at the Automatic Laboratory of Setif (LAS), University of Setif, Algeria.

## Performance Response to Ambient Parameters and Modelling of Polycrystalline Photovoltaic Module in Minna, Nigeria

**J A Ezenwora<sup>1,\*</sup>**, <sup>2</sup>D O Oyedum<sup>1</sup> and P E Ugwuoke<sup>2</sup>

<sup>1</sup>Department of Physics, Federal University of Technology, P.M.B. 65 Minna, Nigeria.

<sup>2</sup>National Centre for Energy Research and Development, University of Nigeria, Nsukka.

Email of corresponding author: [joelezen@futminna.edu.ng](mailto:joelezen@futminna.edu.ng) & [aghaegbunam@yahoo.com](mailto:aghaegbunam@yahoo.com)

### Abstract

Outdoor characterisation and performance evaluation of Photovoltaic (PV) modules is needed for efficient PV power system. Outdoor assessment of polycrystalline silicon PV module was done in North Central Nigeria, using Campbell Scientific CR1000 software-based data acquisition system. The PV module under test and meteorological sensors were installed on a metal support structure at the same test plane. The data monitoring was from 08.00 to 18.00 hours each day continuously for a period of one year. Maximum value of module efficiency of 10.91 % for the module was recorded at irradiance of 375 W/m<sup>2</sup>. At 1000 W/m<sup>2</sup> the efficiency reduced to 6.20 %, as against manufacturer's specification of 48 % for the module. The maximum power output achieved for the module at irradiance of 1000 W/m<sup>2</sup> was 1.323 W representing 13.23 % of the manufacturer's power specification for the module. Accordingly, Module Performance Ratio (MPR) for the PV module is 0.13. The rate of variation of module response variables with irradiance and temperature was determined using a linear statistical model given as  $Y = a + bH_g + cT_{mod}$ . The coefficient of determination for the fits for the performance variables are: 69.1 %, 93.1 %, 62.4 % and 88.9 % for the open-circuit voltage, short-circuit current, power and maximum power respectively. The overall lack of fit tests for these performance variables is significant at probability, P value of 0.000, signifying good fits. The approach performed creditably as compared with measured data, therefore, it is resourceful.

**Keywords** (optional) Ambient; Module; Photovoltaic; Polycrystalline; Statistical-model

### References

- [1] Almonacid, F, Rus, C, Hontoria, L, Fuentes, M and Nofuentes, G, 2009. Characterisation of single-crystalline modules by artificial neural networks, *J. Renew. Ener.* **34** (4) 941-949.
- [2] California Energy Commission: Energy Development Division. 2001. A Guide to PV system design and installation, California, USA.
- [3] Umar I H (1999). Research and development and energy crisis in Nigeria. In *Proc. 1999 Technology Summit, Abuja, Nigeria*, pp 39-42.
- [4] Okafor, E N C & Joe-Uzuegbu, C K A, 2010. Challenges to development of renewable energy for electric power sector in Nigeria. *Inter. J. Acad. Resear.* **2** (2), 211-216.



Dr. Joel A. Ezenwora studied Physics-Electronics Technology (BTech and MTech) and PhD in Atmospheric Physics (Photovoltaics). He has done a lot of work in these fields with many publications in reputable local and international journals, mostly on Electronic circuit designs and Solar Electricity. He has equally published a book in Germany (printed in USA and UK) on Electronics titled "Electronic Moving Display Technology: Design Basics, Characterization and Construction". Also, he has supervised and is supervising undergraduate and postgraduate projects in these fields. He is a member of ANSOLE since 2019. e-mails: [joelezen@futminna.edu.ng](mailto:joelezen@futminna.edu.ng) &

[aghaegbunam@yahoo.com](mailto:aghaegbunam@yahoo.com)



## Growth and characterization of transition metal diselenides $MSe_2$ ( $M = Mo, W$ ) for various applications

Moussa Bougouma<sup>\*a</sup>, Jean B. Legma<sup>a</sup>, Thomas Doneux<sup>b</sup> and Claudine Buess-Herman

<sup>a</sup> Laboratoire de Chimie des Matériaux et de l'Environnement (LCME), UFR-Sciences et Technologies, Université Norbert ZONGO, Avenue Maurice Yaméogo, BP 376 Koudougou, Burkina Faso

<sup>b</sup> Chemistry of Surfaces, Interfaces and nanomaterials, Faculté des Sciences, Université libre de Bruxelles, Boulevard du Triomphe, 2, CP 255, B-1050 Bruxelles, Belgique

-Email of corresponding author: [bmoussaraphael@gmail.com](mailto:bmoussaraphael@gmail.com)

### Abstract

The transition metal dichalcogenides (TMDs) such as  $MoSe_2$  and  $WSe_2$  have a layered structure and outstanding opto-electronic properties that make them useful for photovoltaic, photocatalytic, electronic, thermoelectric, chemical sensors and biosensors. In particular,  $MoSe_2$  has been subject to many investigations since it was shown to have potential applications in solar energy conversion and hydrogen production. Besides, because of its possible use as 2-dimensional (2D) crystals obtained from 3D parent compound for application as nanoelectronics or optoelectronics materials,  $MoSe_2$  has been also subject of particular attention. In addition, some novel routes for  $MoSe_2$  compounds synthesis such as, electrophoresis deposition (EPD), microwave treatment, hydrothermal reaction, chemical vapour deposition (CVD), and solvothermal reaction were also investigated. But, all of those researches usually consider single crystals as reference materials. Consequently, the growth of high quality single crystals is required as reference materials in the study of  $MoSe_2$  for various kinds of applications. For instance  $MoSe_2$  single crystals were grown by chemical vapor transport using  $TeCl_4$  as transport agent. After the growth, they were characterized by different physical, chemical and electrochemical methods. These characterization step demonstrated that single crystals were highly homogeneous and had good properties. After these characterizations, the materials were used for various applications including solar energy conversion, the detection of toxic gas molecules ( $NH_3$ ), the synthesis of hybrid semiconductors for solar energy conversion and the synthesis of bipolar electrodes for chemical analysis.

**Keywords** (optional): Characterization, Crystal morphology, Single crystal growth, Transition metal dichalcogenides, Semiconducting materials, Solar cells

**Acknowledgement:** The stay of Dr. Bougouma in ULB benefitted from the financial support of Wallonie- Bruxelles Internationale (WBI) and Academie de Recherche et d'Enseignement Supérieur (ARES)

### References

1. Bougouma Moussa Batan Abdelkrim; Guel Boubié; Segato Tiriana; Legma Jean B.; Reniers Francois; Delplancke-Ogletree, Marie-Paule; Buess-Herman Claudine; Doneux Thomas, growth and characterization of large, high quality  $MoSe_2$  single crystals, Journal of Crystal Growth, 363 (2013) 122-127.
2. Iuliia Malytska, Thomas Doneux, Moussa Bougouma, Alexander Kuhn, and Laurent Bouffier, Wireless Addressing of Freestanding  $MoSe_2$  Macro- and Microparticles by Bipolar Electrochemistry, J. Phys. Chem. C 2019, 123, 5647–5652
3. Dattatray J. Late, Thomas Doneux, and Moussa Bougouma, Single-layer  $MoSe_2$  based  $NH_3$  gas sensor, Appl. Phys. Lett. 105, 233103 (2014)

4. Laurie Letertre, Olivier Douhéret, Moussa Bougouma et al, Nanoscale study of MoSe<sub>2</sub>/poly(3-hexylthiophene) bulk heterojunctions for hybrid photovoltaic applications, *Solar Energy Materials & Solar Cells*, Solar energy materials and solar cells, 145 (2016) 116-125



**Moussa BOUGOUMA** is an associate professor in the field of physical chemistry and electrochemistry at Norbert ZONGO University, the second university of Burkina Faso with about 45,000 students. He obtained the grade in 2017 by registration on the aptitude lists of the African and Malagasy Council for Higher Education. He prepared his doctoral thesis jointly between the University of Ouagadougou (now Joseph KI-ZERBO University) and the “Université Libre de Bruxelles (ULB)”. As a lecturer researcher, he contributes to the training of students through courses in analytical chemistry, electrochemistry,

physical chemistry, inorganic chemistry and in chemical thermodynamics. His research work is diversified but mainly focuses on the study of semiconductor materials obtained by thin-film electrodeposition or by chemical vapor transport. These materials are being studied for various applications including solar energy conversion. Dr. Bougouma researches also focus on the implementation of physico-chemical and electrochemical methods for the study and treatment of water, materials, waste management of electrical and electronic equipment (batteries, telephones, etc.) and discharges from mining. About 15 scientific articles are published in international indexed journals, 20 oral communications, 10 supervised masters and 6 doctorates in progress. Since 2010, Dr Bougouma has maintained excellent cooperation relations in teaching and research with the University of Mons and the “Université Libre de Bruxelles”, where he is an associate researcher.

Moussa Bougouma is currently the Director of the Faculty of Science at Norbert ZONGO University. Moussa Bougouma is also le director of the Materials and environmental chemistry laboratory.

### **An investigation on to the effects of buffer layer thickness and doping concentration on AlGaAs solar cell efficiency**

Lynda Benbahouche<sup>1</sup>, H. Bouden<sup>2</sup>

<sup>1</sup>EBT department, Faculty Technology, Univ Setif1, Algeria

<sup>2</sup>Electronic department, Faculty Technology, Univ Setif1, Algeria

e-mail: [lybenbah@yahoo.fr](mailto:lybenbah@yahoo.fr)

#### **Abstract:**

Recently, improving the performance of solar cells at a lower cost is imperative to enable the growth of photovoltaics in the global electricity mix. In addition, thin-film solar cells have large-scale terrestrial photovoltaic applications because of their low manufacturing cost. They have a considerable interest for space applications, tests of irradiation of protons and electrons.

In this context, the purpose of this article is to highlight the identification of the technological barriers currently facing the manufacture of thin-film photovoltaic cells based on arsenide gallium (GaAs) materials which are at the center of considerable development efforts because of their high conversion efficiency and potential for improvement in performance by focusing primarily on improving the electrical and quantum conversion efficiency of these solar cells.

To carry out this objective, a numerical study presented by a modeling and simulation aiming at the potential of the technologies of the materials used and the study of the performances of the solar cells whose aim of obtaining an optimal electrical conversion efficiency.

This interest for this materials is due to its interesting optical and electronic properties and to its various practical applications in solar cells, photovoltaic detectors, photovoltaic sensors and

electronics. The main objective of this paper is the numerical investigation of the electrical characteristics, the efficiency and the form factor of an AlGaAs / GaAs heterojunction cell of the III-V family of semiconductors with through the Scaps software while highlighting the influence of physical and technological parameters, such as doping and thickness of the layers (AlGaAs, GaAs) to investigate the influence of these structures on the conversion efficiency.

**Keywords :** Solar cells, photovoltaic, Scaps,, AlGaAs/GaAs,



**Benbahouche Lynda** received Electronic engineering and Magister degrees in Electronics from the UFAS Setif1 University, Algeria, in 1992 and 1996, respectively. She worked as an Assistant Professor at the Faculty of Technology Department of Basic Education and Technology since 1997. She received her PhD in Electronics, option microelectronics, with high honors in 2011. She is a professor in the same discipline and also holds a HDR diploma (Ability to conduct researches) with honors from same university in 2019 and she is still working as an Associate Professor at the same faculty in UFAS Setif1 University. 20+ years of experience in Academics with proven track record in University teaching as a Supervisor of Masters and PhD students, prominent researcher.

Her research interests include, Photonics Device (Display, Photovoltaic), Reliability and Failure Analysis: Degradation studies PV, Solar cells made of silicon, CdTe, CIGS, organic materials, multi-junction, perovskite etc., reliability, failure and performance analysis of the power electronics devices (IGBTs).

Dr. Benbahouche has published over 20 papers on journals and conferences on related fields, a ebook Fundamental electronics on Moodle e-learning. She is reviewer for refereed journals, in particular, IEEE Transaction on Industrial Electronics, IET Electronics Letters, Semiconductor Science and Technology from IOP Publishing, and Electric Power Components and Systems from Francis& Taylor. Email: [lybenbah@yahoo.fr](mailto:lybenbah@yahoo.fr)

## **Comparative study of two calculation models of solar radiation for a parabolic trough collector in Tlemcen, Algeria**

L. Benhabib<sup>1</sup>, Z. Hadjou Belaid<sup>2</sup>, L. Khitri<sup>3</sup>, B. Benyoucef<sup>1</sup>, M. Aillerie<sup>4</sup>

<sup>1</sup>URMER Laboratory. Department of Physics, Abou Bekr Belkaid university, Tlemcen, Algeria

<sup>2</sup>Macromolecules Laboratory. Department of Physics, Abou Bekr Belkaid university, Tlemcen, Algeria

<sup>3</sup>Department of Mathematics, Abou Bekr Belkaid university, Tlemcen, Algeria

<sup>4</sup>LMOPS Laboratory, Centrale Supélec, Lorraine University, Metz, France

[loulip physique@hotmail.com](mailto:loulip physique@hotmail.com)

### **Abstract**

The development of solar concentrator technology has just reached a very significant level. By using reflectors to concentrate the sun's rays on the absorber, this greatly reduces the size of the absorber, reducing heat loss and increasing its efficiency at high temperatures. Another advantage of this system is that the reflectors are significantly less expensive, per unit area, than the flat collectors. Their main disadvantage is that they only use direct solar radiation because the diffuse component cannot be concentrated. This is why the orientation of concentrators is relative to the direction of the propagation of direct radiation, this requires continuous tracking of the sun.



There are three main types of concentrators, the parabolic trough concentrators, solar towers and parabolic concentrators. The technology of parabolic trough concentrators is currently the most proven of the solar concentration techniques.

In this work, we developed a comparison between solar radiation values measured at the Tlemcen site and values estimated by theoretical models proposed in the literature by various researchers. The theoretical models chosen are the Capderou model, which serves as a reference for designers of solar systems in Algeria, and the new Bird and Hustrom model. The comparative study of the results obtained showed that the Capderou model is the one which presents the best estimate of the direct and diffuse components for any day of the year, whereas the Bird and Hustrom model is estimated only for clear days in particular for an incidence on the horizontal plane.



I am a student at Abou Bekr Belkaid University, Tlemcen, Algeria, option: Renewable Energy and Materials. My research field is solar thermal energy. I received long-term training at the LMOPS research laboratory, University of Lorraine, France. The subject of my PhD thesis is on mixed photothermal/photovoltaic systems. -Email: [loubnabenhbibhadjou@gmail.com](mailto:loubnabenhbibhadjou@gmail.com)

### Removal of an azo dye by adsorption on a green algae (*Ulva lactica*)

K.N. Benkhemkhem<sup>1</sup>, N. Moussa<sup>1</sup>, A. Medjdoub<sup>1</sup>, H. Delali<sup>1</sup>, M. Belhakem<sup>1</sup>, F. Nemchi<sup>1</sup>

*Laboratoire de Structure, Elaboration et Application des Matériaux Moléculaires (SEA2M), Université de Mostaganem (UMAB). Algeria*

#### Abstract

Our work has for objective the elimination of an azo dye: The Reactive Black 5 by adsorption on a biosorbent the green alga *Ulva Lactica*. The study of factors (time, pH) has shown that the best rates of elimination of the Reactive Black 5 dye are obtained for a time of 2 hours, and at an acid pH equal to 2. The adsorption isotherm of Reactive Black 5 is of type L and follows perfectly the Langmuir model with pseudo-second order adsorption kinetics and that the maximum adsorption capacity of the green alga *Ulva Lactica* for the Reactive Black 5 is 21 mg/g.

**Keywords:** Biosorbent ; Adsorption ; Reactive Black 5 ; *Ulva Lactica*.



**Nesrine Kawther Benkhemkhem** is a second year PhD student in the Department of chemistry at Mostaganem University in Algeria. Her dissertation, called: "Elaboration and characterization of a hybrid material for water treatment", The experimental work is in progress in the Structure, Elaboration and Application of Molecular Materials laboratory (SEA2M) Algeria. She did her Master degree in applied chemistry; the experimental part was carried out within the 'valorisation of materials laboratory (LVM)' in the field of heterogeneous photocatalysis.

E-mail : [kawther.benkhemkhem.etu@univ-mosta.dz](mailto:kawther.benkhemkhem.etu@univ-mosta.dz)


### New fluoranthene-based compounds and their use in DSSCs

Younes Bennacer, Mounia Guergouri.

Université des Frères Mentouri de Constantine, Laboratoire de Chimie des Matériaux Constantine (LCMC), Route de Aïn El Bey, Constantine. Algérie,  
e-mail address: younes.bennacer43200@gmail.com

### Abstract

The aim of this study is the synthesis of a series of new fluoranthene-based fluorescent compounds and their potential use in DSSCs. Their structure identifications have been done by IR and NMR spectroscopies and their optical properties have been revealed by UV-visible and fluorescence spectroscopies.



To use these compounds in DSSCs, some conditions must be checked optically and electrochemically. The three compounds are fluorophores that show two absorption peaks, the first in the ultraviolet and the second in the near ultraviolet. The optical gaps were estimated from the absorption thresholds. The electrochemical study carried out by cyclic voltammetry on a glassy carbon electrode shows almost similar behavior for the three compounds. The voltammograms obtained allowed us to calculate the energy values of HOMO and LUMO as well as the electrochemical gaps. Based on the values of the molar extinction coefficients, these molecules can be used as dyes in DSSCs. By having a good approximation of the values of their HOMO and LUMO, it becomes easier to conclude on their possible use as a dye in this type of device. The energy of the conduction band of the  $\text{TiO}_2$  semiconductor is less than the energy value of the LUMO of our compounds. Moreover, the HOMO of the latter is lower than the oxidation potential of  $\text{I}^-/\text{I}_3^-$  electrolytic couple. The results show that our products are good candidates for use as a sensitizing dye in DSSCs.

**Keywords:** DSSCs, dyes, cyclic voltammetry, HOMO, LUMO, Gap.



**Bennacer Younes** was born in Algeria, in 1993. He is PhD student in University of Constantine 1 in Algeria. He received the bachelor's degree in Analytical Chemistry in 2017, and the master degree in analytical Chemistry, in 2019, from the University of Constantine 1, Algeria. Since 2019, he has been PhD student in Constantine materials chemistry laboratory (LCMC), at Constantine 1 University. His research focused on the preparation of new conductive organic polymers (from organic or inorganic derivatives) which, according to their basic monomers, have electrical and electrochromic properties, for optoelectronic and electroluminescence use. He also works on the electrochemical preparation of heterocyclic organic compounds having specific functional groups and the study of their physico-chemical behavior.

### Review on modeling and prediction of soiling effects on photovoltaic and concentrated solar power module performance

Bouchra Laarabi<sup>a,d</sup>, Gabriel Jean-philippe Tevi<sup>b</sup>, Wim C. Sinke<sup>c</sup>, Amadou Seidou Maiga<sup>b</sup>, Abdelfettah Barhdadi<sup>a,\*</sup> and Natarajan Rajasekar<sup>d</sup>

<sup>a</sup> Physics of Semiconductors and Solar Energy Research Team (PSES), Energy Research Center (CRE), High College for Education and Research (ENS), Mohammed V University in Rabat (UM5R), Morocco

<sup>b</sup> Gaston Berger University, Saint Louis, Senegal

<sup>c</sup> Institute of Physics, University of Amsterdam, Netherlands

<sup>d</sup> Solar Energy Research Cell, School of Electrical Engineering, VIT University, Vellore, India

\* Email of corresponding author: [abdelfettah.barhdadi@um5.ac.ma](mailto:abdelfettah.barhdadi@um5.ac.ma)

## Abstract

The effects of soiling on the performance of solar installations are a subject of rapidly increasing importance and interest. Many researchers around the world work on measurement, analysis, modeling and mitigation of these effects in order to make accurate yield predictions and develop optimal maintenance strategies. This, in turn, is important for risk and uncertainty reduction in large-scale investments. Many reviews of literature in parts of this broad field summarizing the state of the art and supporting researchers in further studies have been published. However, although modeling of soiling effects is addressed in a significant part of the studies published, no systematic review of this part of literature has been performed yet. The review work reported here is entirely focused on the modeling and prediction of soiling effect on PV (Photovoltaics) and CSP (Concentrated Solar Power) module performance. It aims at serving as a reference for future studies.



**Bouchra LAARABI** received her Master's degree in Water, Energy and Environmental Sciences, Energetic option in ENSET school, Mohammed V University of Rabat-Morocco. Currently she is a Ph.D. student in Physics of Semiconductors and solar Energy Research Structure, of Ecole Normale Supérieure, Mohammed V University of Rabat-Morocco. Her research interest includes photovoltaic energy and PV modules performances. Her thesis is focusing on soiling effect on PV modules, whether its assessment or modeling.

## Optimization of metals analysis by volumetric method-the case of Ca(II), Mg(II), Zn(II), Mn(II), Cd(II), and Pb(II)

R.N. Fassi, and C. Boukhalfa-Djebbar and Y. Bennacer

Laboratory of pollution and water treatment, University Mentouri Brothers Constantine1, Algeria.  
email: [fassirayane@yahoo.com](mailto:fassirayane@yahoo.com)

## Abstract

In water treatment, analysis is an important step for evaluating the quality of raw and treated waters. Several methods can be used for metals analysis but they cannot be all available in the laboratories of water treatment plants. The aim of this study is the optimization of metals analysis by the simple volumetric method which requires available reagents. The analysis of Ca(II), Mg(II), Zn(II), Mn(II), Cd(II), and Pb(II) is undertaken using complexation reaction with EDTA. The effects of pH and indicator nature are evaluated. The detection limit is determined in each case.

The obtained results show that the analysis optimal conditions depend on the nature of the metallic cation. Eriochrome Black T is the best indicator for the analysis of Ca(II) at pH: 9.2, Mg(II) at pH:10 and both Zn(II) and Mn(II) at pH: 8.3. While murexide is more suitable for the analysis of Cd(II) at pH: 9.2 and Pb(II) at pH:10.

**Keywords:** metals analysis; complexation; EDTA; volumetric method





**Fassi Ryane** is PhD student in University Mentouri Brothers of Constantine (Algeria) at the Laboratory of Pollution and Water Treatment. Temporary teacher in University Mentouri Brothers of Constantine. Bachelor's degree in Analytical Chemistry (2017), and the Master degree in Analytical Chemistry (2019), from the University of Constantine 1 (Algeria). Registered in the second year for preparing PhD thesis in Laboratory of pollution and water treatment (LPTE), at the University Mentouri of Constantine. The research work is focused on metals analyses. Email: [fassirayane@yahoo.com](mailto:fassirayane@yahoo.com) . Cell : +2130795-77-44-97

## Experimental analysis and modeling of self-consolidating concrete (SCC) using waste glass

S. Tabet<sup>1,3</sup>, R. MITICHE-KETTAB<sup>2</sup>, Z. RAHMOUNI<sup>3</sup>, Z. ER<sup>4</sup>, A. AZZOUZ<sup>1</sup>, O. BENZAZAA<sup>1</sup>, Z. ROUABAH<sup>5</sup>.

<sup>1</sup> Civil Engineering Department, Mohamed El Bachir El Ibrahimi University, Bordj Bou Arreridj, Algeria.

<sup>2</sup> National Polytechnic School of Algiers, Algeria, Algeria.

<sup>3</sup> Geomaterials Development Laboratory, Civil Engineering Department, Faculty of Technology, M'sila University, M'sila (28000), Algeria.

<sup>4</sup> Istanbul Technical University, Faculty of Science and Letters, Physics Engineering Department (13b), 34469 Maslak-Istanbul/TURKEY.

<sup>5</sup> Materials and Electronic Systems Laboratory, University of Bordj Bou Arreridj, Bordj Bou Arreridj, Algeria. Email: [tabet\\_sf@yahoo.fr](mailto:tabet_sf@yahoo.fr)

### Abstract

Non-biodegradable waste, such as glass waste, presents a significant and growing environmental problem both nationally and internationally. One of the rare ways to recycle this waste is to reuse it in the concrete as a partial replacement for cement. Indeed, their valuation presents several advantages: economic, ecological and technological. The main objective of this study is the development of an economic and ecological self-compacting concrete (SCC) containing glass powder (GP) as a cement addition. Following the Test Protocol, the SCC paste mixes are prepared with an E / L ratio of 0.38, cement dosage 400 kg / m<sup>3</sup> and 380 kg / m<sup>3</sup> and different percentages of replacement of cement by powder of glass, up to 14% by mass of cement. The analysis of the results obtained and the development of optimal formulas by the software of the "Design-Expert" experimental plan were carried out to better assess the effect of the glass powder on the rheology of cement pastes and on the performance of SCC in the fresh and hardened state.

**Keywords:** Self-compacting concrete, rheology, viscosity, glass waste, experimental design,



Mrs. **Souad Tabet** is assistant professor in Civil Engineering Department, Mohamed El Bachir El Ibrahimi University, Bordj Bou Arreridj, Algeria. She is also a PhD student in National Polytechnic School of Algiers, Algeria, Algeria. She is a holder of engineering degree in Civil Engineering and a Magister degree in Civil Engineering, option: Geotechnical. The subject of her doctorate is focused on self-consolidating concrete (SCC) using different type of waste.

## Study of a-Si:H hydrogenated amorphous silicon for photovoltaic applications

Khadidja KETROUSSI<sup>a</sup>, Rabah CHERFI<sup>a</sup>, Hadj Yahia SEBA<sup>a, b</sup>, Sonia TATA<sup>a</sup>, Lamia CHABANE<sup>a</sup>, Abba RAHAL<sup>a</sup>.

<sup>a</sup> *Laboratoire de Physique des Matériaux, Faculté de physique, Université des Sciences et de la Technologie Houari Boumediene (USTHB), B.P. 32, El Alia, Bab Ezzouar, DZ-16111Alger, Algérie.*

<sup>b</sup> *Laboratoire des Matériaux, Technologie des systèmes énergétiques et environnement, Faculté des sciences et de technologie, Université de Ghardaia Noumirat BP 455, route de Ouargla, 47000, Ghardaia, Algérie. E-mail: corresponding\_kketroussi9@gmail.com*

### Abstract

The problem of increasing the light conversion efficiency of a-Si:H hydrogenated amorphous silicon devices has not been solved for decades [1]. In this work, we are trying to improve the photoconductive properties of a-Si:H(B) by studying the effects of circuitry and boron doping on a-Si:H(B) layers.

In this work, we studied a-Si:H intrinsic and doped films deposited by DC magnetron sputtering. To do this, a silicon target was sputtered into a DC discharge using an argon-hydrogen mixture. The substrate temperature is set at 300°C and the discharge power is 130 watts. These deposition parameters give a deposition rate of 4 Å/s. the deposited layers are then thermally annealed at temperatures ranging from 300°C to 500°C in steps of 50°C.

Ellipsometry (SE) spectroscopic measurements were used to determine the optical parameters, which are the thickness and surface roughness of the deposited films. For electrical measurements, aluminum electrodes were evaporated on the samples deposited on the glass substrate in a coplanar configuration. The study of electrical properties consists of conductivity and photo-conductivity measurements that have been carried out at different temperatures.

Our results indicate that the increase in boron incorporation has induced an increase in the static refractive index  $n_s$  and a decrease in the optical gap  $E_g$ .

The measurement of conductivity in the dark ( $\sigma_d$ ) at 40°C showed a significant increase in conductivity by four orders of magnitude compared to layers made without introducing boron and the incorporation of boron in the silicon matrix is responsible for a reduction of the activation energy from 0.7 to 0.25 eV. Whereas undoped films have the best photoconductivity value with a sensitivity of about four orders. Thermal annealing did not significantly affect the optical and electrical properties of doped and undoped a-Si:H films. Then, undoped a-Si: H (B) films exhibit good thermal stability.

Our findings indicate that the undoped material is a good candidate for use in photovoltaic conversion.

**Keywords:** a-Si:H(B), sputtering, photovoltaic, electrical properties, ellipsometry.

### Reference

R. A. Street, Hydrogenated Amorphous Silicon, Cambridge University Press, Cambridge 1991.



**Khadidja KETROUSSI** received her Master's degree in engineering materials in 2017 from University of Science and Technology Houari Boumediene (Algeria). Currently, she is pursuing her Ph.D. at the University of Science and Technology Houari Boumediene (Algeria). Her research interests include the synthesis of boron doped hydrogenated amorphous silicon prepared by dc magnetron sputtering for infrared detectors applications. Contact [kketroussi9@gmail.com](mailto:kketroussi9@gmail.com)

## Effect of Sn concentration on the structural, optical and electrical properties of indium oxide thin films

Ghemid Mouna<sup>1</sup>, Gueddaoui Houria<sup>1</sup>

<sup>1</sup>Semiconductor and metallic oxide Laboratory, Department of Materials, Faculty of Physics, University of Science & Technology. (U.S.T.H.B), BP.32, El-Alia, Algiers, Algeria.Email: [ghomidmouna@gmail.com](mailto:ghomidmouna@gmail.com)

### Abstract

Indium tin oxide, commonly called as ITO, is n-type semiconductor with wide band gaps 3.5-4eV. Consequently, ITO is transparent to visible-near-infrared and has low electrical resistivity. Because of these properties, ITO thin films have widespread optoelectronics application as electrode transparent conductor in solar cell, light emitting diode (LED), and TFT[1,2].

In this work, tin doped indium oxide (ITO) thin films have been deposited onto glass substrates by a sol-gel spin-coating process, followed by annealing in air at 500°C for 1 hour. The starting solution was prepared by mixing indium chloride dissolved in acetylacetone and tin chloride dissolved in ethanol. The content of Sn in ITO matrix was chosen 6% and 10%. The structural, morphology, optical, and electrical properties was investigated using X-ray diffraction (XRD), atomic force microscopy (AFM), UV-Visible spectrophotometry, and four probe points, respectively. XRD analysis was performed to study the crystallinity of the ITO films which showed that they were polycrystalline with a cubic bixbyite structure. The obtained result will be investigated and discussed.

As conclusion, funding result of combination transparent conductive in ITO thin films may be useful for thin film-based solar cell application.

**Keywords:** ITO, sol-gel spin-coating, solar cell.

### References

- [1] Xia N, Gerhardt RA. Fabrication and characterization of highly transparent and conductive indium tin oxide films made with different solution-based methods. Mater Res Express. 2016;3:1–11.
- [2] Liu H, Avrutin V, Izyumskaya N, Özgür Ü, Morkoç H. Transparent conducting oxides for electrode applications in light emitting and absorbing devices. Superlattices and Microstructure. 2010;48:458–84.



**Ghemid Mouna** received her Master's degree in engineering materials in 2016 from Ferhat Abbas University. Currently, she is pursuing her PhD at the University of Science and Technology Houari Boumediene (Algeria). Her research interests include the synthesis of metal oxide materials using chemical techniques and their application in optoelectronics. [ghomidmouna@gmail.com](mailto:ghomidmouna@gmail.com)



## UV radiation effect on optical and thermo-mechanical properties of PC/PS blend for BIPV application

Imane CHARIF <sup>1\*</sup>, Naima KHEMICI-DOULACHE <sup>1</sup>, Azeddine GOURARI <sup>1</sup>

Laboratory of Materials Physics (LMP), Faculty of Physics, University of Sciences and Technologies (USTHB), Algiers, Algeria. Email: [imanecharif1994@hotmail.fr](mailto:imanecharif1994@hotmail.fr)

### Abstract

Previous studies have shown that a good combination of architecture and structure design for energy production is key to achieving the goals of nearly zero energy buildings [1].

Due to the diversified properties of polymeric materials such as flexibility, excellent thermal insulation, and light management, photovoltaic panels are embedded in polymers providing new choices for the integration of solar systems into building as an alternative to traditional flat photovoltaic surfaces in Building Integrated Photovoltaic (BIPV), to enhance design freedom.

Due to sunlight, humidity, and oxygen in outdoor applications, several polymers undergo an aging process where chemical degradation reactions occur and affect their properties such as optical transmittance and its thermo-mechanical properties [2,1].

In this study, polycarbonate and polystyrene films were used as they are known for their transparency and their thermo-mechanical stability at ambient temperature, as well, they were used as their feasibility of application in a superstrate photovoltaic module design [3]. Films were blended by a solution casting method to prepare films of PC/PS 50:50 blend. To estimate the performance sustainability of the blend under real environmental conditions, films were exposed to ultraviolet radiations for different durations. The degradation process was probed using UV-Vis spectroscopy and dynamic mechanical analysis (DMA) to analyze their optical, structural, and thermo-mechanical properties.

**Keywords** Polycarbonate, polystyrene, BIPV, UV degradation, solar panel.

### References

[1] Kalogirou S.A. Solar Energy Engineering: Processes Systems, Academic Press, UK, 2014

[2] Zweifel H. Stabilization of polymeric materials: SpringerVerlag, 1998

[3] Hackmann MM. Technical feasibility study on polycarbonate solar panels. *Sol Energy Mater Sol Cells*, 2004



CHARIF Imane currently preparing PhD at the Faculty of Physics, Houari Boumediene University of Science and Technology. Imane does research in Materials Physics, dielectric Materials Science. My current research interest is in polymeric materials aging such as physical aging and uv degradation. It can be applied for several disciplines like outdoor applications. [Imanecharif1994@hotmail.fr](mailto:Imanecharif1994@hotmail.fr)

## Experimental Investigation of Plant Extracts as Corrosion Inhibitor on Carbon Steel in Acid Solution

**Sameh Boudiba**<sup>1\*</sup>, Karima Hanini<sup>2</sup>, Baya Berka<sup>3</sup>, Hatem Beddiar<sup>1</sup>, Badereddin Yessaad<sup>1</sup>, Louiza Boudiba<sup>1</sup> and Merzoug Benahmed<sup>2</sup>

<sup>1</sup> Laboratory of organic materials and heterochemistry, University of Larbi Tebessi, Tebessa, Algeria

<sup>2</sup> Laboratory of bioactive molecules and applications, University of Larbi Tebessi, Tebessa, Algeria

<sup>3</sup>Laboratory of bioactive products and biomass valorization research, Higher teacher training School of Kouba, BP 92, Vieux Kouba, Algiers-Algeria. Email: [sameh.boudiba@univ-tebessa.dz](mailto:sameh.boudiba@univ-tebessa.dz)

#### **Abstract:**

The environmental protection and care represent one of the most important current research topic. Regarding this aim, the use plant extract known to be the main source of secondary metabolites with their remarkable structural diversity and various activities, constitute an important eco-friendly alternative to inhibit corrosion. In order to do so, electrochemical and gravimetric methods were carried out to evaluate the corrosion inhibition efficiency on carbon steel API5L-X60 for various concentrations of plant extract against 1M hydrochloric acid solution at different temperatures. Apparent energies of the dissolution process were discussed. Higher inhibition efficiency for the studied extract was obtained at an optimum concentration. The corrosion rate decreases with increase in different inhibitor concentrations and rises with temperature elevation.

**Keywords:** Corrosion, Inhibition, hydrochloric acid, gravimetric method, electrochemical method.



My name is **Sameh BOUIBA** and currently I am a lecturer of chemistry at the University of Larbi-Tebessi (Tébessa, Algeria) and a member of research laboratory of organic materials and heterochemistry located in the same university.

I earned my Bachelor of Natural Sciences and Life at Saadi-sedik high school in Tebessa in 1994 and my Midwife Diploma at national institute of public health, Constantine-(Algeria) in 1997. I had my Graduate degree in Physical Chemistry at Larbi-Tebessi University (Tebessa, Algeria) in 2006 and my Magister degree in Applied Organic Chemistry at normal higher college, Algiers (Algeria) in 2010. I made my PhD in Organic Chemistry from the

University of Tebessa with the collaboration of Professor Daniel A. M. Egbe at Linz institute for Organic Solar Cells (LIOS), Johannes Kepler University Linz, Austria in 2017, working on synthesis, characterization and applications of polymers used in organic solar cells.

After completing my PhD, I focused my research on plants extracts employed as corrosion inhibitors and used as additives in electroplating to make my habilitation, which was held on July 2019.

#### **Efficiency of Several Photochemical Methods for Decolorization of Cresol Red Dye present in water. Effect of solar light**

Soumia Fassi, I.Bousnoubra, R.Fassi and K. Djebbar

Laboratory science and technology environment. Department of Chemistry. Faculty of Sciences. University of Constantine 25000 Algeria. E-mail : [fassisoumia@umc.edu.dz](mailto:fassisoumia@umc.edu.dz)

#### **Abstract**

The feasibility of employing different photooxidation systems, like: Fenton, Fenton /UV and Fenton/solar light in the decolorization and mineralization of an cationic dye, has been investigated. The aim of this study is to test some advanced oxidation techniques (AOTs) in the absence of light (Fenton) and in its presence (photo-Fenton) to obtain total decolorization of dye in aqueous solution: the Cresol Red (abbreviated as CR). Experiments were conducted on a laboratory scale set up with all these processes.

Batch experiments were carried out to evaluate, on the first stage, the influence of different processes on CR decolorization. During the second stage were investigated the optimal operational conditions of Fenton, Fenton/UV and Fenton/solar light processes, like pH, H<sub>2</sub>O<sub>2</sub>

dosage, iron dosage, RC concentration and source of light. The experiments indicate that CR can be effectively decolorized using Fenton/UV and Fenton/solar light processes with a small difference between the two processes, 98.1% and 83.2%, respectively, after 30 min. This improvement could be related to a better production of radicals  $\text{OH}^\cdot$ . Although there is lesser difference in dye decolorization, significant increment in COD removal was found with Fenton process (26.4% COD removal) relative to Fenton /UV and Fenton/solar light process (56.2% and 39.6% COD removal) respectively. This fact reveals that UV-C low-pressure mercury lamp although with its small effect on dye decolorization is particularly important in dye mineralization, when compared to solar light. However, Fenton/solar light system shows large potential on photochemical treatment of textile wastewater with particular interest from the economical point of view.

**Keywords:** Advanced oxidation process, CR, Water; UV, Solar light



My name is **Soumia Fassi**; I am a teacher researcher at university of Mentouri Brothers Constantine, Faculty of exact science, department of chemistry Algeria. I did my undergraduate studies and Ph.D. at Constantine University. My research interests lie in the area of chemistry, water treatment and photochemical treatment of textile wastewater with sunlight. Other research visits abroad have included University of Grenoble, France Email: [fassisoumia@umc.edu.dz](mailto:fassisoumia@umc.edu.dz). Cell: +213668023564

## **Processing, characterization, mechanical and wear behaviours of magnesium reinforced aluminium alloys and nanocomposites: A review.**

<sup>1</sup>Borisade S.G, <sup>2</sup>Ajibola O.O, <sup>3</sup>Owa A.F, <sup>4</sup>Adebayo A.O, <sup>5</sup>Adigun O.D.

<sup>1-5</sup> Centre for Advanced Engineering Materials Innovation, Department of Materials and Metallurgical Engineering, Federal University Oye Ekiti

Corresponding author: [Tel: +2348035147597](tel:+2348035147597) Email address: [Sunday.borisade@fuoye.edu.ng](mailto:Sunday.borisade@fuoye.edu.ng)

### **Abstract:**

The needs for enhanced properties of steels based on requirement of light weight application have led to the development of aluminium reinforcements. In recent time, aluminium base metal matrix composites are considered as one of most potential material for structural and functional applications. Special Al alloys and composites are used in defence, aerospace, automotive, aviation, thermal devices for engine pistons, cylinders barrel, connection rods and elements of vehicles braking systems among others. This is due to their unique properties of high hardness, high strength, high stiffness, high wear, abrasion and corrosion resistance. To obtain the desired physical and mechanical properties like high hardness, high strength, high stiffness, high wear, abrasion and corrosion resistance, Al is alloyed or reinforced with variety of materials (metal, plastics and ceramics) to meet the needed properties. The next industrial revolution is associated with advantageous nanomaterials that combine the physical, mechanical and wear characteristics to achieve technological needs. In this respect, nanostructured magnesium-reinforced aluminium alloy and nanocomposites are best suited materials. This paper assesses some literatures available on the nanotechnology of magnesium base aluminium alloys and nanocomposites. The discussion centres on the processing methods, characterization, properties and applications with respect to the mechanical, thermal and wear behaviours of the developed magnesium-reinforced aluminium alloy and nanocomposites. Emphases are given to wear performances of the materials (dry and



lubrication) and with respect to their usage at moderately/extremely high and low temperatures. The review extends to the assessment of phase transformations, nanostructures, and interactions between the magnesium reinforcement, aluminium matrix and other elemental components.

**Keywords:** magnesium-aluminium alloy; wear behaviours; nanostructure; nanocomposites



Engr. **Borisade Sunday Gbenga** is a Lecturer in the Department of Materials and Metallurgical Engineering, Federal University Oye Ekiti, Ekiti State, Nigeria. He obtained his Masters and First degree in the area of production and mechanical metallurgy in 2018 and 2008, from Federal University of Technology Akure, Ondo State respectively. He belongs to professional and scientific societies such as council for the Regulation of Engineering Practice in Nigeria (COREN), member of International Association of Engineers and Professional Member of materials Society of Nigeria. He has supervised many undergraduate research works leading to award of B.ENG. He has to credit over 20 several articles published in international and national journals.

## The Gender-Energy Nexus

Elif Arici

Energy Institute, Istanbul Technical University, Maslak Campus, Istanbul-Turkey.  
[aricibogner@itu.edu.tr](mailto:aricibogner@itu.edu.tr)

### Abstract

With the increasing global awareness of the climate change effects, it has become clear that a change in energy resources from traditional to renewable energy sources is necessary. Especially in rural development, the performance of photovoltaic systems, the so-called mini-grids, is widely recognized by national and international institutions. Decreasing levelized cost of electricity values (LCOE) of photovoltaic energy systems make mini-grid concepts also feasible. In 2020, the LCOE including energy storage system costs between 0.15-0.40 € kWh/m<sup>2</sup> for Germany<sup>[1]</sup>. But the acceptance and long-term integration of new energy resources in a society is only possible, if the needs of the community are known and the gender-specific expectations regarding energy are perceived. This is why the term 'gender-energy nexus' has become popular recently.

Statistics<sup>[2]</sup> on African communities, similar to statistics in Asia, show that the potential users of electricity in rural areas are mostly women. Women are gatherers in agricultural fields, producers of dry food, and users of household energy, while men are mainly involved in preparing agricultural fields and irrigation. On the other hand, most of the population living on public land relies on wood fuel for cooking and heating. Also, the metabolic energy used for women's (and children's) daily tasks, such as collecting firewood, fetching water, carrying crops, could be partially replaced by PV-powered machines. Clearly, the voice and needs of women must be captured and integrated into the design of sustainable development policies in order to be successful. But even more important is the participation of expertly trained women in decision-making processes in renewable energy projects.

Bridging the gender gap in access to policy decisions and ultimately to energy resources can offer great potential, not only for the sustainability of renewable energy projects but also for a better society. Energy democracy in society could strengthen women's livelihoods through time-effective work and new income opportunities, as well as provide better access to information through modern technologies and promote young talent.

I sincerely hope that international network structures like ANSOLE will have a great impact on the gender-energy nexus through scholarship and student exchange programs for women students,

because without the involvement of women in the planning and implementation of rural electrification programs, gender issues may remain unresolved.

Dear ANSOLE team and its valuable members, I wish you, good luck and a lot of success on your journey for Africa. Congratulations on 10th anniversary!

#### References

[1] Photovoltaic Report Fraunhofer, 2020

[2] 'The Gender and Energy Nexus Eastern and Southern Africa' edited by Paschal B. Mihyo and Truphena E. Mukuna, Organization for Social Science Research in Eastern and Southern Africa OSSREA.



Assoc. Prof. **Elif Ülkü Arici**, born in Istanbul, Turkey, studied chemistry and materials science at the Philipps University of Marburg, Germany. As a PostDoc at JKU, LIOS, she came into contact with solar energy technologies and worked on the development of solution processable thin film solar cells using organic-inorganic hybrid nanomaterial concepts. Classical PV materials such as CuInS<sub>2</sub> and CdTe were synthesized as nanoscale dispersions in organic solvents and thin film formation was made possible with the help of polymer mixtures. Currently she is working on organic-inorganic hybrid concepts for the development of CZTS solar

cells and Si anodes for lithium ion batteries using similar concepts at the Energy Institute of Istanbul Technical University. She has 15 patents and over 30 publications. As a photographer she participated in international group exhibitions and writes a blog about the history of photography at Medya Cuvali. Contact: [aricibogner@itu.edu.tr](mailto:aricibogner@itu.edu.tr)

<https://www.medyacuvali.com/kategoriler/sanatci/elif-arici>

## Friday, February 5<sup>th</sup>

### Navigating the Great Industrial Transformation? An Austrian Perspective for a NEW (GREEN) DEAL between AFRICA and EUROPE

Reinhold Lang

Institute of Polymeric Materials and Testing, Johannes Kepler University Linz, Altenbergerstr. 69, 4040 Linz, Austria. Email: [reinhold.lang@jku.at](mailto:reinhold.lang@jku.at)

**Content:** Towards an all-renewable energy and all-circular Carbon economy and on the urgent need for a coordinated effort to establish a well-balanced cross-sectoral (energy & materials sector) and a level playing field cross-regional (Africa - Europe) collaboration. Specifically also addressed will be the pivotal role of a sustainable Circular Plastics Economy.



Professor Lang graduated in **1978** at the University of Leoben (A) with a Dipl.-Ing. degree in *Polymer Engineering and Science*, and he obtained a PhD degree in **1984** at Lehigh University (USA). He then joined BASF AG (D) from **1984 to 1991**, holding a research and group leader position in the field of advanced composites. In **1991** he became Full Professor at the University of Leoben (A). Acting also as Director of the Polymer Competence Center Leoben (PCCL) from **2002 to 2008**, he had a leading role in establishing and developing the PCCL to about 100 employees. Since September **2009** he holds the Chair of Polymeric Materials and Testing at the Johannes Kepler University (JKU) Linz (A), also heading the institute with the same name.

The research focus of Professor Lang is in the fields of “*Mechanics, Fracture and Fatigue of Plastics and Polymer Composites*” and “*Polymeric Materials & Sustainable Development*”. He is author and co-author, respectively, of more than 230 papers. In his role as initiator and coordinator of large, multi-partner collaborative research projects (science and industry), he has successfully applied for and directed a publically funded research budget of about EURO 65 Mio. over the past 15 years. Thus, he currently acts as Project Director of the Austrian research project platform *SolPol*, focusing on polymer related innovations for solar technologies.

### **Socially inclusive plastics recycling - a multi-year case study from Kenya**

Markus Gall\*, Reinhold W. Lang

*Institute of Polymeric Materials and Testing (IPMT), Johannes Kepler University Linz, Altenbergerstr. 69, 4040 Linz, Austria. Email: markus.gall@jku.at*

#### **Abstract**

Plastic waste management remains a massive challenge all over the world. In the context of developing, low- and middle income countries, activities of waste management and recycling are often associated with informal work and inadequate handling and treatment leading to low-value output materials. In this presentation, an overview will be given about an ongoing multi-year case study on a plastics recycling company in Nairobi, Kenya. By means of a specifically developed business model, that company tries to integrate local waste pickers into a plastics recycling value chain that is oriented towards both social inclusion of marginalized human beings and quality output that is competitive in an international market environment.

Materials characterization by means of spectroscopic and thermo-analytical methods was used to elucidate the composition of informally sourced plastics recyclates. It could be shown, that a sophisticated combination of manual sorting and industrial-scale washing and treatment technology leads to levels of material purity that are comparable to those obtained from formal post-consumer waste management systems in Europe. Similar results were derived for basic material properties of such recyclates. Interview-based research revealed that direct interaction on a personal level between waste pickers and recycling company employees is crucial for trust building and stable supplier-buyer-relationships as well as for adequate material pre-sorting and overall input quality.

What remains is a number of sustainability challenges and questions that are yet to be answered. These range from the precise nature, degree, and permanence of improvements in working and



living conditions of waste pickers, to issues of occupational and environmental health. With regards to environmental burdens, a specific focus has to be put on the question of sustainable energy sourcing and process water treatment and effluents including microplastics from industrial hot-washing and other recycling operations in future.

**Keywords:** plastics recycling, informal sector, waste picking, social inclusion



Markus is a polymer engineer with a specialization in materials science and a strong background in thermoplastics and advanced fiber composites. Currently, he works at the Institute of Polymeric Materials and Testing (IPMT) at the Johannes Kepler University Linz (JKU) in Austria. His main research focus is on material-structure-property relationships and quality aspects of mechanically recycled polyolefins. Complementary to that, Markus is interested in the wider context and the global implications of plastics recycling, the Circular Economy, and Sustainable Development. This is reflected in his work on informal recycling and policy making related to plastics. Contact via [markus.gall@jku.at](mailto:markus.gall@jku.at) or on [reasearchgate.net](https://reasearchgate.net)

## **NANOAFNET'S & UNESCO AFRICA NANOCHAIR'S R&D ACTIVITIES IN RENEWABLE ENERGIES**

Malik Maaza

*1Nanosciences African Network (NANOAFNET), iThemba LABS-National Research Foundation, PO Box 722, Somerset West, Western Cape Province, South Africa*

*2UNESCO-UNISA Africa Chair in Nanosciences-Nanotechnology, PO Box 392, Muchleuneuck, College of Graduate Studies, University of South Africa, Pretoria-South Africa ,*

- Africa's population is among the fastest growing and youngest in the world. One in two people added to the world population between today and 2040 are set to be African, and the continent becomes the world's most populous region by 2023, overtaking China and India. Hence, the energy supply within the African continent is a major if not the pivotal challenge. Electricity demand in Africa today is 700 terawatt-hours (TWh), with the North African economies and South Africa accounting for over 70% of the total. Yet it is the other sub-Saharan Africa countries that see the fastest growth towards 2040. Electricity demand more than doubles in the Stated Policies Scenario to over 1 600 TWh in 2040, and reaches 2 300 TWh in the Africa Case, with most of the additional demand stemming from productive uses and emerging middle- and higher-income households. In this regard, the preparation of a multiskilled workforce & emerging scientists in the energy sector & related fields is paramount.

- In line with the mission & vision of ANSOLE, this contribution reports on the Human Capital Development (HCD) & R&D activities of the NANOsciences African NETwork (NANOAFNET)[1] & the UNESCO Africa Chair in Nano (U2ACN2)[2] in renewable energy. More precisely, recent findings on selective solar absorbers for concentrated solar power applications [3], VO<sub>2</sub> based thermochromic smart nanocoatings for green air conditioning applications[4], nanofluids as new coolants with enhanced thermal conductivity[5].

[1] <https://nanoafnet.tlabs.ac.za/>

[2] [https://www.unisa.ac.za/static/corporate\\_web/Content/Colleges/CGS/schools,%20institutes%20&%20research%20chairs/research%20chairs/FINAL%20-%20Nano%20Report%205%20Years%201ste%20Term.pdf](https://www.unisa.ac.za/static/corporate_web/Content/Colleges/CGS/schools,%20institutes%20&%20research%20chairs/research%20chairs/FINAL%20-%20Nano%20Report%205%20Years%201ste%20Term.pdf)

[3] Annealing effect on the optical properties and interdiffusion of MgO/Zr/MgO multilayered selective solar absorber coatings, Nuru, Z.Y. et al, Solar Energy, 120, pp. 123-130 (2015)

[4] Submicronic VO<sub>2</sub>-PVP thermochromic composites coatings for smart windows applications and solar heat management Madida et al, Solar Energy, 107, pp. 758-769(2014)

[5] Remarkable thermal conductivity enhancement in Ag—decorated graphene nanocomposites based nanofluid by laser liquid solid interaction in ethylene glycol, M.C. Mbambo, et al, Nature Scientific Reports 41598-020-67418- <https://doi.org/10.1038/s41598-020-67418-3>, (2020)



• Prof. **M. Maaza** is a native of North Africa, holds a PhD in wave-matter neutron optics from the University of Paris-VI, is the current incumbent, in South Africa, of the UNESCO UNISA-ITLABS-NRF Africa Chair in Nanosciences & Nanotechnologies (U2ACN<sub>2</sub>) and the chairman of the African Network of Excellence; the Nanosciences African Network (NANOAFNET). He is a founding member of the African Network for Solar Energy (ANSOLE) and the African Laser

Centre (ALC). He is a joint staff of the University of South Africa and the National Research Foundation of South Africa. He is a fellow of various Academies, including the African Academy of Science, the European Academy of Arts & Sciences as well as the National Academy of Science of India, the Islamic Academy of Sciences, & the Royal Society of Chemistry. Prof. M. Maaza has been bestowed several awards & accolade among which; the Galileo-Galilei award by the International Commission for Optics (ICO).

**Position Title and Institution Name:**

- Chair, UNESCO UNISA ITL-NRF Africa Chair in Nanosciences & Nanotechnology,
- Joint staff of the University of South Africa (UNISA & the National Research Foundation of South Africa (NRF))

**Mailing Address and Emails:**

- Maaza@tlabs.ac.za
- Maazam@unisa.ac.za
- Likmaaz@gmail.com
- U2ACN<sub>2</sub>, MRD, iTHEMBA LABS-National Research Foundation, 1 Old Faure road, POBox 722, Somerset West 7129, Western Cape province, South Africa,
- U2ACN<sub>2</sub>, SIRGS-CGS, College of Graduate Studies, UNISA Main campus, van Wyck building, 1 Preller street, Muckleneuk, Pretoria, Gauteng Province, South Africa.

## Universal access to safe drinking water: The helping hand of solar energy

Chicgoua Noubactep<sup>1,2,\*</sup>

<sup>1</sup>Centre for Modern Indian Studies (CeMIS), Universität Göttingen, Waldweg 26, D-37073 Göttingen, Germany

<sup>2</sup> Applied Geology, University of Göttingen, Goldschmidtstraße 3, D-37077 Göttingen, Germany

\*Email: [cnoubac@gwdg.de](mailto:cnoubac@gwdg.de)

### Abstract

The affordability of appropriate decentralized solutions for safe drinking water provision in low-income communities rarely considers local labor. During the past 15 years, two distant and independent research groups have developed the science of self-reliance for safe drinking water provision. The first is based in the USA and collaborates with Thailand and the second is based in Germany and collaborates with Cameroon, Tanzania and Zimbabwe. This oral communication presents the second group using metallic iron as source of contaminant scavengers. The presentation is illustrated by the production of 2,000 L/d of treated water, the costs vary between about 1,500 and 12,000 Euro. A close look at the technologies reveals that expensive technologies use imported components or whole devices while do-it-yourself systems use local labor (less money expense). In the battle to achieve the United Nations Sustainable Development Goals for safe drinking water (SDG 6.1), such technologies, powered by off-grid energy systems, should be popularized.

**Keywords:** Safe drinking water, Decentralized solutions, Solar energy, Zero-valent iron.



Professor **Chicgoua Noubactep** studied chemistry at the University of Yaoundé, Cameroon, and received his Master of Science there based on “Drinking Water Treatment with Activated Carbons”. He later earned his PhD from the University of Freiberg, Germany, for studies on groundwater remediation using metallic iron, and received his habilitation on “Metallic Iron for Safe Drinking Water Provision” from the University of Göttingen, Germany. Currently he is an associate professor there. Noubactep’s research focuses on safe drinking water provision for households and small communities (e.g., rural), self-reliance in safe drinking water provision, and migration and mitigation of contaminants in the hydrosphere.

Prof. **Chicgoua Noubactep** has published more than 150 peer-reviewed articles. He is engaged in several non-governmental organisations (NGOs), including the Culture and Sustainable Development (CDD e.V.), Göttingen, Germany. Prof. Noubactep is the current mayor of the locality of Rittmarshausen in the administrative district of Göttingen (Landkreis Göttingen)

Contact: [cnoubac@gwdg.de](mailto:cnoubac@gwdg.de).

## Modeling and QSARs of thiosemicarbazide derivatives as corrosion inhibitor in acid medium

Babatunde T. OGUNYEMI<sup>\*1</sup> and Ogunyemi O. ODERINLO<sup>1</sup>

<sup>1</sup>Federal University Otuoke, Bayelsa State. [ogunyemibt@fuotuoike.edu.ng](mailto:ogunyemibt@fuotuoike.edu.ng), [btogunyemi@yahoo.com](mailto:btogunyemi@yahoo.com)

### Abstract

The effectiveness of six thiosemicarbazide derivatives as corrosion inhibitors were investigated using density functional theory and quantitative structural activity relationships approaches. Their potentials were determined using their estimated chemical descriptors such as electronegativity,



hardness softness, dipole moments, softness, molecular weight, molecular orbital energy difference ( $\Delta E$ ), highest occupied molecular orbital energy ( $E_{\text{HOMO}}$ ) and the lowest unoccupied molecular orbital energy ( $E_{\text{LUMO}}$ ). Regression analysis was performed with ordinary least square method to develop a model that establishes relationship between corrosion inhibition efficiency and theoretical calculated chemical descriptors and also predict their corrosion inhibition efficiency theoretically. From the results, the predicted inhibition efficiencies are in agreement with experimentally reported values with correlation coefficient of 0.998 and root mean square error (%) of 1.1158. Internal and external validation of the developed model indicates that the model is stable and robust with a good predictability.



**Babatunde Ogunyemi** is a lecturer in the Department of Chemistry, of the Federal University Otuoke, Bayelsa, Bayelsa State, Nigeria. He received the M.Sc. and Ph.D. degrees in Chemistry from the University of Ibadan, Ibadan, Nigeria. His research interest include computational molecular design and characterization of organic/inorganic molecules for solar cell, corrosion, molecular docking studies, gas-phase thermal decomposition of organic compounds and nonlinear optical properties of organic compounds.

### Controlling electrical and optical properties of polymer-fullerene bulk heterojunctions by precisely tuning the degree of polymer aggregation and phase separation from the fullerene

Christian Kästner<sup>1</sup>, Xuechen Jiao<sup>2</sup>, Hannah Mangold<sup>3</sup>, Ian A. Howard<sup>4</sup>, Artem A. Bakulin<sup>5</sup>, Silke Rathgeber<sup>6</sup>, Daniel A.M. Egbe<sup>7</sup>, Frédéric Laquai<sup>8</sup>, Harald W. Ade<sup>9</sup>, and Harald Hoppe<sup>10</sup>

<sup>1</sup> Institute of Thermodynamics and Fluid Mechanics, Technische Universität Ilmenau, Germany

<sup>2</sup> Department of Materials Engineering, Monash University, Montreal, Australia

<sup>3</sup> Department of Electronic Materials, BASF, Ludwigshafen am Rhein, Germany

<sup>4</sup> Institute of Microstructure Technology, KIT, Eggenstein-Leopoldshafen, Germany

<sup>5</sup> Department of Chemistry, Imperial College London, United Kingdom

<sup>6</sup> Institute for Natural Sciences, University Koblenz-Landau, Koblenz, Germany

<sup>7</sup> Institute of Polymeric Materials and Testing, Johannes Kepler University Linz, Austria

<sup>8</sup> Physical Science and Engineering Division, KAUST, Thuwal, Saudi Arabia


<sup>9</sup> Department of Physics, North Carolina State University, Raleigh, USA

<sup>10</sup> Center for Energy and Environmental Chemistry, Friedrich Schiller University Jena, Germany

#### Abstract

It is common knowledge that the polymer conformation and its phase separation with fullerene derivatives are delicate issues, crucially impacting on the photovoltaic parameters of polymer based solar cells. Whereas strongly intermixed polymer:fullerene phases provide large interfacial area and consequently a high quantum efficiency of exciton dissociation, pristine and primarily ordered polymer and fullerene domains support efficient charge transport and percolation. To study the aggregation and phase separation behaviour in polymer solar cells we investigated two approaches: firstly the counterbalancing influences of polymer solution concentration and blending ratio with PCBM ([6,6]-phenyl-C61-butyric acid methyl ester) on the basis of a semi-crystalline anthracene-containing poly(*p*-phenylene-ethynylene)-*alt*-poly(*p*-phenylene-vinylene)

(PPE-PPV) copolymer statistically bearing either branched 2-ethylhexyloxy or linear octyloxy side-chains (AnE-PVstat), and secondly the polymer:polymer blending ratio in ternary blends of a semi-crystalline and an amorphous polymer, bearing the linear octyloxy side-chains at the PPE-part and the branched 2-ethylhexyloxy at the PPV-part (AnE-PVab) and vice versa (AnE-PVba), with PCBM. We demonstrate by carefully choosing solution and PCBM concentration the control of polymer aggregation, and by polymer:polymer blending ratio control of domain size evolution and phase separation. We explicitly demonstrate the counterbalancing effect on charge generation and transport for increasing polymer aggregation and domain purity, in agreement with theoretical considerations. Furthermore, the influence of polymer aggregation and phase separation on fundamental optoelectronic properties is discussed, providing detailed understanding of resulting photovoltaic parameters.



**Christian Kästner** studied engineering physics at the Technische Universität Ilmenau from 2002 till 2008. His Diploma thesis was about synthesis and characterization of endohedral metallofullerenes at the Leibniz Institute for Solid State and Materials Research, Dresden. He continued his research on endohedral fullerenes until 2010. From 2010 to 2014 he did his PhD on structure-property-relations of polymer solar cells at the Technische Universität Ilmenau. From 2015 till 2019 he did his Post-Doc in the field of thermal convection, from 2019 till 2020 on laser materials processing, both at Technische Universität Ilmenau. In 2021 he continued his research on thermal convection. Until today he is still active in data analysis of polymer solar cells and photoactive

## Improvement of donor crystallinity and phase separation in organic solar cells based on anthracene-containing PPE-PPVs

Shahidul Alam<sup>1,2</sup>, Rico Meitzner<sup>1,2</sup>, Christian Kaestner<sup>3</sup>, Christoph Ulbricht<sup>4</sup>, Daniel A.M. Egbe<sup>4</sup>, Ulrich S. Schubert<sup>1,2</sup>, Harald Hoppe<sup>1,2</sup>

<sup>1</sup>Laboratory of Organic and Macromolecular Chemistry (IOMC), Friedrich Schiller University Jena, Humboldtstrasse 10, 07743 Jena, Germany

<sup>2</sup>Center for Energy and Environmental Chemistry Jena (CEEC Jena), Friedrich Schiller University Jena, Philosophenweg 7a, 07743 Jena, Germany

<sup>3</sup>Institute of Thermodynamics and Fluid Mechanics, Technische Universität Ilmenau, Am Helmholtzring 1, 98693 Ilmenau, Germany

<sup>4</sup>Institute of Polymeric Materials and Testing, Johannes Kepler University, Altenbergerstrasse 69, 4040 Linz, Austria. Email: [Shahidul.alam@uni-jena.de](mailto:Shahidul.alam@uni-jena.de)

### Abstract

The bulk heterojunction morphology of organic solar cells widely controls their device efficiency and stability. Structural order and domain size of the donor phase strongly impact the charge separation efficiency, recombination rates, and the hole percolation through the bulk to the electrode. Herewith, we report a comprehensive study on the control of polymeric order already initiated in solution by the introduction of orthogonal solvent additives to the common solution of anthracene containing poly(p-phenylene-ethynylene)-alt-poly(p-phenylene-vinylene) (PPE-PPV) copolymer, bearing statistically substituted linear octyloxy and 2-ethylhexyloxy side-chains in 1:1 ratio along the backbone (AnE-PVstat), and fullerene derivative phenyl-C61-butyric acid methyl ester (PCBM).



Dr. **Shahidul Alam** received his B.Sc. degree in Physics from University of Chittagong, Bangladesh. He obtained his M.Sc. degree in Electronics Engineering from Bremen, Germany. During his master's studies, he worked on organic electronics in Prof. Wagner group at Jacobs University Bremen. After that, he worked as a research intern at Next-Energy, EWE- Research Centre for Energy Technology at Carl von Ossietzky University Oldenburg, Germany. In 2013, he moved to Ilmenau University of Germany and worked in a project funded by Deutsche Forschungs Gemeinschaft (DFG). In 2015, he joined Prof. Schubert's group at the Center for Energy and Environmental Chemistry (CEEC), Friedrich Schiller University (FSU) Jena. He received his Ph.D. in 2020 from the Faculty of Chemistry and Earth Sciences, Friedrich Schiller University (FSU) Jena under the supervision of PD. Dr.

Harald Hoppe and Prof. Dr. Ulrich S. Schubert. Currently, he is working as a postdoctoral fellow in CEEC Jena, and his research interest is charge transport in organic semiconductors, device performance, and stability of solution-processed polymer solar cells.

### **Influence of thermal annealing on the performance of bulk heterojunction polymer-fullerene solar cells based on AnE-PVab:PCBM**

**M. Radaoui**<sup>\*1</sup>, A. Ben Fredj<sup>1</sup>, S. Romdhane<sup>1,3</sup>, D. A. M. Egbe<sup>2</sup>, H. Bouchriha<sup>1</sup>.

<sup>1</sup>Laboratoire Matériaux Avancés et Phénomènes Quantiques, Faculté des Sciences de Tunis, Université de Tunis El Manar, 2092 Campus Universitaire, Tunis, Tunisia

<sup>2</sup>Institute of Polymeric Materials and Testing, Johannes Kepler University, Altenbergerstr. 69, 4040, Linz, Austria

<sup>3</sup>Faculté des Sciences de Bizerte, 7021 Zarzouna, Bizerte, Université de Carthage, Tunisia

#### **Abstract**

The most highly efficient OSCs to date have been focused on blends of polymer fullerenes in which fullerenes such as phenyl-C61-butyric acid methyl ester (PCBM) serve as electron acceptor. Here, we present the current density-voltage (J-V) characteristics and cole-cole impedance plots ( $-\text{Im}(Z)$  vs  $\text{Re}(Z)$ ) of ITO/PEDOT: PSS/AnE-PVab:PCBM/Ca/Ag solar cell were measured under thermal annealing range 25°C-125°C using AM1.5 G solar simulator. The fill factors (FF), the short-circuit current density ( $J_{sc}$ ) and the open-circuit voltage ( $V_{oc}$ ) initially increased up to 110°C and then decayed considerably for higher annealing temperatures. Under short circuit conditions at 0V DC, the Cole-Cole plots demonstrate an increase in the semicircle radius for devices annealed at 25°C and 100°C. Then, the semicircle radii decrease with increasing annealing temperatures from 105 °C and above. However, at  $V_{oc}$  conditions, we observe that the semicircle radii increase with increasing the thermal annealing. To reproduce theoretically the observed cole-cole impedance plots at 0V DC and  $V_{oc}$  conditions for different annealing temperatures, we used an equivalent circuit in the framework of the transmission line model, incorporating the chemical capacitance ( $C_\mu$ ), the recombination resistance ( $R_{rec}$ ), the transport resistance ( $R_t$ ) and the contact electrical resistance ( $R_{co}$ ). We determined the diffusion time ( $\tau_{rec}$ ), the recombination time ( $\tau_{dif}$ ), the diffusion length ( $L_n$ ) at 0V DC and  $V_{oc}$  voltages [1]. At  $V_{oc}$  voltage, average mobility of global carriers for the device is around  $4 \times 10^{-3} \text{ cm}^2 \text{ V}^{-1} \text{ s}^{-1}$  which is in good agreement with that derived using PCBM electron-only devices.

[1] M. Radaoui, A. Ben Fredj, S. Romdhane, D. A. M. Egbe, and H. Bouchriha, *Synthetic Metals*, 271, 116611 (2021).

**Keywords:** Organic Magnetoresistance, Organic Solar cells, static and dynamic investigations



Dr. **Moufid Radaoui** is member of the Laboratory of Advanced Materials and Quantum Phenomena (LAMQP) at the Faculty of Sciences of Tunis, Tunis el Manar University, Tunis, Tunisia. He was Born on March 17, 1986. Moufid Radaoui studied Physics at the Faculty of Sciences of Bizerte, where he was graduated in 2009. He received a doctor's degree from the Faculty of Sciences of Tunis in 2015. He is assistant professor at the Faculty of Sciences of Gafsa, Gafsa university, Tunisia. His main areas of research is concerned with theoretical and experimental studies of magnetic field effect on the current in organic devices such as OLEDs and OPVs. Static and dynamic electrical investigations on polymer solar

cells. He focuses in particular on the carrier recombination and generation to minimize the losses in the OPVs devices. contact: [raddaouimoufid@gmail.com](mailto:raddaouimoufid@gmail.com)

### Organic Solar Cells for Agrivoltaics

Harald Hoppe

<sup>1</sup>Laboratory of Organic and Macromolecular Chemistry (IOMC), Friedrich Schiller University Jena, Humboldtstrasse 10, 07743 Jena, Germany

<sup>2</sup>Center for Energy and Environmental Chemistry Jena (CEEC Jena), Friedrich Schiller University Jena, Philosophenweg 7a, 07743 Jena, Germany. Email: [harald.hoppe@uni-jena.de](mailto:harald.hoppe@uni-jena.de)

#### Abstract:

Over the last few years organic solar cells experienced remarkable progress in terms of power conversion efficiency: based on the development of novel non-fullerene acceptors performances of up to 18% were recently reported. Nowadays, agrivoltaics is receiving more and more attention for dual use of land. With classical photovoltaics several symbiotic relationships between photovoltaics and agriculture have been realized, in which shading due to the photovoltaic installation was even beneficial for some type of plants, whereas in other cases shading could be minimized. With organic photovoltaics, thanks to their ability to absorb light in rather narrow absorption bands, even transmission of the for plant growth required spectral range of about 350 – 700 nm appears feasible. Based on novel material developments, organic solar cells restricted to using sunlight within the range of roughly 750 – 1200 nm could be realized. Such devices could be used in green houses or so-called polytunnels for efficient symbiotic use of the light. In addition, such constructions are interesting for minimized requirements of irrigation and added value due to the PV-power becoming locally available.



**Harald Hoppe** received his PhD in 2004 from the Johannes-Kepler-University Linz, where he started his work in organic photovoltaics (OPV) by investigation of material and phase morphologies within organic bulk heterojunction blends and their impact on device properties. Thereafter he built up a research group at Ilmenau University of Technology. In 2015 he joined the Friedrich-Schiller-University of Jena at the Center for Energy and Environmental Chemistry Jena (CEEC Jena). His current research interests are materials and strategies for improved solution processing, device performance and long-term stability of

OPV, as well as imaging methods for offline and inline inspection.



## The key role of the electrolyte for the development of advanced electrochemical double layer capacitors

Andrea Balducci

Friedrich-Schiller-University Jena, Institute for Technical Chemistry and Environmental Chemistry and Center for Energy and Environmental Chemistry Jena (CEEC Jena)

Philosophenweg 7a, 07743 Jena, Germany. Email: [andrea.balducci@uni-jena.de](mailto:andrea.balducci@uni-jena.de)

### Abstract

Electrochemical double-layer capacitors (EDLCs) are nowadays considered among the most important energy storage devices [1-4]. EDLC are characterized by high power densities (ca. 10 kW·kg<sup>-1</sup>), long cycle-life (> 500.000 cycles) and have a superior efficiency especially for short-term use (discharge time of some seconds to minutes) compared to commercially used Lithium-Ion-Batteries (LIBs). In EDLCs the energy is stored through a physical process -the double-layer formation- occurring at the surface of the electrodes. This process, although guarantee high power, is limiting the energy of these devices and EDLCs can only provide about a tenth of the energy density of batteries, which are devices relying on a chemical storage process taking place in the bulk of the electrodes.

Activated carbon are the most used electrode materials in EDLCs, while the state-of-the-art electrolytes are based on organic solvents (propylene carbonate (PC) or acetonitrile (ACN)) with asymmetric quaternary ammonium conductive salts (mostly tetraethylammonium tetrafluoroborate (Et<sub>4</sub>NBF<sub>4</sub>)). This electrode-electrolyte combination allows operative voltages in the order of 2.8-3.0 V [1-4].

Several studies indicate that if the energy of EDLCs would increase from the actual 5-8 Wh·kg<sup>-1</sup> to 12-15 Wh·kg<sup>-1</sup>, the number of applications, and thus the market, of these devices would increase dramatically. Consequently, great efforts have been dedicated toward the realization of high voltage EDLCs, and it has been shown that one of the most effective strategies to achieve this goal is to realize high voltage systems. Since the state-of-the-art electrolytes are not suitable for the realization of stable high voltage EDLCs, the search and development of innovative electrolytes is essential for the future of the EDLC's technology [1-4].

In this lecture the identification and the chemical physical characterization of novel electrolytes suitable for EDLCs will be considered and critically analysed. The impact of these novel electrolytes on the electrode materials will be discussed. Furthermore, the influence of these electrolytes on the dynamics of detrimental processes occurring at high potentials will be considered.

### References

- [1] F. Béguin, V. Presser, A. Balducci, E. Frackowiak, *Advanced Materials*, 26, 2219-2251 (2014)
- [2] Z. Lin, E. Goikolea, A. Balducci, K. Naoi, P.L. Taberna, M. Salanne, G. Yushin, P. Simon, *Materials Today*, 21 (4), 419-436 (2018)
- [3] C. Schütter, S. Pohlmann, A. Balducci, *Advanced Energy Materials*, 9, 1900334 (2019)
- [5] A. Balducci, *Journal of Power Sources*, 326, 534-540 (2016)



**Andrea Balducci** is Professor for “Applied Electrochemistry” at the Institute for Technical Chemistry and Environmental Chemistry and at the Center for Energy and Environmental Chemistry Jena (CEEC Jena) of the Friedrich-Schiller University Jena, Germany. He is working on the development and characterization of novel electrolytes and active/inactive materials suitable for the realization of safe and high-performance supercapacitors, metal-ion batteries and polymeric batteries. Prof. Balducci is author/co-author of more than 140 peer reviewed articles. Contact: [andrea.balducci@uni-jena.de](mailto:andrea.balducci@uni-jena.de)

## Desalination: energetic aspect of desalination and coupling with Solar energy.

Sadok BEN JABRALLAH,

University of Carthage, TUNISIA. E-mail: [sbenjabrallah@gmail.com](mailto:sbenjabrallah@gmail.com)

### Abstract

The freshwater resources in the world, responding to population growth and increasing human needs become insufficient and are increasingly threatened by any kind of pollution. To solve this problem of shortage of drinking water sources, we often use desalination.

Desalination processes have a remarkable development. However, they still remain major consumers of energy. Much of the cost of desalinated water is defined by the price of energy. To reduce energy costs, the coupling of desalination with renewable energy, particularly solar energy, was studied. Studies have shown the feasibility of this coupling.

We present the different desalination processes with emphasis on the energy aspect. Then we present the coupling with solar energy. For these processes, we discuss the performance of desalination plants that run on solar energy. We study the production limits of these plants.

**Keywords:** Desalination, Solar energy, Coupling, production.



**Sadok BEN JABRALLAH**, born in 1958, is a professor at the University of Carthage. Co-founder of the Laboratory of Energy and Thermal and Mass Transfers, he leads a research team entitled "Transfers, Flow and Phase Change", whose activities relate to:

- Thermal
- Phase change: Solid-liquid (MCP) and liquid-vapor (evaporation-condensation)
- Solar desalination

Professor Sadok BEN JABRALLAH, has been working on solar desalination for several years. He coordinated several projects in this field, including a federated national project to study the feasibility of solar desalination in Tunisia.

Professor Sadok BEN JABRALLAH has launched a master's degree in air conditioning, which he coordinates.

## Doping and Indium-optimization of p-n InGaN solar cell performance: An analysis

Haddou El Ghazi<sup>(1,2,\*),</sup> Walid Belaid<sup>(2,3),</sup> Hamdi Şükür Kiliç<sup>(3)</sup>

<sup>(1)</sup> Renewable Energy Group, ENSAM Laboratory, University Hassan II, Casablanca, Morocco

<sup>(2)</sup> LPS, Faculty of sciences, University of Mohamed Ben Abdellah, Fes, Morocco

<sup>(3)</sup> LSG, Laser Spectroscopy Laboratory, Faculty of Sciences, University of Selcuk, Turkey

Email: \* [hadghazi@gmail.com](mailto:hadghazi@gmail.com)

### Abstract

In this paper, we were interested on the theoretical investigation of the indium fraction impact on the solar cells performance at room temperature based on p-n (In,Ga)N. Open circuit voltage ( $V_{oc}$ ), short-circuit current density ( $J_{sc}$ ), fill factor ( $FF$ ), output power ( $\mathcal{P}_{out}$ ) and photovoltaic efficiency ( $\eta$ ) are calculated. The saturation current density controlling the change in performance parameters is investigated according to the In-fraction and doping. Highest solar cells performance

is achieved for low indium concentrations. Moreover, the improvement of the performance has been obtained for lower n- and p-types doping.

**Keywords:** InGaN, p-n junction, Indium, Doping



**Haddou EL GHAZI** was born in Morocco on February 6, 1972. He obtained his “Agrégation en sciences physiques” in 1997 and since he worked in preparatory school of Engineering (CPGE). He obtained PhD from Mohamed Ben Abdellah University in Morocco in 2008. He holds a diploma of advanced graduate studies in 2005 in semiconductors materials characterization techniques (PL, EL, DLTS,..). He joined the department of mechanical engineering in ENSAM, University H2, in 2016 where he also serves as an active member on different committees. He joined the ENSAM Laboratory where he was engaged in research on low-dimensional III-nitrides semiconductors for solar cells and LASER biomedical application fields. Also, his research interests include Bulk and Nano-materials characterization, optical and electronic properties of Nano-structures.

## Development of new numerical platform for photoelectrical parameters extraction of hybrid nanocomposite based solar cells

Elyes Bel Hadj Jrad<sup>1,2</sup>, Cherif Dridi<sup>1</sup>

<sup>1</sup>NANOMISENE Laboratory, LR16CRMN01, CRMN of Sousse, Tunisia

<sup>2</sup>University of Sousse, High Institute Of applied sciences and technology of Sousse, Tunisia

[Elyes\\_bj@yahoo.com](mailto:Elyes_bj@yahoo.com)<sup>1,2</sup>, [dridiz@yahoo.fr](mailto:dridiz@yahoo.fr)<sup>1</sup>

### Abstract

This work proposes a combined physical-numerical approach based on simulation, modulation and optimization procedures to overcome solar cells issues such as complex conversion and charge transfert mechanisms, in particular, for solar cells based on new innovative nanomaterials. The developed method is simple, efficient and does not support certain parameters such as open circuit voltage ( $V_{co}$ ) or short-circuit current ( $I_{cc}$ ). It can be applied for incomplete and undefined curves but requires in return a good choice of initial parameters.

In this work, the Lambert-W function [1] was used to provide explicit analytical solutions of the current  $I$ . The applied numerical method is based on the Nelder-Mead Simplex modified algorithm. The optimization aims to find five parameters which minimize the objective root mean square Error (RMSE) function [2]. The main objective of this paper is to present a new, simple and efficient numerical method for extracting the ITO/PEDOT:PSS/P3HT:SiNW/Al hybrid solar cells electrical parameters before and after undergoing chemical surface treatments in a fixed concentration of silicon nanowires (SiNWs). In order to verify the accuracy of the applied algorithm, the method was tested on NRs-ZnO based solar cells and exposed better fitting curves and more accurate results comparing to the published literature [3] of our team. In addition, the method has shown low values of RMSE of the order of  $10^{-4}$  for the PSS/P3HT: SiNW solar cell under different chemical treatments. The founded results have proven that the used chemical modifications were able to

improve the photovoltaic performance of the cell by decreasing the series resistance  $R_s$ , the ideality factor  $n$  and the saturation current  $I_s$ , also by increasing the photocurrent  $I_{PH}$ .

*This work was supported by the Tunisian Ministry of Higher education and scientific research for financial support.*

## References

- [1] Roibis-Millan, Elena et al, "Lambert W-function simplified expressions for photovoltaic current-voltage modelling ", *Proceedings - 2020 IEEE International Conference on Environment and Electrical Engineering and 2020 IEEE Industrial and Commercial Power Systems Europe, IEEEIC / I and CPS Europe 2020*, 9-12 June 2020, Madrid, Spain.
- [2] Čalasan Martin, Abdel Aleem et al., " On the root mean square error (RMSE) calculation for parameter estimation of photovoltaic models: A novel exact analytical solution based on Lambert W function ", *Energy Conversion and Management*, **210**, 112716 (2020).
- [3] A. Bazine, D. Jemmeli, M. Belhaj, and C. Dridi, "New modeling method for UV sensor photoelectrical parameters extraction", *Optik : International Journal for light and electron optics*, **181**, 906–913(2019).



My Name is **Elyes bel hadj jrad**, I'm holding a master degree of research in electronics microsystems at the higher institute of applied sciences and technologies of Sousse. I am currently a PHD student in physics engineering at the Centre for Research on Microelectronics and Nanotechnology of Sousse (NANOMISENE laboratory). My thesis focuses on the study and development of energy sources, in particular supercapacitors based on green nanotechnology, using simple and low-cost techniques. Contact: [Elyes\\_bj@yahoo.com](mailto:Elyes_bj@yahoo.com)

## Removal of "Bromocresol Purple" by direct photolysis and advanced oxidation processes (AOP's) in homogeneous solution under artificial and solar light

I. Bousnoubra <sup>1</sup>, S.Fassi<sup>1</sup>, T. Sehili <sup>1</sup>, K. Djebbar <sup>1\*</sup>.

<sup>1</sup> Laboratory science and technology environment. Department of Chemistry. Faculty of Sciences. University of Constantine 25000 Algeria.

E-mail : [ibtissem.bousnoubra@gmail.com](mailto:ibtissem.bousnoubra@gmail.com).

### Abstract

The phototransformation of Bromocresol Purple (BCP, anionic structure), a well-known non-biodegradable dye has been studied using photolysis/UV, photolysis/ Solar and advanced oxidation processes (AOPs) such as:  $H_2O_2/UV$ ,  $H_2O_2/$  Solar,  $S_2O_8^{2-}/UV$  and  $H_2O_2 / S_2O_8^{2-} / UV$ . The obtained results showed that the elimination rate of this compound has been faster with  $H_2O_2/UV$  and  $S_2O_8^{2-}/UV$  than with  $H_2O_2 / S_2O_8^{2-} / UV$  and direct photolysis/UV or photolysis/ Solar. The percentages of degradation by  $H_2O_2 / UV$ ,  $S_2O_8^{2-}/ UV$  and  $S_2O_8^{2-}/ H_2O_2/UV$  are respectively 100 %, 99.08 % and 90, 36 % for a reaction time of 30 minutes. This feature may be explained, in one part by a competition of the emitted light between  $H_2O_2$  and  $S_2O_8^{2-}$  which may slow down the production of the two radicals and in another part by a difference of reactivity of  $HO^\bullet$  (occurring without discrimination) and  $SO_4^{\bullet-}$  (occurring with a great selectivity). The influence of parameters such as the amount in dye, in  $H_2O_2$  and  $S_2O_8^{2-}$  has allowed situating the efficiency of these techniques. Thus, an increasing of the concentration in dye has retarded its elimination by direct UV photolysis whereas its elimination with  $H_2O_2$  and  $S_2O_8^{2-}$  has been accelerated. The efficiency of substrate decolorization



and mineralization in each process has been comparatively discussed by decreases in concentration and total chemical oxygen demand content of BCP solutions. Decolourization kinetic followed the pseudo-first-order for all systems.

**Keywords:** Decolorization, BCP, mineralization, solar irradiation, water.



My name is **Ibtissem BOUSNOUBRA**; I am a teacher research at Farhat Abbas Setif University, Faculty of Exact Sciences, Algeria Chemistry Department. I did my magister studies and my doctorate specializing in analytical chemistry, physics and environment at the University of Constantine. My research interests are in the field of chemistry, photochemical wastewater treatment (artificial and natural with sunlight). Other research visits abroad have included the University of Valencia (Borjassot), Spain. **E.mail:** [ibtissembousnoubra@gmail.com](mailto:ibtissembousnoubra@gmail.com) and [ibtissem.bousnoubra@univ-setif.dz](mailto:ibtissem.bousnoubra@univ-setif.dz). **Cell:** +213666999075

### Photovoltaic performance of rectangular and parabolic (In,Ga)N/GaN QW under applied electric field impacts

Hassan Abboudi<sup>(1,\*)</sup>, Haddou El Ghazi<sup>(1,2)</sup>, Redouane En-nadir<sup>(1)</sup>, Walid Belaid<sup>(2,3)</sup>, Fathallah Jabouti<sup>(1)</sup>, Anouar Jorio<sup>(1)</sup>, Izeddine Zorkani<sup>(1)</sup>,

<sup>(1)</sup> LPS, Faculty of science Dhar El Mahraz, University of Mohamed Ben Abdellah, Fes, Morocco

<sup>(2)</sup> GPE, ENSAM Laboratory, University Hassan II, Casablanca, Morocco.

<sup>(3)</sup> LSG, Laser Spectroscopy Laboratory, Faculty of Sciences, University of Selcuk, Turkey

#### Abstract

In this work, we were interested on the photovoltaic conversion performance of  $GaN/In_{0.2}Ga_{0.8}N/GaN$ -quantum well with intermediate single-band solar cell embedded in the intrinsic region of standard p-i-n photodiode. Rectangular and parabolic quantum wells are considered. Time-independent impurity-related Schrödinger's equation is handled using the finite difference method. Different quantized electrons and holes discrete eigen-energies and eigen-functions were calculated, and subsequently the width and position of the single intermediate band. Optical energy transitions are obtained for different structure size and electric field considering the heavy hole generally neglected in similar studies. The open-circuit voltage, current density and photovoltaic efficiency are numerically calculated. Our results show that optimizing the solar cell performance can be obtained by average structure size and electric field adjusting.

**Keywords :** InGaN, Electric field, QW, Rectangular, Parabolic



I am **HASSAN ABBOUDI**, born February in Morocco in 1970. I got my bachelor's degree in theoretical physics in 1995 at the Faculty of Science in Meknes. In 2000, I was a high school physics and chemistry teacher at Missouri High School. And since 2009, I have been in charge of the physics-chemistry practical work at the Moulay-Idriss Fes preparatory classes center. I got a second bachelor's degree in solid state physics at the Faculty of Science Dhar Elmahraz Fez in 2016, then a master's degree in the physics of nanomaterials for renewable energy in 2018 at the same Faculty. Since 2019, I am registered at the doctoral study center at the same Faculty, and I work on nanomaterials III-Nitride Semiconductors for solar cells. Email : [abboudihassan1@gmail.com](mailto:abboudihassan1@gmail.com)

## Inhibition of Carbon Steel Corrosion in HCl and H<sub>2</sub>SO<sub>4</sub> Solutions by Methyl 2-(1,3-dithiolan-2-ylidene)-3-oxobutanoate

Wafia Boukhedena<sup>1</sup>, Sameh Boudiba<sup>2</sup>

<sup>1</sup> Mine Laboratory, Larbi Tebessi University, 12000 Tebessa, Algeria

<sup>2</sup> Laboratory of Organic Materials and Heterochemistry, Tebessa University, Constantine Road, 12002, Tebessa-Algeria

### Abstract

The adsorption behaviour of Methyl 2-(1,3-dithiolan-2-ylidene)-3-oxobutanoate (MDYOB) on carbon steel and its inhibitive action on corrosion in 1 M HCl and 0.5 M H<sub>2</sub>SO<sub>4</sub> aqueous solutions were examined using different corrosion evaluation methods, such as weight loss, potentiodynamic polarisation and electrochemical impedance spectroscopy. The results obtained showed that the inhibitory character of this product increases with the concentration but this character is inversely related to the temperature. Tafel curves have revealed that this compound (MDYOB) possesses the indices of a mixed inhibitor. The inhibiting effect of this compound was interpreted through its adsorption on the metal surface. The Langmuir isotherm adequately describes the process of adsorption of the MDYOB molecules on the surface of the steel in this medium. The experimental results revealed that MDYOB restrains the corrosion reaction in both acidic environments, the inhibition efficiency being stronger in H<sub>2</sub>SO<sub>4</sub> than in HCl. The discussion of kinetic and thermodynamic parameters such as activation energy, enthalpy, entropy and adsorption free energy has also been the subject of this work. Quantum chemical parameters were calculated and discussed.

**Keywords** Corrosion inhibitor, Carbon steel, Acidic media, Methyl 2-(1,3-dithiolan-2-ylidene)-3-oxobutanoate, Density functional theory



I am named as **Wafia Boukhedena**, currently I am a lecturer of chemistry at the University of Larbi-Tebessi (Tébessa, Algeria) and a member of research laboratory of Mines located in the same university. I earned my Bachelor of Natural Sciences and Life at Zigoud Yousef high school (Constantine-Algeria) in 1992, I had my Graduate degree in Chemistry at Mantouri University (Constantine, Algeria) in 1996 and my Master degree in Analytical Chemistry and Physics at the same University in 2001. I made my PhD in Analytical Chemistry from the University of Mantouri University (Constantine I, Algeria) in 2018, working on synthesis, characterization and applications of organic compounds and in corrosion field. After completing my PhD, I focused my research on plants extracts employed as corrosion inhibitors. Email: wboukhedena@yahoo.fr

### Effect of ethyl acetate extract of *Taxus baccata* as an additive in electrodeposition bath

Karima HANINI<sup>1</sup>, Sameh BOUDIBA<sup>2</sup>, Merzoug BENAHMED<sup>1</sup>, Hatem BEDDIAR<sup>1</sup>, Hocine LAOUER<sup>3</sup>, Beya BERKA<sup>4</sup> and Louiza BOUDIBA<sup>2</sup>

<sup>1</sup> Laboratory of active molecules and applications, Tebessa University, Constantine Road, 12002, Tebessa-Algeria

<sup>2</sup> Laboratory of organic materials and heterochemistry, Tebessa University, Constantine road, 12002, Tebessa-Algeria

<sup>3</sup> Laboratory for the valorization of natural biological resources, Ferhat Abbas University, Setif, 19000, Algeria

<sup>4</sup> Chemistry department, normal higher school, old Kouba, Algiers, Algeria

### Abstract

The aim of this work is the evaluation of ethyl acetate extract obtained from the aerial part of "*Taxus Baccata*" as additive in electrodeposition using potentiodynamics polarization and weight loss measurements. The electrodeposition of the zinc on the steel in chloride solution was performed using a direct current supply. The presence of the ethyl acetate extract as additive in the electrolytical bath performed the quality of the electrodeposition of the zinc. This constatation was observed through the deposit parameters as the brightness, the adhesion and the thickness. It was found that the electrodeposition process changed with additive concentration. In addition, their efficiency against corrosion was evaluated indicating that the samples coated in the presence of the extract were more resistant against this phenomenon.

**Keywords:** Corrosion; *Taxus Baccata*; electrodeposition; extract; additive.



My name is **Karima HANINI** and currently I am a lecturer of chemistry at the University of Larbi-Tebessi (Tébessa, Algeria) and a member of research laboratory of Laboratory of active molecules and applications located in the same university.

I earned my Bachelor of Exact Sciences at Saadi-sedik high school in Tebessa in 1998. I had my Graduate degree in Chemistry at Larbi-Tebessi University (Tebessa, Algeria) in 2002 and my Magister degree in materials sciences at Mohamed Khaider University, Biskra (Algeria) in 2005. I made my PhD in Organic Chemistry from the University of Tebessa in 2020, working on plants extracts employed as corrosion inhibitors and used as additives in electroplating. Email: haninikarima@yahoo.com

### Comparative study of the adsorption capacity of methyl orange (MO) by two anionic clays of the types $\text{MgAlCO}_3$ ( $R = 3$ ) and $\text{NiAlCO}_3$ ( $R = 3$ ).

Salah Bahah

Département de Génie des Procédés, Faculté des Sciences et de la Technologie Université Bachir El Ibrahimy de Bordj Bou Arreridj.

Laboratoire de Génie des Procédés Chimiques (LGPC), Département de Génie des Procédés, Faculté de Technologie, Université Ferhat Abbas Sétif-1, 19000 Sétif, Algérie.

E-mail: [bahsal\\_2007@yahoo.fr](mailto:bahsal_2007@yahoo.fr)

### Abstract

The application of synthetic adsorbents for water treatment is one of the ways used by several scientific studies to find out the efficiency of the elimination of dyes in water by these types of anionic clays.  $\text{MgAlCO}_3$  et  $\text{NiAlCO}_3$  ( $R=3$ ) are clays synthesized in the laboratory by the direct co-precipitation method. To characterize these clays, several techniques were used, DRX, FTIR and BET. The XRD diffractograms and the FTIR spectra respectively indicate the presence of all the peaks and the functional groups which characterize the clays studied. BET analysis shows specific surfaces of the order of  $61.50 \text{ (m}^2 / \text{g)}$  and  $66.86 \text{ (m}^2 / \text{g)}$  for  $\text{MgAlCO}_3$  ( $R = 3$ ), and  $\text{NiAlCO}_3$  ( $R = 3$ ), respectively. In addition, we have studied the adsorption of MO by these clays, where the adsorption of MO in solution on the two clays is successfully modeled by the Langmuir, Freundlich models where the adsorbate concentration is the only variable. Based on the coefficients of the

regressions ( $R^2$ ), we find that the adsorption of MO follows the Langmuir model. Methyl orange adsorption capacity which was determined by the Langmuir isotherm is  $47.61 \text{ mg} \cdot \text{g}^{-1}$ ,  $21.27 \text{ mg} \cdot \text{g}^{-1}$  for  $\text{MgAlCO}_3$  ( $R = 3$ ), and  $\text{NiAlCO}_3$  ( $R = 3$ ) respectively. According to the MO adsorption kinetics curves, equilibrium is attained after 10 min for the two clays studied. The models of MO adsorption kinetics on the studied supports are the pseudo first order and the pseudo second order. The most suitable model to describe the adsorption kinetics of MO is that of pseudo second order.

**Keywords:** Anionic clays, Methyl orange, Adsorption, Langmuir, Freundlich.

## Other Biographies....



Professor **Abdelfattah Barhdadi** is a physicist actively working on semiconductors and their applications in photovoltaic technologies and systems. He has more than 35 years' experience in this applied physics field in which he has developed high capacities and skills. Since 1995, he works as full professor at the physics department of Ecole Normale Supérieure, belonging to Mohammed V University in Rabat. He is also directing a research structure on semiconductor physics and solar energy (PSES Research Team) and holds several academic positions and responsibilities at national and international scientific institutions as well as at prestigious scientific organizations and distinguished research structures. He is also an international expert in photovoltaics and author/co-author of numerous scientific publications, chapters and research reports. He also authored numerous scientific communications including several invited plenary and topical talks at international scientific conferences and events. He has directed and still directing many dissertations and scientific essays. He has provided his expertise as a scientific evaluator or referee in more than 100 research works, scientific reports and conference proceedings. He is also co-editor of specialized scientific journals, manager of several funded research projects, co-organizer of numerous scientific events, and initiator/co-founder of many national and international scientific skills networks and clusters. Prof. Barhdadi is a co-founder of the African Network for Solar Energy (ANSOLE). He is also the Moroccan Coordinator and Co-Regional Representative in North Africa of this network.

**Contact :** Prof. Dr. Abdelfettah BARHDADI , Semiconductors Physics and Solar Energy Team (Head)  
[https://www.researchgate.net/profile/Abdelfettah\\_BARHDADI](https://www.researchgate.net/profile/Abdelfettah_BARHDADI)  
 Ecole Normale Supérieure, University Med-V, P.O. Box. 5118, Takaddoum, Rabat, Morocco  
 Mobile: (+212) 661 055 338 / 664 936 815. Email: [abdelfettah.barhdadi@um5.ac.ma](mailto:abdelfettah.barhdadi@um5.ac.ma)



**Abdelkrim Merah** was born in Aith Boussaada - Kherrata (Algeria) in 1978. He received the State Engineer diploma in 2003 from University of Bejaia (Algeria) and the Magister degree in 2006 from University of Boumerdes in Mechanical Engineering. From April 2007 to November 2008 he was an attached researcher in the Research Center for Development of Advanced Technologies (Algeria). Since 2008, he is an Assistant Professor at the department of Mechanical Engineering of the University of Boumerdes (Algeria), his academic appointment is in mechanical engineering. His research is situated in the field of Mass and Heat transfer Phenomena, Liquid metal and

Crystal Growth with a special focus on Rotating Flows. He is a member of ANSOLE. Email: [Abdelkrimerah@univ-boumerdes.dz](mailto:Abdelkrimerah@univ-boumerdes.dz)



### Dr Allé Dioum

- Assistant Professor, Physics department, University of Cheikh Anta Diop, Dakar, Senegal  
Head of Materials, composite systems and applications team (MASCA) (since 2015)
- Chief of Techno-pedagogy Office, Pedagogical Affairs Direction, University of Cheikh Anta Diop, Dakar, Senegal (since September 2020)
- Coordinator of pedagogical commission of the Physics department (since 20219)
- Representative of the African Network for Solar Energy (ANSOLE) in Senegal (since 2018)
- Representative of ANSOLE in Senegal and member of the network Greening Africa Together (GATo), in UCAD, (Janvier 2021)

Dr **Allé Dioum** is 48 years old assistant Professor at University Cheikh Anta Diop of Dakar. He



originates from Senegal in West Africa. He holds an undergraduate (Master) degree in Physical chemistry applied to energy in the Chemistry Department of Cheikh Anta Diop University in Dakar/Senegal. His keen interest led him to integrate the Physical Solid and Materials Sciences Group (GPSSM) of the Physics Department for his doctorate in Physics with the option Solar Energy, Materials, Systems and Applications. He is always interested in energy-related Science and Technology, especially on Renewable Energy. He has held by August 2010, his PhD degree and focused his researches on various and novels materials for PV applications such as organic and hybrid semiconductors. After, his doctorate, Dr Dioum held various postdoctoral positions i.e. University of Chouaib Doukkali, El Jadida, Morocco (2012), in framework of ICTP-ANSOLE INEX Program Fellowship (*Topic: Finite Element*

*Modeling of PV devices*); at the Institute of Organic Synthesis and Photoreactivity, National Research Council, (CNR-ISOF), Bologna, Italy (2013) in the framework of ICTP-TRIL program fellowship (*Topic: Characterization and modeling of OPV solar cells*); at the Italian National Agency for New Technologies, Energy and Sustainable Economic Development (ENEA), Portici Research Center (2014), in the framework of ENEA International Fellowship program (*Topic: Deposition and characterization of thin film of perovskite and their chemical/physical conditioning to realize solar cells and optoelectronic devices*), at the Center for Energy and Environmental Chemistry Center (CEEC), Friedrich-Schiller University Jena, Germany (2017), in framework of DAAD Research Stays for University Academics and Scientists program (*Processing, Characterization and Modeling of Polymer Organic Photovoltaic Solar Cells*).

Dr Dioum focuses his research activities on designing, characterization and modeling of optical, electronic, transport and thermo-electronic properties of materials for energy use and storage. In this framework, Dr Dioum had collaboration with the Professor Emeritus Diola Bagayoko of the Department of Mathematics and Physics (DMP), Southern University and A&M College in Baton Rouge, Louisiana, United States (2019) (*Topic: Ab-initio, self-consistent, density functional theory (DFT) calculations of electronic and related properties of materials, from atoms, molecules, and finite nanostructures, to semiconductors and insulators*); with the Groupe d'études de la Matière (GEMAC), University of Versailles, Paris, France, on *Photoluminescence of crystal, commutable materials, phase transition*. He has been supervising 13 Masters (04 in progress), more than 25 publications. Email: [alle.dioum@ucad.edu.sn](mailto:alle.dioum@ucad.edu.sn) / [alledioum@gmail.com](mailto:alledioum@gmail.com). Tel: 00221 77 647 70

25



**Amel Ben Fredj Romdhane** is a professor at the Faculty of Sciences of Tunis, University of Tunis El Manar, Tunisia and Director of the Laboratory Advanced Materials and Quantum Phenomena (Laboratoire Matériaux Avancés et Phénomènes Quantiques). She is a founding member of the African Network for Solar Energy (ANSOLE). Her research is concerned with theoretical and experimental investigation of magnetic field effect on the delayed fluorescence and photoconductivity, in molecular crystals. Photophysical and electrical properties of organic materials, such as molecular crystals and polymers as solutions and thin films. She focusses in particular on the intermolecular inter and intra chain interactions (H and J aggregates), the processes of energy transfer in singlet excited states and exciton diffusion. Magnetoresistance effect in organic semiconductors, for magnetic sensor applications. Contact: [amel.benfredj@fst.utm.tn](mailto:amel.benfredj@fst.utm.tn)



**Dr. Armel Duvalier Pene**

I am a Cameroonian born in 1980. I am married and father of three children. I received my Ph.D In Applied Physics and Engineering, Specialty: Electrical Engineering and Industrial Automatic at the University of Ngaoundere, Cameroon in 2017. I am the author of six publications in the Photovoltaic solar energy. I continue research on Photovoltaic solar energy. I am a member of the African Network for Solar Energy (ANSOLE) and was the first Ph.D. student to benefit from the ANSOLE-ICTP Scholarship. Currently, I am a teacher at the Department of Electrical Engineering of the University Institute of Technology of the Ngaoundere University. Contact: [duvalierarmel@gmail.com](mailto:duvalierarmel@gmail.com)



**Dr. Asma Saaidia** is currently a contract assistant at the Faculty of Sciences in Gafsa. She obtained her doctoral degree in physics in 2017 from the Faculty of Sciences of Tunis Elmanar Tunisia, holding her research activity at LAMQP (Laboratory of advanced materials and quantum phenomena), under the supervision of Professor Samir Romdhane. Asma worked on photovoltaic solar panels (Renewable energy). Her thesis subject concerns the study of the optical properties of organic conductive polymers. These materials have been marketed for a few years for various applications, there are, principally, photovoltaic cells and OLEDs which are used for display in the field of flat screens and as a lighting panel. Before starting Ph.D., she holds a Research Master's Degree in Quantum Physics and a Fundamental Bachelor's Degree in Physics and Chemistry, both from the Faculty of Sciences of Tunis El-Manar Tunisia. She participated in several national and international conferences and congresses and she did a three-month internship in the Center For Energy and Environmental Chemistry Jena under the Supervision of Dr. Harald Hoppe. Asma is a member of the African Network for Solar Energy (ANSOLE). **Email:** [asmasaaidia.ph@gmail.com](mailto:asmasaaidia.ph@gmail.com), **Address:** Rass Elkef Gafsa 2151Tunisia **Phone number:** +201622324536



Professor **César Kapseu** holds a degree in Chemical Industries Engineering from the “Ecole Nationale Supérieure des Industries Chimiques de Nancy” in 1983 and a State Doctorate from the National Polytechnic Institute of Lorraine (1989) in France. Since April 27, 2004, he has been Professor of Universities. Since January 30, 1984; he is teacher-researcher at the National Advanced School of Agro Industrial Sciences/The University of Ngaoundéré, Cameroon; He was Head of Department of Process Engineering and Engineering from 1994 to 2006 in the same institution. He has held several international positions, including Representative of Sub-Saharan Africa on the Network Committee for Process Engineering Applied to Agro-Food at the “Agence Universitaire de la Francophonie” (2000-2006); Member of the Committee of Experts at the AUF Central Africa Office (2000-2005); Member of the Steering Committee of Section VI "Post-

Harvest Processes and Technologies" of the International Commission of Rural Engineering; Member of the Steering Committee of the International Drying Symposium Series (IDS '); Scientific Advisor to the International Foundation for Science (Sweden); Associate Professor at the National Polytechnic Institute of Lorraine (Nancy, France); Professor at the Center of Regional Excellence of Brazzaville in Congo; Expert at the journal “Cahiers d'Etudes Francophones / Agricultures”; Regional Representative of the African Network for Solar Energy in Central Africa. He is the laureate of several national and international scientific awards, including the AUF Scientific Excellence Award (1997 Knight of Cameroonian Merit (2005), ATLAS / AAI (USA) Alumni award 1999, Chevreul Medalist (Paris, France) in 2009). Member of the Academy of Sciences of Cameroon in 2009, Albert Einstein Award for Excellence (ABI, USA) in 2011, Ambassador of Science (TWAS, UNESCO) in 2013, Officer of the Order of Merit Cameroon in 2009. He is the author of 293 scientific publications including 10 books r. Finally, he was elected on August 13, 2015, in South Africa, representing in Central Africa the African Committee for the Future of the Earth (AFEC) of which he is one of the 11 permanent members.

Research areas: Processes Engineering applied for food, Separations Engineering, Physico-chemical properties and thermodynamics, Drying, Technology of sugar and optimization, Physical Chemistry of oilseeds and vegetable oils, Refining and waste recoveries, Conservation of tropical products, renewable energies .Email: [Kapseu@yahoo.fr](mailto:Kapseu@yahoo.fr). TL : (237) 694772214



Ms **Chancily Matinda** was born on 7.10.1993 in St.Wendel, Germany. Her parents are from the Democratic Republic of Congo and Angola. She is in her last semester as a student of political science with a focus on international relations at the Friedrich Schiller University of Jena. For a while she taught German to refugees. Since 2019 she is a member of the AMAH-ANSOLE e.V. Team. Her work consists of counselling and supporting African students and scientists, arranging and mediating further help offers in Jena and organizing and realizing cultural events such as the Africa Day 2019 & 2020. Contact: [chancilymatinda@gmail.com](mailto:chancilymatinda@gmail.com)





I am **Chris Seiferth** and I am of German origin. I am working as a social worker at the AWO RegionalverbandMitte-West-Thüringen, Jena with the main focus on socio-pedagogical family assistance for families with migrant background. Besides, I am also partially employed at the AMAH-ANSOLE e.V. project to organize and conduct cultural events, drafting of proposals as well as administrative tasks. As such I was strongly involved in the organization of Africa Day 2020. Due to my studies in social work at the University of Applied Sciences Jena and Master in sociology with the focal point on "Social Change and Sociological Diagnosis of Time" I also had the chance to stay in France and Romania. Email:

[chris.seiferth@onenetbeyond.org](mailto:chris.seiferth@onenetbeyond.org)



Ms **Claudia Bess** is registered Professional Engineer in Jamaica and a registered Environmental Professional in Canada. Her professional career spans over 20 years, where she contributed to developments in environmental management in particular to sustainable development, in the water and energy sectors. Claudia has worked in Jamaica, Canada and Kenya in various capacities, where she was involved in several development projects and work involved in the institutional strengthening and improving water and wastewater supply systems as well as strategies in energy management. Additionally, Claudia has been involved in academia over the last 4 years, lecturing courses in Chemical Engineering and involved in research in microplastics and the environment.

Email: [claudiabess@hotmail.com](mailto:claudiabess@hotmail.com)



**Diouma Kobor** is Professor at the department of Physics of the University Assane Seck of Ziguinchor and is the director of the « Ecole Doctorale Sciences technologies et Ingénierie »

After his studies at the university Claude Bernard of Lyon 1 and in INSA - Lyon in France, Diouma Kobor was enrolled in the Department of Physics of the University Assane Seck of Ziguinchor as the first lecturer. He occupied the first Head of the Department of Physics from its creation (2007) to 2012. From 2013 to 2014, he was the Director of the Research and Cooperation Service of this university before being in the top management as the Vice rector in charge of Research, Cooperation and Relationship with enterprises from 2014 to 2017. Diouma Kobor is the Director of the Laboratoire de Chimie et de

Physique des Matériaux (LCPM) as a cofounder (in 2009) and in which he manages the research group Engineering Materials for Energy, Electronics and Construction (GMEEC). He established many collaborations and partnerships (master and PhD students exchanges) with laboratories such as LGEF in INSA-Lyon, IM2NP in AMU Marseille, University of Lomé in Togo, University



Houphouet Boigny in Ivory Coast, University Paris Saclay-Orsay, ICMPE in Paris-Est university, GEMaC in Paris Versailles, ESRF in Grenoble, TH Koln, TU Berlin, UQAM Canada, APS-ANL in USA etc... This experience has earned him his presence today in several networks and national commissions for decision-making on issues mainly related to university management and renewable energy issues.

- Member in the African Light Source (AFLS) steering committee
- Member of the International committee of African School of Fundamental Physics and Application (ASP-ACP)
- Member of European Physical Society and African Physical Society
- Head Officer and Founder of the Scientific Committee of “Casamansun”
- Member of the West African Renewable Energy Society (SOAER)
- Member of the platform IEEIES (solar energy actors)
- Member founder and General Secretary of Senegalese Physical Society
- Member of the Selection Committee for the Support Program for Woman Researchers and Teachers in High Education of Senegal (PAPES since 2013)
- Member of the Committee of the Program of High Education for Renewable Energy and Energy Efficiency (PESREE) in collaboration with German International Cooperation (DAAD)
- Member and Coordinator of academic staffs in the “Green Africa Together (GATo)” Project funded by the German International cooperation with DAAD in partnership with Senegal, Benin, Togo, Guinea, Turkey and the Gambia

Presently, Professor Kobor is the Director of the “Ecole Doctorale Sciences, Technologies et Ingénierie” at UASZ. His research topics are oriented in materials engineering (Nanomaterials, ceramics, single crystals, thin films, silicon nanostructuration etc ...) ranging from the elaboration to the characterization. He did many publications, communications and patent (AOIP) in scientific reviews in many topics:

- Synthesis of new materials for electronics and optics.
- Fabrication and characterization of nanostructured materials for solar cells and Perovskites based solar cells
- Eco-building materials

In 2018, Professor Kobor was awarded knight of the Order of Merit for service to the nation of Senegal. Email: [dkobor@univ-zig.sn](mailto:dkobor@univ-zig.sn), Tel: +221 77 513 59 69



**Emilienne Bogwarbe** is a holder of Doctorate degree in Applied Physics and engineering defended in 2018 with very honorable appreciation at the University of Ngaoundéré in Cameroon. Her doctorate research is related to the optimization of fruit and vegetables drying in the wet tropical zones by coupling solar and biomass energies. Dr. Emilienne BOGWARBE is very interested by scientific activities of evaluating renewable energy potential, the design of equipment for energetical valorization of agricultural residues, agro-alimentary residues and domestic waste. Dr. Emilienne BOGWARBE is currently Head of Cooperation, Recherche and documentation Department at the National Institute of Vocational Training and

Program Development (NIVTPD) of the Ministry of Employment and Vocational Training (MINEFOP) where she is in charge of the mission of monitoring sector-based technological development and promoting results of applied research in engineering and pedagogic innovation in the field of vocational training. She is member of the research team DEPT (Development of data processing tools/Energies/Proceedings/ agro-alimentary and chemical transformation) directed by

Professor JIOKAP NONO Yvette, team attached to the laboratory of analysis, simulation and test (LASE) of the UIT of the University of Ngaoundéré. Email: [ebogwarbe@yahoo.fr](mailto:ebogwarbe@yahoo.fr)



Dr. **Ernest A. Fongwa** was born and attended school in Cameroon. He is a Specialist in Environmental and Integrated Management Systems/Modelling. He obtained his Bachelor and Master degrees on environment and resource studies, and a PhD in environmental science in the area of environmental informatics (system modelling and simulation) all at the Brandenburg University of Technology Cottbus-Senftenberg. Also, he has done several professional trainings on environmental management and occupational safety systems (professional auditor).

Dr. Fongwa was a research and teaching assistant at the Brandenburg University of Technology Cottbus-Senftenberg and later worked on his own position for development of research and cooperation under the German Research Foundation (DFG) funding domain at the same university. He is the founder of Piso company and has established the Piso Certification. Also, he was head of Piso Institution as the main trainer and president of the Piso Foundation e.V. from 2015 till before its liquidation in 2020. Dr. Fongwa works as Health, Safety and Environment Specialist at Erweka GmbH. Furthermore, he is a board member of ANSOLE Network. Dr. Fongwa has published many scientific research and professional books and articles. E-Mail: [ernestfongwa@yahoo.de](mailto:ernestfongwa@yahoo.de)



Dr **Izeddine Zorkani** was born in Fes (Kingdom of Morocco); he did all his high school studies in Fes. Fes contains the Quaraouine University, one of the oldest Universities in the world. He holds a 3<sup>d</sup> Cycle Thesis in Solid State Physics from Poincaré University in Nancy (France). He holds a PhD in Semiconductor Physics from the ULG University in Liège (Belgium). He has about 35 years of experience in Nanosciences with a focus on solar energy applications. Previous interests include Renewable energies, Low Dimensional Systems and Nano-materials. Dr Zorkani has produced numerous formal scientific publications & scientific reports. He has co-initiated the the Moroccan Association of Nanotechnology” (AMANAT), the Nanoscience African Network (NANOAFNET), the African Network of Solar Energy (ANSOLE), the Moroccan Society of Renewable energies and the Renewable Energy University Network (REUNET). He is Member of of the African Future Earth Committee (AFEC-International Council of Scientific Unions ICSU), member of the African Laser Centre and Responsible of a Federation Scheme with the Abdus Salam International Centre for Theoretical Physics (ICTP, Trieste – Italy). He is Responsible of a Research Group "Nanomaterials and Renewable Energies" and Director of the Solid State Laboratory, Physics Department, FSDM, Fes-Morocco. Dr. Zorkani is the President of the Moroccan NGO Sebou Association for a Healthy Environment (ASES).

He is involved in numerous international co-operation programs in nanosciences with a focus on novel optical materials and solar energy applications. Being involved in numerous international & national committees and advisory boards, he was a regular associate of the International Centre for Theoretical Physics-Trieste (ICTP).

Dr. Zorkani has and is involved in co-supervision of numerous postgraduate students. His main interests are related to both fundamental investigations & technological applications in the field of nanomaterials and solar energy.

He is Chair of *Nanomaterials and Renewable Energies*, Faculty of Sciences Dhar Mehraz, University Sidi Mohamed Ben Abdellah. Email: [izorkani@hotmail.com](mailto:izorkani@hotmail.com)



Born in Fresco (Côte d'Ivoire) July 20, 1966, **Jeremie T. Zoueu** is a Professor of Photonics at the National Polytechnic Institute (INP-HB) in Yamoussoukro (Cote d'Ivoire). In 1992, he received a M.S. degree in the field of Laser Engineering at Galilee Institute in Paris (University of Paris XIII) and holds a Ph.D. in physics from Pierre & Marie Curie University in France in the field of lasers and photonic material science in 1996. He is currently the Director of the Interdisciplinary Research and Innovation Unit and the founder (UMRI-78) and the head of the Laboratory of Instrumentation, Image and Spectroscopy (L2IS)

at INP-HB. On the international level, he is cofounder and the coordinator of the African Spectral Imaging Network (AFSIN), cofounder of African Network for Solar Energy (ANSOLE), and a VCU (Virginia Commonwealth University) Affiliate Faculty. Jeremie T. Zoueu is experienced in Instrumentation. He has built in the framework of his Ph.D. thesis a metallic cluster (size ranging from 2 to 100) source-based laser vaporization for their magneto-optically study in order to investigate how these matters are formed and how their optical properties evolve with size. He has also contributed to the construction of number optical instruments including a multispectral and multimodal LED microscope and an advanced spectroscopy device for which he holds a patent which leads to company in which he is a cofounder. He was awarded the National Prize for research and National Medal for Education in 2019. Professor ZOU EU has supervised a dozen PhD thesis and numerous of M.Sc. thesis. He is co-authors of more than fifty scientific papers and has organized and participated in several workshops, conferences, and scientific meetings. Email: [jeremie.zoueu@inphb.ci](mailto:jeremie.zoueu@inphb.ci)



Mr **Johnson Olowookere** is of Nigerian Origin. He has International Baccalaureate- Wales, a Bachelor of Arts in German Language- University of Ibadan Nigeria and at the Friedrich Schiller University Jena, Germany, as well as a Diploma in Mediation from the University of Erfurt, Germany . He is the founder and president of the Living Water Christian Missions with base in Jena, Germany. He is a preacher of the Gospel and ministers worldwide. He has established churches in Germany and co-established others in Mexico, India, Nigeria and Bulgaria. He has organised many christian conferences as well as being a guest in many other conferences around the globe. Weblink: [www.lwcm.tv](http://www.lwcm.tv), FB: Johnson Olowookere

Email: [rev.johnson@gmx.de](mailto:rev.johnson@gmx.de)



Mr **Joseph Koffi Datte**, was currently following a PhD programme at the University Félix Houphouët Boigny, Cocody-Abidjan, Côte d'Ivoire, after obtaining a Master's degree in Electrical and Electronic Systems a few years ago. He was graduated in Education Sciences from Ecole Normale Supérieure, Côte d'Ivoire. In 2017, He attended an ANSOLE summer school at 2IE in Burkina Faso. In 2018, he was a member for the ANSOLE scientific meetings in Côte d'Ivoire (ASMCI). In August 2019, He participated at the photovoltaic summer school on metrology and fault analysis of solar panels

at Institut National Polytechnique Félix Houphouët-Boigny (INP-HB) His research focuses on photovoltaic material conversions. Email address: [dattjos@yahoo.fr](mailto:dattjos@yahoo.fr)



Dr. **Lamiaa Mekky** is an associate professor for civil law in the Faculty of Law- Alexandria University.

She studied Law in Egypt and pursued her postgraduate studies at the Friedrich Schiller University Jena. She obtained her Masters of Laws (L.L.M) at the FSU Jena in 2009. Subsequently she made her doctorate degree from the same university in 2018. Her research time covered a vast scope of legal topics: comparative law, corporate law, security law, etc.. During that time she participated in the broad project of the Refugee Law from 2017-2019. She is also interested in interdisciplinary research as Law and Economics, Urban economics, Energy Law and Law and Technology. Dr. Mekky is a member of the Egyptian Bar Association, the Society of Legal Scholars and the African

Network for Solar Energy e.V. (ANSOLE e.V.), where she is a board member. Email: [dr.lamya.mekky@gmail.com](mailto:dr.lamya.mekky@gmail.com)



Professor **Louiza Boudiba** is a team leader of the organic materials and heterochemistry laboratory at Tebessa University in Algeria since 2001. She obtained a Diploma of high studies in chemistry in 1995, her PhD in 2005 and her Habilitation in 2007. She is a member of pedagogic expert commissions (Magister, Licence, Master and Doctoral schools of chemistry), a member of national research projects, international programs and supervises several graduation projects, Masters and PhDs. Scientific research focused on organic materials and their applications especially in electric conduction and renewable energies. She also worked on the treatment of waste water and recently on the synthetic and natural

bioactive molecules. She is a member of ANSOLE since its inception. Contact: [boudiba.louiza@univ-tebessa.dz](mailto:boudiba.louiza@univ-tebessa.dz) or [boudibalouiza@gmail.com](mailto:boudibalouiza@gmail.com)





**Professor Martin Kamta** obtained a postgraduate Ph.D and a Ph.D in physics of semiconducting materials in 1989 and 1998 respectively. These theses were carried out at the Louis Pasteur University of Strasbourg, France. He is professor in solid state physics at the University of Ngaoundere, Cameroon. His main areas of research are : Physics of solar cells and photovoltaic systems. He is co-author of several scientific papers related to Electron Paramagnetic Resonance (EPR) of semiconducting materials and Maximum Power Point Tracking (MPPT) of solar panels. He teaches courses of electronics, sensors, photovoltaic systems. He is currently the national representative of African Network for Solar Energy (ANSOLE), Cameroon. Contact: [Martin\\_Kamta@yahoo.fr](mailto:Martin_Kamta@yahoo.fr)



**Dr. Maria Teresa Alarcon Herrera** is a professor and researcher currently serving as the head of the water-consortium- CIMAV Unidad-Durango. Her past and present research expertise has been undergone at the Environmental Protection and Renewable Energies in the Advanced Materials and Research Centre (CIMAV). She has a Master's degree in Environmental Engineering from the Autonomous University of Mexico and a Ph.D. in Environmental Engineering from the University of Windsor Canada (1994). She has a specialty in Water treatment from the Applied Institute of Sciences of Toulouse France (1979) and at the University of Hannover Germany (1985). Dr. Alarcon Herrera is a Level II Researcher, as designated by the National System of Researchers in Mexico (SNI-II). She received the distinguished scientist state award from Chihuahua in 2010. In November 2014 she participated in the organization of NanoMonterrey International Forum. In 2009, she organized, presented, and served as chair for the 10<sup>th</sup> International Congress on the Biogeochemistry of Trace Elements (10<sup>th</sup> ICOBTE).

As a researcher in CIMAV, she has contributed to the academic formation of Bachelor, MSc, and Ph.D. graduate students in the Environmental Science and Technology postgraduate program. She directs different research projects related to water quality and treatment, as well as remediation of sites contaminated with metals and metalloids. She evaluates national and international research projects, as well as international journal articles from: "Science of the Total Environment" "Ecological Engineering", "Water, Air, & Soil Pollution", "Water Science and Technology", "Water supply", "Water Research", "Journal of Hazardous Materials", "Desalinization", amongst many. She directs national and international research projects, financed by diverse agencies such as the Spanish Agency for International Cooperation for Development (AECID). She has published more than 150 scientific works in technical journals and worldwide congresses.

*Areas of research:* Environmental Engineering.

- Water & wastewater treatment
  - Applications of Nanomaterials in water treatment
- Remediation of contaminated sites with metals and metalloids.
- Phytoremediation of contaminated sites and water by constructed wetlands.
- Use of Solar Energy in water treatment processes

Contact: [teresa.alarcon@cimav.edu.mx](mailto:teresa.alarcon@cimav.edu.mx)



**Dr. Salimata Berté** is a postdoctoral researcher at Centre Suisse de Recherche Scientific in Côte d'Ivoire (CSRS) within the research group on Governance, Society and Economic Development. She is also researcher at Centre de Recherche en Ecologie (CRE) in Nangui Abrogoua University. Dr. Berté Salimata holds a PhD in environmental sociology with specialization in Energy policy from the Félix Houphouët Boigny University in Abidjan (Côte d'Ivoire) in 2018. She carried out research on the social determinants of energy consumption in bakeries and electricity in households in Abidjan. Her research interests and expertise focus on energy transition and renewable energy beside governance of environment and health issues. She is a member of ANSOLE since 2021. Tel: +225 0708254446/01418399. Email: [sali.berte@csrs.ci](mailto:sali.berte@csrs.ci) / [sali\\_berte@yahoo.fr](mailto:sali_berte@yahoo.fr)



Professor **Samir Romdhane** is member of the Laboratory of Advanced Physics and Quantum Phenomena Faculty of Sciences of Tunis, Tunis, Tunisia. He was born on April 24, 1966. Samir Romdhane studied physics at the Faculty of Sciences of Tunis, where he was graduated in 1989. He received a doctor's degree from the Faculty of Sciences of Tunis in 1997. He obtained the Habilitation in physics in 2003. Scientific interests deal with the electronic properties of organic conjugated materials and their applications in organic electronics, in particular in the field of solar energy conversion into electric energy. The research activity is mainly focused on the investigation of organic solar cells, with the aim to understand the complex interplay between the chemical structure of materials, their chemical-physical properties and their effects on the performance of solar cells. He is one of the founding fathers of ANSOLE. Contact: [samir.romdhane@fst.utm.tn](mailto:samir.romdhane@fst.utm.tn)



**Shewangsaw Bekele** is an Ethiopian living in Germany for more than 20 years. His high school education was at Gymnasium Yavello. He then worked at the International Livestock Center for Africa (ILCA) as senior field research assistant in Addis Abeba, Ethiopia. After moving to Germany he worked as health care assistant in in different nursing hospitals. He subsequently did training in translation and integration for Amahric, Oromo und English language. Currentliy he is working for ANSOLE e.V. in the AMAH project (support center for people of African origin) responsible for refugees. Mr. Bekele is actively involved in the organisttion of African events for refugees in Jena und the Africa Day. He is a professional photographer. Contact: [shewa@web.de/amah@ansole.org](mailto:shewa@web.de/amah@ansole.org).



Dr. **William Wandji** graduated in theoretical physics at University of Yaounde I, Cameroon, in 2010. He obtained a Ph.D. degree in Energy and Processes at Mines ParisTech, France in 2015 on the estimation of solar radiation for application domains such as Ultraviolet, photosynthesis, daylight and photovoltaic systems. Since 2016, he has mainly been working as Post-Doc at Finnish Meteorological Institute in Finland. His research focuses on development, improvement and evaluation of novel algorithms/methods for meteorology, solar radiation and radiative impacts of aerosols dealing with both -satellite and ground- based measurements. He is an active member of ANSOLE since 2020. **Email:** [williamwandji@yahoo.fr](mailto:williamwandji@yahoo.fr)



Prof. **Zahir Rouabah** obtained his B.S. degree from the University of Setif, Algeria, in 1994. He received his Magister degree in 1999 and his PhD in Optics and Precision Mechanics at Setif University in 2009, during which he researched at the University of Metz (France). His current position is a full Professor in the University of Bordj Bou Arreridj, Algeria.

Prof. Zahir Rouabah is the author and the co-author of 25 international journal publications and 40 international conferences. Since 2012, he has led the doctoral committee on “Materials Science and Engineering”. He is the president of energetic transition committee at “HAKAMA FOUNDATION for development policy studies, Algeria”, Since May 2020. His research interests focus on photovoltaic systems and materials, computational modeling, renewable energy policy, and energy efficiency. He is a member of ANSOLE since its inception.

**Professional Address:** Materials and Electronic Systems Laboratory, Faculty of Sciences and Technology, University of Mohamed El Bachir El IBRAHIMI, El- Anasser, 34265 Bordj-Bou-Arreridj, Algeria. **Phone (mobile):** +213 661 34 50 03, **Email:** [zahir.rouabah@univ-bba.dz](mailto:zahir.rouabah@univ-bba.dz)/[zahir.rouabah@gmail.com](mailto:zahir.rouabah@gmail.com)

## List of registered participants

N°	First name	Surname	Institution	Country	Email
1	Asma	Saaidia		Tunisia	<a href="mailto:asmasaaidia.ph@gmail.com">asmasaaidia.ph@gmail.com</a>
2	Lynet	Allan	UoN	Kenya	<a href="mailto:lynetamondiz@gmail.com">lynetamondiz@gmail.com</a>
3	Jacinta	Okwako	UoN	Kenya	<a href="mailto:jacintaokwako@yahoo.com">jacintaokwako@yahoo.com</a>
4	Shaimaa	Ali M. Ahmed	Zewail City of S &T, Cairo	Egypt	<a href="mailto:smohamed@zewailcity.edu.eg">smohamed@zewailcity.edu.eg</a>
5			Masinde Muliro University of		
6	Victor	Odari	S&T, Masinde Africa Youth Advisory Board	Kenya	<a href="mailto:odarivyc@gmail.com">odarivyc@gmail.com</a>
7	Soumaya	Zaddem	of African Union Ibrahim B.	Tunisia	<a href="mailto:soumaya.zaddem8@gmail.com">soumaya.zaddem8@gmail.com</a>
	Abubakar Sadiq	Sanda	Babangida Univ. Lapai, Niger St.	Nigeria	<a href="mailto:abubakarsanda@rocketmail.com">abubakarsanda@rocketmail.com</a>
8	Redouane	En-nadir	USMBA	Morocco	<a href="mailto:redouane.en-nadir@usmba.ac.ma">redouane.en-nadir@usmba.ac.ma</a>
9	Hassan	Aabboudi	Univ of Fez	Morocco	<a href="mailto:abboudihassan1@gmail.com">abboudihassan1@gmail.com</a>

10			ENSAM		
	Haddou	EL Ghazi	Casablanca	Morocco	hadghazi@gmail.com
11	Walid	Belaïd	Univ of Fez	Morocco	Walid.belaid@usmba.ac.ma
12	Achref	Chebil		Tunisia	chebilachref001@gmail.com
13	Asma	EL Golli	CRMN Sousse	Tunisia	elgolli.asma@gmail.com
14	Joseph Koffi	Datte	Univ of Abidjan	Ivory Coast	dattjos@yahoo.fr
15	Malik	Maaza	University of South Africa	South Africa	Maaza@tlabs.ac.za
16	Ghemid	Mouna	USTHB Algiers	Algeria	ghomidmouna@gmail.com
17		Alarcon-			
	Maria Teresa	Herrera	CIMAV	Mexico	teresa.alarcon@cimav.edu.mx
18			Malsch		
	Ineke	Malsch	TechnoValuation	Holland	malschtechnovaluation@xs4all.nl
19			UNZ of	Burkina	
	Bougouma	Moussa	Koudougou	Faso	bmousaraphael@gmail.com
20			Univ of Tunis El		
	Samir	Romdhane	Manar, Tunis	Tunisia	Samir.Romdhane@fst.utm.tn
21	Imane	Charif	USTHB Algiers	Algeria	imanecharif1994@hotmail.fr
22	soumia	fassi		Algeria	fassissoumia@umc.edu.dz
23	Achref	Chebil	CRMN of Sousse	Tunisia	chebilachref001@gmail.com
24	khaididja	ketroussi	USTHB Algiers	Algeria	kketroussi9@gmail.com
25			Univ of Tunis El		
	Sonia	Haddad	Manar, Tunis	Tunisia	sonia.haddad@fst.utm.tn
26	Bouchaib	Hartiti	Univ Hassan2	Morocco	bouchaib.hartiti@univh2c.ma
27			univ des freres		
	younes	bennacer	mentouri		younes.bennacer43200@gmail.com
28	kawther	Benkhemkhem	constantine 1	Algeria	m kawther.benkhemkhem.etu@univ-
	Nesrine	m	Univ of		
			Mostaganem	Algeria	mosta.dz
29	Abdelhak	Maghchiche		Algeria	amaghchiche@yahoo.fr
30			ENS, Mohammed		
	Abdelfettah	BARHDADI	V Univ, Rabat	Morocco	abdelfettah.barhdadi@um5.ac.ma
31	Carla	Puglia	Uppsala Univ	Sweden	carla.puglia@isp.uu.se
32	Barbara	Brena	Uppsala Univ	Sweden	barbara.brena@physics.uu.se
33	Dioum	Allé	Univ CAD Dakar	Senegal	alledioum@gmail.com
34	Nizar	Chaweche		Ivory Coast	nizar.chaweche.1618@gmail.com
35	Andrea	Balducci	FSU Jena	Germany	andrea.balducci@uni-jena.de
36			Univ of		
	Martin	Kamta	Ngaoundere	Cameroon	martinkamta@gmail.com
37			Univ of Tunis El		
	Amel	Ben Fredj	Manar, Tunis	Tunisia	amel.benfredj@fst.utm.tn
38	Khaled	Belhouchet	Univ of Msila	Algeria	khaled.belhouchet@univ-msila.dz
39	Rayane	Fassi		Algeria	fassirayane@yahoo.com
40			Univ of Tunis El		
	Moufid	Radaoui	Manar, Tunis	Tunisia	raddaouimoufid@gmail.com
41			abou bekr		
	loubna	benhabib	belkaid univ	Algeria	louliphysique@hotmail.com
42			Univ of Tunis El		
	Khoulood	Chika	Manar, Tunis	Tunisia	khoulood.chika@gmail.com
43	ibtissem	Bousnoubra		Algeria	ibtissembousnoubra@gmail.com
44	Niyazi Serdar	Sariciftci	JKU Linz	Austria	serdar.sariciftci@jku.at
45	AmenAllah	Guizani	CRTE	Tunisia	amenallah.guizani@crten.mesrs.tn



46	Benbahouch e	Lynda	UFAS,	Algeria	lybenbah@yahoo.fr
47	Nancy	Bessong			
	Wendy	Hissendj		Cameroon	wendyhissendj@gmail.com
48			Mohammed V		
	Safae	Aazou	Univ Rabat	Morocco	S.aazou@mascir.ma
49	Elif	Arici	ITU, Istanbul	Turkey	aricibogner@gmail.com
50		Talla			
	Franck Armel	Konchou	UIT Fotso Victor	Cameroon	tkfarmel@yahoo.fr
51	Chris	Seiferth	Ansole e.V. Jena	Germany	chris.seiferth@onenetbeyond.org
52			Nigerian Army		
	Ibrahim O.	Abdulsalami	University	Nigeria	aiboldkip@gmail.com
53	Oliver				
	Benjamin	Klutse		Ghana	bklutse21@yahoo.com
54			Univ of		
	César	Kapseu	Ngaoundere	Cameroon	kapseu@yahoo.fr
55			Federal		
			University		
	Babatunde	Ogunyemi	Otuoke	Nigeria	ogunyemibt@fuotuke.edu.ng
56			Ifatizo		
	Didace	Bizumuremyi	Organization	Rwanda	didacebizumuremyi@gmail.com
57	Daniel A. M.	Egbe	JKU Linz	Austria	daniel.egbe@ansole.org
58	Bignon				
	Stéphanie	Nounagnon	GIZ, Cotonou	Benin	geraldinenounagnon@gmail.com
59	Christoph	Ulbricht	JKU Linz	Austria	christoph.ulbricht@gmail.com
60			abou bekr		
	Ioubna	benhabib	belkaid university	Algeria	louliphysique@hotmail.com
61			University of		
	William	Wandji	Yaounde 1	Cameroon	williamwandji@yahoo.fr
62	Christian	Kästner	TU Ilmenau	Germany	christian.kaestner@tu-ilmenau.de
63	Diouma	Kobor	Univ Ziguinchor	Senegal	dkobor@univ-zig.sn
64	Khaled	Belhouchet	Univ of Msila	Algeria	khaled.belhouchet@univ-msila.dz
65	Markus	Gall	JKU Linz	Austria	markus.gall@jku.at
66	Shahidul	Alam	FSU Jena	Germany	shahidul.alam@uni-jena.de
67	Sunday G.	Borisade	FU Oye Ekiti	Nigeria	sunday.borisade@fuoye.edu.ng
68			Mohammed V		
	Bouchra	Laarabi	Univ Rabat	Morocco	laarabi.b@gmail.com
69	Elyes	Bel hadj jrad	CRMN - ESSTHS	Tunisia	elyes_bj@yahoo.com
70	Harald	Hoppe	FSU Jena	Germany	harald.hoppe@uni-jena.de
71	Armel		IUT, Univ of		
	Duvalier	Pene	Ngaoundere	Cameroon	duvalierarmel@gmail.com
72	Jérémie		INPFHB		
	Thouakessseh	Zoueu	Yamassoukrou	Ivory Coast	jeremie.zoueu@inphb.ci
73	Sameh	Boudiba	Tebessa Univ	Algeria	boudibasameh@gmail.com
74	Louiza	Boubiba	Tebessa Univ	Algeria	boudibalouiza@gmail.com
75	Karima	Hanini	Tebessa Univ	Algeria	haninikarima@yahoo.com
76			Univ Energy & Natural		
	Selina	Saah	Resources	Ghana	Selina.saah@uenr.edu.gh
77	Wafia	Boukhedena	Tebessa Univ	Algeria	wboukhedena@yahoo.fr
78			Birla Institute of		
	Sanket	Goel	T&S Pilani,	India	sgoel@hyderabad.bits-pilani.ac.in

			Hyderabad Campus		
79	Lilly	Seidler	TU Berlin	Germany	seidlerl@yahoo.de
80	Claudia	Bess	TUK Nairobi	Kenya	claudia.bess@tukenya.ac.ke
81	Shewangzaw	Bekele	ANSOLE e.V. Jena	Germany	Shewa@web.de
82	Lamiaa	Mekky	Alexandria University	Egypt	dr.lamya.mekky@gmail.com
83	Chérif	Dridi	CRMN of Sousse	Tunisia	dridiz@yahoo.fr
84	Matinda	Chancily	ANSOLE e.V. Jena	Germany	priscillamatinda@gmail.com
85	Harald	Kicker	JKU Linz	Austria	harald.kicker@jku.at
86	Reinhold	Lang	JKU Linz	Austria	reinhold.lang@jku.at
87			Université catholique de Louvain		
88	Sorin	Melinte	Living Water Christian Missions	Belgium	sorin.melinte@uclouvain.be
89	Johnson Mohamed Izzedine Serge	Olowookere Adjibade		Germany	rev.johnson@gmx.de
90	Claude Vidal	Aloyem Kaze	UCAD Dakar	Senegal	mohamed.adjibade@esp.sn
91	Joel A.	Ezenwora	Univ of Buea	Cameroon	kazealoyem@yahoo.fr
92	Souad	TABET	FUT, Minna	Nigeria	joelezen@futminna.edu.ng
93	Zuhal	Er	Univ of BBA	Algeria	souad.tabet@univ-bba.dz
94	Ghaya	baaboura	Univ Tunis El Manar, Tunis	Turkey	erzuh@itu.edu.tr
95	Marwa	Belhaj	ghaya.baaboura@etudiant- fst.utm.tn	Tunisia	marwabelhaj2@gmail.com
96	Sadok	Ben Jabrallah	CRMN Sousse,	Tunisia	marwabelhaj2@gmail.com
97	Gernot	Wallner	Univ of Carthage	Tunisia	sbenjabrallah@gmail.com
98			JKU Linz	Austria	gernot.wallner@jku.at
99	Oumayma	Taboubi	Institute of macromol chem Prague	Czech Republic	taboubioumayma@gmail.com
100	Eslem	Ben Chouikha	Univ Tunis El Manar, Tunis	Tunisia	isllem.benchouikha@fst.utm.tn
101	Amira	Ben Krid	ENSIT Tunis	Tunisia	benkridamira11@gmail.com
102	Moufid	Radaoui	Univ Tunis El Manar, Tunis	Tunisia	raddaouimoufid@gmail.com
103	Selma	Aouida	CRTen	Tunisia	salma.aouida@crtten.rnrt.tn
104	Walid	Belaid	Univ of Fez	Morocco	walid.belaid@usmba.ac.ma
105	soumia	fassi		Algeria	fassisoumia@umc.edu.dz
106	mwende	mbilo			
107	Lassaad	El Mir	UoN Nairobi	Kenya	mwendebilo@gmail.com
108	Marwa	Othmen	FSG	Tunisia	Lassaad.ElMir@fsg.rnu.tn
109	Salimata	Berte	Centre Suisse de RS en CI	Tunisia	marwa.othmen8@gmail.com
110	Najoua	Kamoun	Ivory Coast		sali.berte@csrs.ci
111	menyar	Ben Jaballah	Univ Tunis El Manar, Tunis	Tunisia	n.najouakamoun@gmail.com
112	Emna	Ben Salem	Tunisia		menyar96@gmail.com
	Ahmed	Hannachi	IPEI de Tunis	Tunisia	emna.bensalem@fst.rnu.tn
			ENIG - Universiy of Gabeds	Tunisia	ahmed.hannachi@enig.rnu.tn

113	Mariem	Guesmi		Czech Republic	mariem.guesmio@gmail.com
114	Emilienne	Bogwarbe	NIVTPD	Cameroon	ebogwarbe@yahoo.fr
115			Univ Tunis El		
116	Amal	Hammoud	Manar, Tunis	Tunisia	amelhammoud12@gmail.com
117	Jacinter	Akoth	Mr Green Africa		
118			Nairobi	Kenya	akothjacintero@gmail.com
119	Abdoul Kadri	Diallo	Univ of		
120			Ziguinchor	Senegal	a.diallo3014@zig.univ.sn
121	Tetteh	Addy	Kayazia Solutions		
122			LLC	Ghana	addysee@gmail.com
123	Habib	Elhouichet	Univ Tunis El		
124			Manar, Tunis	Tunisia	habib.elhouichet@fst.rnu.tn
125	Chicgoua	Noubactep	Univ of		
126			Göttingen	Germany	cnoubac@gwdg.de
127	Nnditshedze	Maluta		South Africa	
128	ni Eric	Manaa	Univ of Venda		Eric.Maluta@univen.ac.za
129	Shadlea	Manaa		Tunisia	chadlia.el.manaa@gmail.com
130	Aku	Ibrahim	FUT, Minna	Nigeria	ibrahimaku@futminna.edu.ng
131	Siwar	Jebri		Tunisia	siwar.jebri@gmail.com
132	Dieter	Meissner		Austria	profdieter@gmail.com
133	Flavio	Odoi-Yorke	Cape Coast TU	Ghana	flavio.odoi-yorke@cctu.edu.gh
134	Vaino	Indongo	NUST	Namibia	vainoindongo@gmail.com
135	Marwa	Enneffati	Taif University	Tunisia	marwa.enneffati@gmail.com
136	Germaine	Ashu	EDC, Yaounde	Cameroon	ashugemaine@gmail.com
137	Raymond O.	Yogo	Univ Strathclyde	Kenya	raymondyogo@gmail.com
138					temitope.abodunrin@covenantuniversity.edu.ng
139	Temitope	Abodunrin	Covenant Univ	Nigeria	

**Updated speech\* held by Daniel Egbe during the demonstration on “Climate Change and Racism” organized in Jena, Germany, on 19.03.2021 by “Fridays for Future Jena” and “Anti-Racism Network Jena”: TREES NEED SPACE!**



Ladies and gentlemen and fellow campaigners for a just and climate-neutral World,

Through this speech I would like to show you a connection between climate injustice and racism. Seen from the space, our planet Earth appears to be just one Globe, just ONE World. The division into first and third World are relics of colonialism, which were built on racism. This ONE World is out of balance due to the effects of climate-damaging technological progress, which mainly began during the industrial revolution from 1760 onwards. This led to regression (backward

development) in nature, which is characterized by air pollution, mass deaths of animals and increased natural disasters.

The harmony between HUMAN and TREE (the tree representing NATURE, because the tree helps regulate CO<sub>2</sub>) is for me the highest form of development (the divine development). This divine development has become unbalanced by technological advances that are harmful to the climate.




The effects of the climate crisis are having a greater impact on the Global South than the rich Global North, whose wealth is partly based on the exploitation of the Global South. Examples are regular floods such as in Mozambique and periods of drought in parts of West and Eastern Africa, which trigger migration to the Global North.

Another cause for migration from Global South to Global North are the effects of the worldwide Eurocentric educational system, which falsely presents the industrialized nations as the standard for development.







**If the heat bothers you, plant a tree. If the water bothers you, plant a tree. If you like fruits, plant a tree. If you like birds, plant a tree. And if you like life, plant many trees. Please Plant trees..**

I would like to illustrate this with a little story:

In 2019, I flew from Austria to Cameroon to attend ANSOLE National Meeting in Ngaoundere Cameroon (ANSOLECAM 2019). While landing at the Nsimalen International Airport in Yaounde, I looked through the window and saw how fast the City of Yaounde has expanded. It was rapidly getting closer to the airport through devastation of the forest/nature around the airport for the purpose of constructing single family homes. It was sad to watch the scenery...

I took two days later the train from Yaounde to Ngaoundere. The journey led through untouched nature, along organic agricultural fields farmed according to PERMACULTURE principles, and through villages with simple houses surrounded by trees, especially fruit trees. Smiling children waved to us standing by the windows watching the passing sceneries. I waved back while sunk in my thoughts. I was thinking about the future of these young but very happy waving girls and boys. What would such a young boy receive as educational content at school? It is surely the same Eurocentric educational content that I received more than 4 decades ago. He is taught that his community belongs to the Black race, a lower, less intelligent and less creative race, while the White Europeans are of the higher and more intelligent race. The traditional houses in his village are not considered as houses but as huts and his village environment is described as underdeveloped. His country Cameroon is a developing country and belongs to the 3rd World. He learns about the achievements of the White Europeans but almost nothing about the achievements of the Blacks. The nations of the Global North mainly inhabited by the Whites belong to the first World and are the norm and standard of development, the highest form of development. This young Black child grows with inferiority complex and longs for the highest form of development by later, as an adult, leaving his village and moving to the city, which is built on the European model. For him the city is a preliminary phase of Europe or the Global North, a preliminary phase of the norm, of the European standard. In the city he sees how rapidly the city is expanding, by cutting down trees and destroying nature to erect large fenced concrete single-family homes. Owning a large concrete and fenced single-family house is a sign of great life achievement for most

humans influenced by the Eurocentric education, irrespective of their skin color. He also realizes that the temperature of the city rapidly increases from year to year due to lack of trees. His final move is to legally or illegally migrate to the Global North, Europe or North America so that he can finally, according to the Eurocentric educational content, live in an environment of highest level of development.

As you can see from this illustration: The worldwide Eurocentric educational content can also be considered as a cause of migration to the Global North.

Actually, in his village, he already lives in the highest form of real development (the divine development) characterized by the harmony between HUMAN and TREE (nature). Therefore, one can claim that "The (pseudo) Underdeveloped are the real Developed", because the "Underdeveloped Africans" (from the European point of view) live in harmony with nature.

This Eurocentric educational content is racist. It conveys that the darker your skin color, the less developed you are. This was only made possible by the race theory from 1803 according to Blumenbach, which was underpinned by the pseudoscience of Ernst Haeckel and the University of Jena in the 19th century. Thank God, modern science has proven that 99.9 percent of all humans have the same genes and they all come from Africa. We know that there are no human races: Prof. Martin Fischer and his colleagues have distanced themselves from Ernst Haeckel through the Jena Declaration: "The concept of race is the result of racism and not its prerequisite" ([https://www.unijena.de/190910\\_JenaerErklaerung](https://www.unijena.de/190910_JenaerErklaerung))

What can we do?

We know that non-environment-friendly technological development leads to the regression of natural diversity. The 2030 Agenda states that all countries are "developing countries", everyone and every society must strive to get back to harmony with nature.

Therefore, we demand:

**1. The educational content is to be reformed worldwide**, from a Eurocentric to a cosmopolitan content. Various words with racist content must disappear. Since we live in ONE World, we are no longer allowed to speak of the 1st and 3rd World: there are countries in the North and countries in the South, which are in different stages of development as compared to the divine development.

**2. Preservation of resources:** In thermodynamics, energy can be divided into two forms:

**Exergy:** *Energy that can do work and is consumed by doing actions such as jogging, eating, driving, etc.* - the difference between the poor and the rich is not so great, because, for example, due to human limitations, no normal human being, whether rich or poor, is able to eat more than 100 bananas per day.

**Anergy:** *Energy that does not do work, that is only accumulated and not used.* This form of energy has a direct impact on the climate and is associated with a large consumption of resources and environmental degradation. Nobody can sleep in two beds at the same time or live in 20 rooms at the same time. Not every person needs a single-family home - it is better to build apartment buildings so that less space is used to accommodate more people/many families and more space is left for trees and nature. Moreover, modern worldwide European-style buildings demand a lot of SAND. The high consumption of shore sand for various construction purposes is leading to the sinking and disappearance of some small islands in South-East Asia (e.g. Indonesia). Therefore, not only the predicted rise of sea level, if global temperature continues to increase, will cause the disappearance of some island nations but also the high demand for sand to build according to the European norms. The City of Kigali is giving an example of how to build with less sand by using hardened red earth instead of concrete. (Red) soil was the main building material in many African communities to erect houses with comfortable interior temperature.

The German 3 SAT television broadcast on March 25th, 2021 on the subject of "Cooling hot cities" shows that trees contribute to sustainable cooling (<https://www.3sat.de/wissen/wissenschaftsdoku/210325-stadt-sendung-wido-100.html>). The climate researcher Dr. Hans Schipper and his team from the Karlsruhe Institute of Technology use climate models to show how plants influence the microclimate in cities: **"The cooling capacity of a tree is accordingly up to 30 kilowatts, which corresponds to about 10 air conditioning systems or a perceived temperature drop of 10 to 15 degrees."** According to Prof. Karl-Heinz Strauch from the Beuth University of Technology in Berlin, "the leaves of the plants retain moisture and evaporate it when it is hot – that is better than any parasol". We can learn from the city-state of Singapore how to plan cities (human settlements) in a sustainable and climate-neutral way by integrating the green (trees and plants of all kinds) into the building architecture.

**3. Awareness raising about the SDGs:** Most people are not yet aware of the Sustainable Development Goals (Agenda 2030), even though they are over 5 years old. This awareness can be strengthened, for example, through an exchange between young people from the Global North and the Global South, by means of virtual exchanges of ideas for joint reforestation projects. ANSOLE can help organize such exchanges.

What does ANSOLE do?

ANSOLE is committed to education, research and use of sustainable energy in Africa. It is actively involved in the implementation of the SDGs worldwide. It is currently represented in 45 countries in Africa and 30 non-African countries. If you would like to know more about our activities, please contact us at [info@ansole.org](mailto:info@ansole.org)

Thank you for your attention!

*\*Speech translated from German with help of Google Translate!*

The LORD God took the man and put him in the Garden of Eden to work it **and take care of it.** Genesis 2.15








Certificates of Main Organizers



## Notes



Sponsors:



UPPSALA  
UNIVERSITET

**ipmt** Institute of  
Polymeric Materials  
and Testing

**JKU**  
JOHANNES KEPLER  
UNIVERSITÄT LINZ